

JIKA

TIGO

3.1118.1.004.001.1

3.1118.1.004.004.1

3.1118.1.004.000.1

3.1118.1.004.119.1

3.1118.7.004.230.1

3.4118.1.004.001.1

3.2118.7.004.000.1

3.2118.6.004.000.1

3.3118.7.004.000.1

3.3118.6.004.000.1

3.5118.1.004.000.1

3.5118.1.004.200.1

3.5118.1.004.300.1





3.5118.7.004.210.1

3.5118.7.004.239.1



CZ/SK/HU/LT/LV/EST





P

P
bar

0,5 MAX. 10

1 5

T

°C

80 MAX.






65
45

Q
(3 bar)

l/min

9

20








4



3.1118.7.004.230.1

3.5118.7.004.239.1





6

3.5118.1.004.200.1



3.5118.1.004.000.1

26

39

41

2,5

21



22

45

7

33

32



inox

27



28

4

25








35

4





7

3.5118.7.004.210.1
















3.5118.1.004.300.1




18 20



9





1 - 7525437100
 2 - 7523542200
 3 - 7525771809
 4 - 7522665103
 5 - 7525769203
 6 - 7522472819
 7 - 7525396800
 8 - 7525552100
 9 - 7525397100
 10 - 7523650407
 11 - 7525857300
 12 - 7523542100
 13 - 7525398900
 14 - 7525159100

15 - 7523881600
 16 - 7543359907
 17 - 7523210900
 18 - 7505119507
 19 - 7505324600
 20 - 7525770400
 21 - 7523813300
 22 - 7523630807
 23 - 7525554200
 24 - 7525399100
 25 - 7525761409
 26 - 7525399000
 27 - 7525770603
 28 - 7523841907

29 - 7525710203
 30 - 7522663603
 31 - 7505710203
 32 - 3.9428.5.004.000.1
 33 - 7524136300
 34 - 7525775309
 35 - 7525766809
 36 - 3.9428.3.004.000.1
 37 - 3.9328.7.004.000.1
 38 - 3.9428.6.004.000.1
 39 - 7525857200
 40 - 7525775209
 41 - 7543837307
 42 - 7523813200

43 - 7525005407
 44 - 7523630707
 45 - 7525942507
 46 - 7525765909
 47 - 7525556000
 48 - 3.9328.3.004.000.1
 49 - 7524311603
 50 - 7522686900
 51 - 7542626403
 52 - 7525395700
 53 - 3.9018.0.004.005.1
 54 - 3.9171.0.004.000.1

Slovakia:

LAUFEN SK s. r. o.

Štefanovičova 12

811 04 Bratislava

Tel.: +421 2 526 210 24

Fax: +421 2 526 210 25

off ice.bratislava@sk.laufen.com

www.laufen.com/sk

Lithuania, Latvia, Estonia

LAUFEN CZ s. r. o.

Užupio g. 30

Vilnius, 01203

Lietuva

Tel.: +370 5 215 30 76

Fax: +370 5 215 30 86

off ice.vilnius@lt.laufen.com

www.laufen.com/lt

Hungary:

LAUFEN CZ s. r. o.

Ördögárok u. 121

H - 1029 Budapest

Magyarország

Tel.: +36 1 376 96 24

Fax: +36 1 376 96 24

off ice.budapest@hu.laufen.com

www.laufen.com

Výrobek je vhodný pro krátkodobý styk s pitnou vodou a pro styk s teplou vodou v souladu s platnou legislativou.

The product is suitable for contact with drinking water as well as for contact with warm water in compliance with valid legislation.

JIKA

LAUFEN CZ s.r.o.

V Túních 3/1637

120 00 Praha 2

Česká republika

Fax: + 420/296 337 713

e-mail: marketing@cz.laufen.com

www.jika.cz

Laufen Bathrooms AG

Wahlenstrasse 46

CH-4242 Laufen, Switzerland

www.laufen.com

CZ/SK/HU/LT/LV/EST _____

JIKA