



hansgrohe

Price Book 2022

hansgrohe assortment bath and kitchen

[hansgrohe.com](https://www.hansgrohe.com)

Hansgrohe contact

Hansgrohe Headquarters



The Hansgrohe Master Service - Headquarters

Service hours:

Monday-Thursday: 8:00 am - 4:00 pm
Friday: 8:00 am - 3:00 pm

Phone: +49 7836 51-1282
Fax: +49 7836 51-1440
info@hansgrohe.com

You will also find technical information at
pro.hansgrohe-int.com



Global Projects Services - Headquarters

gpservices@hansgrohe.com

You will also find tender texts and planning
details at
pro.hansgrohe-int.com/planning-data



Hansgrohe Aquademie - Headquarters

Monday-Friday: 7:30 am - 7:00 pm
Saturday-Sunday: 10:00 am - 4:00 pm

Hansgrohe SE
Hansgrohe Aquademie
Austr. 9
77761 Schiltach/Germany
Phone: +49 7836 51-3272
Fax: +49 7836 51-1505

The Aquademie is our adventure centre on
all aspects of water.
pro.hansgrohe-int.com/aquademie

The prices quoted are recommended retail prices and do not include VAT. Errors and omissions excepted.
This Price Book renders all preceding ones void.

Measurements within scale drawings are in mm.

You will find further information and sales arguments on the individual products in the sales manual or at
pro.hansgrohe-int.com

All products subject to availability. Availability may be temporarily affected by material shortages,
supply chain disruption or other force majeure events. Please contact us for details.

The following general terms and conditions shall apply:
<https://www.hansgrohe.com/terms-of-conditions>

Price Book 2022

hansgrohe

Hansgrohe SE · P.O. Box 1145 · 77757 Schiltach/Germany
Tel. +49 7836 51-0 · Fax +49 7836 51-1300
info@hansgrohe.com · www.hansgrohe.com

Index

	Brand hansgrohe	10 Editorial 12 Company 14 Innovation 16 Design	8 Quality 19 Service 20 Responsibility 21 Sports sponsorship
	Spray modes and technologies	Bath 22 Spray types 37 Technologies 41 FinishPlus	Kitchen 36 Spray types 37 Technologies 41 FinishPlus
		42 Phase out products 47 New products 57 Index price brackets	58 Packaging units 68 Code numbers
Bath	Hand showers	96 Rainfinity 96 Raindance 98 Pulsify S NEW 100 Croma	103 Crometta 104 Vernis NEW 105 Jocolino NEW 106 DogShower NEW
	Shower sets / Shower bars / Shower holder	110 Shower sets 140 Shower sets with thermostatic mixer for exposed installation 147 Wall bars	154 Shower holder sets 163 Shower holder 164 Fixfit wall outlets
	Shower hoses and accessories	170 Sensoflex 170 Isiflex	171 Comfortflex 171 Metaflex
	Overhead showers	176 Rainmaker Select 181 Rainfinity 187 Raindance 202 Pulsify S NEW	204 Croma 210 Crometta 213 Vernis NEW
	Showerpipes and shower panels	226 Rainmaker Select 228 Rainfinity 229 Raindance 242 Pulsify S NEW	245 Croma 264 Crometta 272 Vernis NEW
	Thermostatic mixers / valves	288 Thermostatic mixers and combis for exposed installation	308 Thermostatic mixers for concealed installation
	iBox universal	333 iBox universal	
	Mixer lines	343 FinishPlus NEW 355 Metropol 381 Metris 401 Finoris NEW 411 Vivenis NEW	421 Talis 451 Focus 465 Vernis NEW 489 Logis NEW
	Electronic- and project mixers/ Care assortment	508 Electronic mixers 512 CoolStart mixers 519 LowFlow mixers 524 Focus Care mixers	526 Unica Comfort shower sets and wall bars 529 Unica Comfort Accessories 530 Hand showers
	Accessories	538 XtraStoris NEW 541 Rainfinity 541 Logis 544 AddStoris NEW	550 Unica Comfort Accessories 551 Logis Universal 554 WallStoris NEW 562 RainScent
	Wastes and overflow	Shower 570 RainDrain NEW 589 Waste for shower trays Bath 590 Bath filler with waste and overflow for bath tubs 595 Waste and overflow for bath tubs	Basin 597 Waste for basin/ bidet 598 Traps 601 Accessories
Kitchen	Kitchen mixers and sinks	606 Stainless-steel sinks 618 SilicaTec sinks 630 Aqittura M91 634 Aquno Select M81 635 Metris Select M71 / Metris M71 645 Talis Select M51 / Talis M51 652 Talis M52 653 Talis M54	658 Focus M41 661 Focus M42 665 Zesis M33 NEW 668 Logis M31 670 Logis M32 670 Vernis M35 NEW 673 Sink combis
Spare parts	Spare parts and accessories for showers, bath mixers and kitchen mixers	Showers 692 Shower hose 692 Showers 692 Shower holder and slider 693 Soap dishes and shampoo holder 695 Covers 696 Service sets for showers 696 Wall bar spacers	Bath mixers and kitchen mixers 699 Cartridges 700 Spray former/ aerators 702 Diverter 702 Shut-off units and thermostatic cartridges 703 Handles 706 Escutcheons and flanges
Flow diagrams		714 Hand showers 720 Overhead showers	732 Body showers 732 Showerpipes and shower panels

Spray types



Powder Rain
An unrivalled shower experience thanks to gently enveloping micro-droplets.



Intense Powder Rain
Intense jet of micro-fine droplets for sensational showering.



Rain
Full rain shower, ideal for washing hair.



Intense Rain
An intensely invigorating water flow



Turbo Rain
Intensive shower rain that refreshes and rejuvenates.



Rain Air
Gentle shower rain with air-enriched drops.



RainAir XL
Large jet envelops your whole body in soft droplets.



SoftRain
A soft water spray that caresses the body for that feel-good sensation.



Mono
Targeted spray, for a soothing shower experience.



Massage
A powerful and invigorating massage spray.



Whirl
Concentrated targeted massage spray.



Mix
The harmonious combination of gentle shower drops and dynamic spray.



Caresse Air
Boosts energy after a challenging day.



Balance Air
A harmonious combination of soft shower rain and a dynamic spray.



Normal
shower rain, ideal for washing hair.



Shampoo
An intense jet of water that activates and wakes you up.



RainFlow
Powerful flood jet for generous coverage.



Rain Stream
Generous flow of soft sprays.



Fur Spray
Full shower spray for rinsing off dirt and shampoo.



Leg Spray
For legs and sensitive areas.




Paw Spray
A soft spray, ideal for gently cleaning paws.



Laminar Spray
Crystal clear and economical, without added air. Ideal for quickly filling large containers, and preventing splashing.



Normal Spray
Ventilated jet thanks to AirPower technology. Fuller, lighter and softer droplets for a truly unique water spray.



Shower Spray
Economical and cleansing. Also perfect for fast spraying at the sink.




Satin Flow Spray
The soft, flat spray is splash-free, making it highly efficient at saving water.

Finishes

When specifying the surface, each order number (#) has 8 digits, for example 28500, - 000 = chrome

-000 Chrome	-090 Chrom Gold Optic	-140 Brushed Bronze	-340 Brushed Black Chrome	-400 White Chrome	-450 White	-540 Petrol	-560 Pink
-600 Black Chrome	-610 Black	-670 Matt Black	-700 Matt White	-800 Stainless Steel	-820 Brushed Nickel	-990 Polished Gold Optic	

Technologies



Simply regulates the water flow at the touch of a button: a convenient way to turn the shower on and off or switch between spray modes.



Reduces the flow rate to save water and energy. For long-lasting pleasure.



Combines water with a generous amount of air. For a soft, splashfree water spray and rich, full shower drops.



Wipe limescale deposits away easily by rubbing your finger over the flexible silicone nubs.



Easy and fast cleaning and maintenance of surfaces.




Distributes the water over the large spray face enveloping the whole body in drops of wellbeing.



With the adjustable shower head, the water jet can be adjusted individually.



Fast drainage of shower to reduce the dripping time.



With just one hand, the shower holder can be freely adjusted in height at the touch of a button. For a safe and comfortable shower experience.




Easy water control: with the control dial the water flow can be adjusted easily.



Cools through the controlled flow of cold water to stop the product getting hot. For even safer showering.




The bath spout can be neatly stored underneath the thermostat when not in use. A truly aesthetical solution for safety and mobility.



Cold water starts to flow when it is opened in the basic setting. You consume hot water only when you need it.



Defines the useable area between washstand and mixer. Something to suit every customer.



Highest flexibility by pullout function.



Like many motion detectors, the sensor reacts to changes in infrared radiation. As soon as it detects the warmth of the hand, water will flow.



Defines the height, side clearance and – with the pull-out function – the length of the space around the mixer.



The hose extends quietly and smoothly from the base cabinet by up to 76 cm.



The kitchen tap can be quickly removed from its holder and lowered so you can easily open the window inwards.




Low pressure fitting for cold water pipe with boiler/heat storage.



Assembly possible both with included glue-kit and screws.



All accessories can be easily clicked onto the wall bar and removed from it.



Variable installation depth of finish set for an individual look.



For flush integration into the adjacent area.



Water damage protection via water proof basic set and preassembled sealing membrane.



In-floor installation as design highlight.



Wallbound installation for comfortable use of space.



Installation adapted to the integration between two walls.



Minimalistic installation against back and side walls.



Drain can be cut to length. For optimal adaptation to the installation surrounding.



High capacity drain.



Comfortable cleaning of the siphon.



You can increase the amount of water in a targeted way when needed.

Meet the beauty of water

The new meaning of 'home'

Over the past year, many of us have come to realise the importance of home providing a place of relaxation and retreat. As a company, we know we are providing something truly fundamental to our customers: a home filled with beauty and quality, a place of escape from the outside world. Whatever happens, we are – and always will – be by your side.

Innovations to bring your business to life

This year, we're introducing a range of exciting new products that deliver on our guiding principles: **innovation, design, quality** and **responsibility**. We offer solutions to every need, by developing cutting-edge products to suit every lifestyle. Meet Pulsify, the shower that offers a completely new experience in any sized bathroom, thanks to the innovative PowderRain spray. Or Finoris, the tap that gives a new freedom of movement in the bathroom. Innovation continues with the multi-sensory shower experience RainTunes*, the fun Jocolino children's shower, the flexible WallStoris storage system and the RainDrain shower channels.

Designed for people

hangrohe is a brand for life. Whether you are looking for a moment of calm or refreshment, every product we make is designed to make life easier. Our products are not one-off ideas but comprehensive solutions, destined to become integral to everyday life. It's this that defines our brand: our focus on people.



*RainTunes is not available worldwide




hansgrohe – our past informs our future

hansgrohe is a company steeped in tradition. It was founded by Hans Grohe in 1901, with a small metalwork shop in Schiltach, the Black Forest. Today, you will still find our Innovation Centre and corporate headquarters there. The hansgrohe brand has an international reputation for excellence, thanks largely to the commitment of its people. Each employee is passionate about water, but it's our expertise which really set us apart as a company. These qualities have resulted in revolutionary bathroom innovations and pioneering water-saving technologies, yesterday, today and tomorrow.



In 1901, Hans Grohe founded his metalwork business. He was a visionary, recognising the changing role of the bathroom in the home (despite it being a fairly new concept to most at the time).



Hand shower
The first shower with a white porcelain handle. This hansgrohe innovation made showering affordable for many households for the first time.



Shower bar Unica
Thanks to this revolutionary idea, hand showers could be mounted at a required height



Tribel
First design award winning hand shower in many colours and with three spray types.



ALLEGROH
The first mixer with the new lever handle, swivel spout and innovative ball mix technique.



iBox universal
First and only basic set for all standard and thermostat solutions – a revolution in concealed installation.



Raindance
The first hand shower with an XXL shower head, flat silhouette and short handle. The all-rounder becomes a trendsetter.

New milestones in bathroom innovation



PowderRain
A unique shower experience thanks to the soft caress of micro droplets.



FinishPlus
High-quality finishes provide a variety of design options.



RainTunes*
We combine water with sound, light, imagery and fragrance into one holistic wellness experience.

* RainTunes is not available worldwide

Innovation – driving our business and yours

Whether in a new build or renovation, clever products and state-of-the-art technologies will keep you ahead of the competition. Hansgrohe SE registers hundreds of new designs, patents and brands every year, holding 15,000 patents to date. It's the reason we're considered pioneers in the industry. We combine top technical performance with a focus on the needs and enjoyment of the customer. With hansgrohe, you can have confidence that you have technological innovation on your side.



Our own research and development laboratory

We believe every part of a product is important. From the look, functionality and material of a shower, to the sound it makes as water flows. In our in-house spray laboratory, acoustic experts tirelessly research the perfect water sound. This attention to detail is reflected in over 15,000 active patents. The result is that customers around the world can enjoy more comfort and relaxation in the bathroom.





The right spray type for every shower

Different people require different things from the shower. Some look for a relaxing time-out from the world, while others want an energising, refreshing shower experience. Whatever your customers are looking for, with hansgrohe you will find the right spray type. PowderRain is one such spray, enveloping the body in thousands of ultra-fine droplets and creating a delicate cocoon of water. Our experts have used all of their knowledge to ensure quiet operation, and the result is a sensual, whisper-quiet home spa experience.



Technologies that inspire

The best products enrich people's lives, bringing more comfort and enjoyment. And sometimes, it's the smallest technologies that make the difference. hansgrohe's Select is just one button that brings a new ease of use to the bathroom. Or QuickClean, the clever anti-limescale solution. hansgrohe technologies make taps and showers enjoyable to use and easy to clean.

Design – collaborating for excellence

Elegant functionality appeals to both the heart and mind, and it's something we specialise in. Our products are consistently award-winning, outlasting fads and instead providing long-lasting value, whether they are found in the home or in a world famous hotel. With over 30 years of collaboration with Phoenix Design, hansgrohe is a leader within the industry, with more than 600 awards collected for our design achievements.

More than
600 awards





Serenia The Palm
Dubai, United Arab Emirates
Produkte: hansgrohe Metris
Copyright: Serenia The Palm



Developers, investors, architects and planners around the world spearhead the most ambitious of projects, ensuring that intelligent and elegant water solutions are always in demand. Our shower and bathroom collections are well known as the very embodiment of design excellence. That's why you'll find them in world class hotels, exclusive sports clubs, royal castles and luxury yachts. You can find more inspiring examples at pro.hansgrohe.com/your-selling-points/references

At home
all over the world



InterContinental - ANA Beppu Resort & Spa
Oita, Japan
Products: hansgrohe Logis
Copyright: ANA Beppu Resort & Spa



Quality – the highest standards for the longest product life

Install a hansgrohe product, and you know it will be enjoyed for years to come. Offering customers the highest quality at all times is a fundamental part of our philosophy. We have been manufacturing bathroom and kitchen products for over 120 years, and we are proud of our intensive quality control processes, practiced around the world.

Our reliability goes one step further: we offer our end users a five year* manufacturer's guarantee on our products.

This manufacturer's guarantee goes far beyond statutory requirements. With this, we provide our sales partners with yet another advantage of using hansgrohe over other brands. We also ensure that we provide assistance to our specialist partners when applying this manufacturer's guarantee.

Your customer will also benefit from the fifteen year parts availability guarantee, which ensures the security of their investment even after a product is phased out.



hansgrohe
guarantee and
availability guarantee



hansgrohe produces incredibly advanced technology, but the measurement of quality is a very human endeavour. That's why every single product is carefully checked by human hands before it leaves our factory.

* This guarantee applies to all hansgrohe products, with the exception of the products listed under II b on [hansgrohe.com/terms-of-conditions](https://www.hansgrohe.com/terms-of-conditions)

Service – a partnership you can rely on

You deliver your best on each job and need a partner you can rely on. As a trade partner, hansgrohe is here to support you. Through hansgrohe, you can contact experienced plumbers to help you with even the most complex problems – anytime, anywhere. We also provide brochures, videos and online webinars to help you keep your skills up-to-date and provide the best service for your customers.

We keep you up-to-date – on hansgrohe product innovations, marketing and sales campaigns, seminars, events and company news. Whether you're from a trade, craftsman or project management background, register here to always stay in the know.
pro.hansgrohe.com/newsletter



Your success is our success

Professional knowledge from our online Aquademie or on-site seminars

hansgrohe eLearnings gives you the skills and knowledge to be able to advise customer effectively. Our digital training courses train you on the features and benefits of our products. This is all accessible online, on your computer, tablet or smartphone, for the ultimate in flexibility.
pro.hansgrohe.com/service/elearning

Knowledge update: We offer seminars, training and events on a variety of topics, such as new technologies, modern marketing tools or operational and personnel management. These happen regularly at our in-house training centre, Aquademie in Schiltach, and nationwide on-site.

pro.hansgrohe.com/service/showrooms

On our partners website you'll find many additional services, such as delivery information, online spare parts catalogue, dimensional drawings and 3D data, price lists and Building Information Modelling (BIM) data for most software applications and marketing tools. This means you can access it at any time, whether you're out and about or with a customer.

pro.hansgrohe.com

Taking responsibility — acting sustainably

We focus on three areas of accountability: **responsible management**, **social action** and **ecological awareness**. We believe this is the only way to be successful, both now and in the future. This is something we put into practice worldwide, and have been doing so for many years. This includes ensuring we have an environmentally conscious production process, and mindfully employing people and other resources.

Klaus Grohe, the founder's son, was an ardent campaigner for sustainability from an early age. He ensured that environmentally-conscious thinking was a core principle at Hansgrohe. As early as 1987, Hansgrohe was one of the first to bring a water-saving shower to the market. From this point on, many projects were undertaken to ensure environmentally and resource-friendly production in our factories.


At Hansgrohe, we are in the process of taking giant steps forward to help minimise climate change. By 2030, our aim is to make the entire company, including our products, climate neutral. To implement this, we carefully choose our raw materials, packaging and logistics based on their climate impact.



Simply calculate potential savings

With our water saving calculator, it's easy to see the amount of water that could potentially be saved with our environmentally-friendly EcoSmart technology. It's useful for both large and small customers, showing instantly the products that will help conserve our most valuable resource.

pro.hansgrohe.com/consultation/water-savings-calculator



Calculate individually

- Number of people in household
- Energy type
- Average shower length (in mins)
- Water costs €/1000 L
- Energy costs €/kWh
- Product selection

Sports sponsorship – teaming premium athletes with premium products

hansgrohe has been the official title sponsor of the world class cycling team BORA-hansgrohe since 2017. We share the same values and have a similarly global reach: with this international dream team of 29 athletes from ten nations, hansgrohe has helped them to compete in 140 countries around the world. As brand ambassadors, the athletes are on the road for almost 300 days a year.

In 2019, BORA-hansgrohe was the second ranked team in the UCI WorldTour. A highlight of 2021 was the top German team winning the points classification at the Giro d'Italia – largely thanks to superstar Peter Sagan, who won the famous “Maglia Ciclamino” jersey. Find out where, when and who is in the starting position on the website and via social media from hansgrohe and the BORA-hansgrohe team.

 borahansgroheofficial
hansgrohe

 borahansgrohe
hansgrohe

 BORA-hansgrohe.com
pro.hansgrohe.com



More indulgence with a range spray types by hansgrohe

Spray types – relax or energise with every shower

Different people require different things from the shower. Some look for a relaxing time-out from the world, while others want an energising, refreshing shower experience.

Whatever your customers are looking for, with hansgrohe you will find the right hand and overhead shower, with the right spray type. Products featuring our Select technology

provide particular convenience for your customers.



PowderRain
Revolutionise your daily shower experience with Powder- Rain and transform your bathroom into an oasis of relaxation. Instead of only one jet outlet per nozzle, PowderRain has up to five openings that create thousands of fine and silky micro-droplets that envelope your body.



Intense PowderRain
Intense jets of fine micro-droplets for sensational showering. Intense PowderRain is extraordinarily effective as the number of droplets has been substantially increased to produce an intense, yet velvety soft spray.



Rain
Despite the smaller nozzles on the hand shower and overhead shower, the performance of both are consistently excellent. The Rain spray invigorates and refreshes, making rinsing out shampoo quick and easy.



RainAir and RainAir XL
Relaxing shower rain, which is enriched with air inside the shower head. This makes the water feel exceptionally soft and plump, covering your body with soft beads of water and enveloping you to create a sense of well-being. It's a spray most loved by pleasure seekers.

Simply scan the code and experience the spray patterns in the video.



IntenseRain
It's not just shampoo you can rinse away with ease thanks to IntenseRain water spray. It's perfect for setting yourself up for the day too: wash morning tiredness down the drain – for a refreshing start to the day.



TurboRain

The all-purpose tool for quick, straightforward results: TurboRain is the most powerful of our Rain spray modes and lives up to its name every time.



SoftRain

The gentle SoftRain spray is a treat for soul and skin, whether it's a quick daily shower or a pampering evening indulgence.



Mix

Simultaneously gentle and dynamic. The mix spray combines the rich, soft RainAir spray with the strong, revitalising CaresseAir spray. Soft drops envelop your body, while a warm jet massages the skin. It's a dream combination for daily showering pleasure.




Whirl

A swirling massage spray, which showers away the stresses of the day. This relieves tension, primarily in the neck area and shoulders. The rotating helix jet wanders over the skin, just like a masseur's fingers. The ideal choice for relieving stress or giving yourself a spa-like treatment after playing sport.




CaresseAir

Five strong single sprays combine in a pleasantly revitalising and powerful massage. It's just the thing for post-exercise or after a hard day at work – good as new in minutes.



Massage

A concentrated spray that relieves the stress of everyday life, easing areas of tension. The innovative ring-shaped spray creates an at-home wellness experience like no other.



Mono

A targeted, soothing spray from the centre of the shower-head. The Mono jet's lightness helps you to unwind, making it a perfect spray for relaxing.



RainFlow

An overhead shower with RainFlow creates a waterfall in the bathroom. The effect is a cascade of water on the neck and shoulders, easing tension and bringing total relaxation.



RainStream

The new single sparkling RainStream spray is a crowning achievement for the hansgrohe R&D team. These special overhead shower sprays remain revitalising and intense from head to toe, giving a consistent experience however tall you are.

Our experience means more efficiency in the bathroom

Technology — providing the ultimate ease of use for your customers



Select

Because sometimes pressing is easier than turning. With our innovative Select technology, a simple touch of a button on the shower or shower control is all it takes to change the spray mode or turn the water on/off for even more comfort while showering, no matter your age.

- Intuitive control at the touch of a button
- Suitable for all age groups
- Mechanical construction for permanent functional safety
- Temperature can be pre-set
- Can even be operated with your elbow or arm



The idea: a button instead of a lever at the sink. The mechanical Select button simplifies everyday routines, and is robust enough to stand the rigours of everyday life, as our longterm testing proves. These small changes can have a large impact on how convenient a product is to use, and make them ideal for a multi-generational household.






EcoSmart

Thanks to EcoSmart technology, hansgrohe showers consume up to 60 % less water than conventional products thanks to the addition of air to the spray. This also saves valuable energy.

- Up to 60% less water consumption (shower)
- Water consumption of only 5 l/min (tap)
- Lower consumption means lower energy requirements, and therefore fewer CO₂ emissions
- Lower water and energy consumption for double efficiency

The savings calculator computes how much water and energy can be saved at:

pro.hansgrohe.com/consultation/water-savings-calculator



Thanks to EcoSmart technology's aeration, our basin taps consume just 5 l/min of water. This saves warm water and energy. All of our basin taps have achieved level A in the home sector: EcoSmart tech- the best possible result.



QuickClean

QuickClean means flexible silicone inserts on the aerators. Dirt and limescale deposits can be simply rubbed off with your finger with no need to use cleaning products, helping to extend your shower's lifespan.

- Fast and easy cleaning
- Ultra high quality and tear resistant silicone
- For a long lifetime and functionality





AirPower

Comfort and efficiency don't have to be mutually exclusive and our AirPower showers prove it. An ample supply of air is sucked in via the spray disc of your shower, making the droplets fuller, lighter and softer, increasing water efficiency at the same time.

- Fuller, lighter and softer drops – pure shower pleasure
- Fewer splashes, so less cleaning
- Higher water efficiency thanks to a larger water volume



XXL Performance

Large-format showers have to be experienced to be truly appreciated. The luxurious hansgrohe design envelops the individual in water, bringing XXL performance to the bathroom.

- Large-format showering sensation
- Higher water efficiency – evenly distributed spray nozzles, for an incomparable shower experience



Tiltable

You can adjust this overhead shower at an angle to suit the shower area, so that the whole body is soothingly enveloped in water.

- Adjustable shower head to suit the individual
- Angle of adjustments provides flexibility
- Modern installation for contemporary enjoyment



FastDrain minimises drips

This clever technology significantly reduces dripping from the overhead shower.

- Reduces annoying dripping
- Smarter waterflow inside the shower
- Easier cleaning



Water regulation

The amount of water can be precisely regulated using the thermostat. Not only does this conserve water, it's great for children, who often find a gentler waterflow more pleasant.

- Precisely regulate the amount of water
- Actively regulate water consumption with the volume control
- Easy operation – suitable for all ages



Height-adjustable PushSlider

With just one hand, the shower holder can be freely adjusted in height at the touch of a button. For a safe and comfortable shower experience.

- Easy to use with one hand
- More comfort for every generation
- Easily adjustable shower heights



Rotatable bath spout

The water inlet of this bath thermostat can be turned 90° so that it disappears underneath, providing more space to move while bathing or showering and creating a neater overall appearance

- More freedom of movement when bathing or showering
- Functional design
- Streamlining the overall look



CoolContact

The CoolContact cooling technology stops the thermostatic mixer's housing getting too hot. So there is no more need to keep a safe distance from the taps, making showering even more care-free. It also means there is no more risk of children burning their delicate hands.

- Innovative cooling technology
- More safety in the bathroom, for children too
- Care-free showering



Pull-out function

Thanks to the pull-out tap, the working area at the sink becomes much larger. It also offers fantastic ease of use, thanks to the magnetic recoil function.

- The pull-out tap extends your workspace
- Easy handling
- Minimalist design for maximum flexibility and freedom of movement




ComfortZone


Whether you want more elbow room when washing your hands, a comfortable way to wash your hair or just fill containers, the higher the tap, the more flexible your options become. We call the space between the tap and the ceramics the ComfortZone because you can use it however you like.

- The optimal height for every requirement
- The perfect combination of tap and basin
- Reduce unnecessary water spraying through a reliable test: pro.hansgrohe.com/consultation/comfortzone


The right fitting for every need




Mixer behind free standing exposed basin or behind wash bowl.




Wash bowl with exposed mixer.



Wash bowl with wall mixer.



Mixer for built-in basin.



Wall-hanging wash basin with exposed mixer.

The right tap for every sink



The ComfortZone test — ensuring perfect synchronisation

The higher the tap, the more flexible the space. However, if a wash basin and tap do not match up properly it can result in

splashback. To avoid this, we developed the ComfortZone test. Carried out under realistic conditions, the test reveals just how well

customers' taps work in combination with conventional wash basins from leading manufacturers.



How the ComfortZone test works

1. Free space test

Is there enough of a gap in the combination of mixer and wash basin? A test sphere is positioned between the mixer and wash basin to check how easy and comfortable it is to wash the hands.

2. Splash test

Is there any splashing when the mixer is turned on? The mixer is opened and closed several times under different water pressures. Between tests, the splashes are analysed and the wash basin rubbed dry.

3. Practice test

Is there any splashing when washing the hands? A standardised hand model is passed under the water flow and the splashes outside of the basin analysed.

Free PDF: the test results from over 12.000 combinations

Take advantage of the thousands of tests we have conducted: as a professional partner, we make the results exclusively available to you.

With an overview of all sink and tap combinations, the results give you everything you need for a successful sales conversation. The PDF

test result files are available free of charge at pro.hansgrohe.de/comfortzone-test

Advantages and benefits


- Reliable test procedure on the wash basins of leading manufacturers, fitted in accordance with the instructions
- The certainty that wash basin and mixer harmonise – without annoying splashes
- Recommendations from over 12.000 tested mixer wash basin combinations available online for planning – constantly expanded and updated



Contactless taps

Like many motion detectors, the sensor on our non-contact products reacts to changes in infrared radiation. As soon as it detects the warmth of the hand, water flows, making it economical and hygienic.

- Contactless
- Savings in water and energy
- Maximum hand hygiene – ideal in public spaces



CoolStart

On standard taps the continuous flow heater or circulation pump starts up immediately when the handle is in the middle position, but with CoolStart taps the hot water is only added when the lever is moved to the left. This cuts down on energy needs, CO₂ emissions and costs.

- Basic setting enables only cold water to flow
- Large energy, and therefore money, saving potential – ideal in business premises
- Special user ergonomics (the lever only needs to be moved to the left for hot water)



LowFlow

In business projects, water and energy savings are important criteria for building certification, such as LEED or BREEAM. This is why hansgrohe has developed LowFlow cartridges, providing a waterflow of only 3.5 l/min.

- Savings in water and energy
- Certification advantages especially for projects
- Precise temperature setting despite low flow rate



EasyClick installation

Modern accessories, easy to install: hansgrohe hooks, shelves and baskets can be attached to the wall bar with one click. With this modular organisation system, accessories can be moved or removed quickly and easily.

- Simply attach it to the wall bar with one click
- It can be removed or re-attached at any time
- Flexible storage system with almost infinite combinations



Can be attached using glue or screw

Secure hold, residue-free fixing: hansgrohe wall bars can be glued or drilled to the bathroom wall using a rustproof steel plate. Both types of attachment securely hold the accessories.

- Easy DIY installation: use glue or screws to secure
- Remove at any time without leaving any residue
- Robust material: stainless steel plate



Variable installation depth

These hansgrohe accessories provide plenty of storage space. With their variable installation depth, the ready-to-use sets suit every customer requirement – while also ensuring an individual look.

- Variable installation depth
- Storage solution embedded into the wall



Protection against water damage

This basic installation set is embedded flush with the wall and is 100 % waterproof. A pre-assembled seal prevents shower water from penetrating the surrounding floor or under the tiles.

- 100 % waterproof
- Pre-assembled seal



Freely install in any area

Adaptable installation: This shower drain can be positioned in different places on the floor. This type of installation requires a four-sided slope.

- hansgrohe shower channel installed freely in the area
- Four slopes required
- A highly functional design highlight



Wall-mounted installation

Wall-mounted installation: Install this shower drain against a wall. This type of installation requires a slope on three sides.

- hansgrohe shower channel installed on a wall
- Three slopes required
- Effective use of space



Wall-to-wall installation

Wall-to-wall installation: Install this shower drain between two walls. This type of installation requires a slope on both sides.

- hansgrohe shower channel installed between two walls
- Two slopes required
- Requires an shower drain the exact length



Installation against three walls

Minimalist installation against three walls: Install this shower drain on the rear wall and between the side walls. This type of installation requires a one-sided slope the exact length of the shower drain.

- hansgrohe shower channel installed against the rear and two side walls
- One slope is required
- Requires an shower drain the exact length



Adjustable frame height

The drain channel must close the surrounding area without creating a trip hazard. The level of the cover can still be adjusted using the height adjustment frame, even after the screed has been poured.

- High-quality hansgrohe shower channel
- Easy adjustment to the surrounding tiled area thanks to the height-adjustable frame
- Flexible installation



Shower channel that can be shortened

This shower channel can be shortened, so you can adapt it to the structural requirements.

- Adaptable hansgrohe shower channel
- Can be shortened on-site
- Flexible installation



High drainage capacity

A truly great shower experience from a powerful overhead shower places high demands on drainage. This drain is designed for high flow volumes of up to 60 l/min, preventing flooding.

- High flow rate of up to 60 l/min
- Avoids flooding
- Maximum enjoyment



Easy to clean siphon

The aerodynamic geometry and high flow rate of the innovative hansgrohe Dryphon allows dirt and hair to pass through smoothly, reducing the need for cleaning.

- Easier cleaning

Personality-infused design, thanks to coloured fittings

FinishPlus — new surfaces bring new individuality to the bathroom

Today’s bathroom increasingly reflects our own personal style. FinishPlus has been developed to provide five new surface designs

in matte and metallic tones, expanding your style options far beyond classic chrome. The high-quality surfaces offer a wide range of

design options, giving you brand new ways of expressing yourself.



670 Matte Black: Getting back to basics with black and white contrasts.



700 Matte White: Cheeky, unconventional freshness.



340 Brushed Black Chrome: A dark, partially reflective surface creates asophisticated aesthetic.



140 Brushed Bronze: Soft natural tones and subtle nuances.



990 Polished Gold Optic: Glamorous look for aesthetic extravagance.



000 Chrome: Timeless classic paired with dainty elegance.

Advantages and benefits

- A large selection for self-expression: new tap colours and complementary products
- Immediate availability: easy ordering process as products are kept in stock
- Resilient and scratch-proof, with tactile appeal



Make washing-up a breeze

Spray types — for a streamlined workflow in every kitchen




Laminar spray
Crystal clear waterspray without added air, which prevents splashing and is ideal for filling large containers, like vases, quickly.



Normal spray
Fuller, lighter and softer droplets from an aerated spray, thanks to AirPower technology.



Shower spray
A gently water-saving cleaning spray, suitable for rinsing the sink.



SatinFlow spray
The soft, flat spray is splash-free, making it highly efficient at saving water.

Clever functions mean more efficiency

Technologies to make life easier



Select

Select technology makes using the kitchen tap easier than ever before, because the water can be turned on and off with just one click. You can do that with your elbow or even the back of your hand, keeping your taps clean when you're cooking or washing up.


- Convenient use and optimal water flow
- Stop and start the water flow at the touch of a button during operation
- Can also be operated with an arm or elbow



QuickClean

QuickClean means flexible silicone discs. Dirt and limescale deposits can be simply rubbed off with your finger – low effort with no need to use cleaning products, extending your shower's lifespan.


- Fast and easy cleaning
- Ultra high quality and tear resistant silicone
- For a long lifetime and functionality



EcoSmart

Thanks to EcoSmart technology with added air, certain hansgrohe kitchen taps consume only 6 l/min. This reduced water volume means less water needs to be heated up, which also saves valuable energy for your customer.

- Air enriched water for a full, sparkling spray
- Lower energy consumption means fewer CO₂ emissions
- Lower water and energy consumption for double efficiency



AirPower

AirPower works by drawing in air via the jet outlet. This addition of air enriches the incoming water, making the jet fuller, lighter and softer. AirPower cleverly delivers a high jet volume with less water.

- Fuller, lighter and softer droplets, for an enhanced water jet
- Less risk of splashing
- High efficiency helps to reduce water consumption



ComfortZone

Kitchen taps with an extra high spout offer additional space, making them ideal for filling large pots and tall vases. For those that swivel, the rotation can be set incrementally up to 360°.

- The optimum height for all needs
- A flexible swivel area prevents over-rotation
- Ultimate freedom to move



Pull-out function

More flexibility, thanks to the pull-out function. This pull-out tap extends your working area at the sink, making it easier to fill containers or water plants.

- Standard extension max. 50 cm
- The sBox extends the working space to 76 cm



Lower in front of a window


With kitchen windows that open inwards, conventional taps often get in the way. A hansgrohe tap with TiltFunction solves this. It can be easily lifted and lowered, so that the window can be open and shut easily.

- Ideal for installation in front of a window
- Easily lifted up and folded down
- For easy opening and closing of a window



sBox kitchen

With extendible kitchen taps and sink combi units, the sBox ensures that the hose can be pulled out and stowed away safely and easily. The 52 cm-tall box fits into all standard base units from 74 cm upwards. Alternatively, products can also be purchased without the sBox.



- Smooth and safe retrieval of the hose, without getting in the way of the drawer or waste separation system
- Multiple installation options in the base unit thanks to flexible mounting elements
- For a more organised sink cabinet
- The hose weight in the sBox ensures smooth and quiet use
- Optional accessories:
An additional spacer rail that allows for installation lower in the cabinet body

Installation options



Best placement – vertically below kitchen tap:

The lower brackets are firmly screwed to the base. The upper brackets can be either screwed to or suspended on the rear panel. The mounting elements can be moved and rotated 360°. This makes installation fast and easy.



Vertically below kitchen tap, tilted backwards or forwards:

The tilted back assembly is recommended if the rear wall is offset to the front or if there are obstacles on the floor. The brackets are all aligned to the front. This way, the sBox can simply be tilted forward and clicked out of all brackets. This enables quick and easy cleaning. The sBox can be tilted backwards or forwards. Maximum recommended tilt angle: $\pm 20^\circ$.




At the back of the rear wall, tilted sideways:

Laterally tilted installation is an option where there are obstacles on the ground such as waste pull-out or drainage systems, or when angle valves are difficult to access. The brackets can be screwed to the base, sides or rear panel. Maximum recommended tilt angle: $\pm 20^\circ$.



Tilted and offset on the side wall:

The installation on the side panel is ideal for corner sinks, sinks with draining boards or sinks with tap holes that are positioned to the side. All the brackets are screwed to the side. You should avoid parallel displacement of the sBox. If displacement is required for the installation, there must not be more than 30mm between the tap and outlet axis of the sBox.



CoolStart

On standard taps the continuous flow heater or circulation pump starts up immediately when the handle is in the middle position, but with CoolStart taps the hot water is only added when the lever is moved to the left. This cuts down on energy needs, CO₂ emissions and costs.

- Basic setting enables only cold water to flow
- Potential for water, energy and financial savings
- Special user ergonomics (the lever only needs to be moved to the left for hot water)



LowPressure

Kitchen fittings equipped with LowPressure technology can be used at sinks with a water pressure of just 0.2 bar. A low pressure fitting for cold water pipes with boiler/heat storage.

- hansgrohe low pressure fittings
- Suitable for cold water pipes with boiler/heat storage tanks
- Suitable for water pressure of 0.2 bar or more

High-quality designs for the sink

FinishPlus — for kitchens with personality

Customers are increasingly looking for ways to stamp their individuality onto their kitchen. We can help that happen, offering

kitchen taps in various coloured finishes. In addition to chrome and stainless steel, taps in a matte black finish are more popular than ever

before. And with FinishPlus you can fulfil your customer’s every dream, creating a kitchen bursting with personality.



670 Matte Black: Getting back to basics with black and white contrasts.



800 stainless steel finish: A harmonious look



000 Chrome: Timeless classic paired with dainty elegance.

Advantages and benefits

- A large selection for self-expression: new tap colours and complementary products
- Immediate availability: easy ordering process as products are kept in stock
- Resilient and scratch-proof, with tactile appeal

Phase-out products

Code no. **available up to**

Hand showers

Crometta 100

Hand shower Multi	26823400	12/31/2023
Hand shower Vario	26824400	12/31/2023
Hand shower 1jet	26825400	12/31/2023
Hand shower Vario EcoSmart 9 l/min	26827400	12/31/2023
Hand shower 1jet EcoSmart 9 l/min	26828400	12/31/2023
Hand shower Vario EcoSmart 6 l/min	26834400	12/31/2023

Shower sets / Shower bars / Shower holder

Raindance Select E shower sets

Shower set 150 3jet with shower bar 65 cm and soap dish	27856400	12/31/2022
Shower set 150 3jet with shower bar 90 cm and soap dish	27857400	12/31/2022

Raindance Select S shower sets

Shower set 120 3jet EcoSmart 9 l/min with shower bar 65 cm and soap dish	26632400	12/31/2022
Shower set 120 3jet EcoSmart 9 l/min with shower bar 90 cm and soap dish	26633400	12/31/2022
Shower set 120 3jet with shower bar 150 cm and soap dishes	27646400	12/31/2022
Shower set 120 3jet EcoSmart 9 l/min with shower bar 150 cm and soap dishes	27647000 27647400	12/31/2022 12/31/2022
Shower set 120 3jet EcoSmart 9 l/min with shower bar 90 cm and soap dish	27649400	12/31/2022
Shower set 150 3jet with shower bar 65 cm and soap dish	27802400	12/31/2022

Unica Comfort shower sets

Shower set 120 3jet with shower bar 65 cm	26320400	12/31/2022
Shower set 120 3jet EcoSmart 9 l/min with shower bar 65 cm	26321000 26321400	12/31/2022 12/31/2022
Shower set 120 3jet EcoSmart 9 l/min with shower bar 90 cm	26323400	12/31/2022
Shower set 120 3jet with shower bar 110 cm left	26324400	12/31/2022
Shower set 120 3jet EcoSmart 9 l/min with shower bar 110 cm left	26325000 26325400	12/31/2022 12/31/2022
Shower set 120 3jet with shower bar 110 cm right	26326400	12/31/2022
Shower set 120 3jet EcoSmart 9 l/min with shower bar 110 cm right	26327000 26327400	12/31/2022 12/31/2022

Croma 100 shower sets

Shower set Multi with shower bar Unica'Reno Lift 105 cm	27791000	12/31/2022
---	----------	------------

Crometta 100 shower sets

Shower set Multi with shower bar 65 cm	26650400	12/31/2023
Shower set Vario with shower bar 65 cm	26651400	12/31/2023
Shower set 1jet with shower bar 65 cm	26652400	12/31/2023

Shower sets / Shower bars / Shower holder

Crometta 100 shower sets

Shower set Vario EcoSmart 9 l/min with shower bar 65 cm	26654400	12/31/2023
Shower set 1jet EcoSmart 9 l/min with shower bar 65 cm	26655400	12/31/2023
Shower set Multi with shower bar 90 cm	26656400	12/31/2023
Shower set Vario with shower bar 90 cm	26657400	12/31/2023
Shower set 1jet with shower bar 90 cm	26658400	12/31/2023
Shower system for exposed installation Vario with Ecostat universal thermostat and shower bar 65 cm	27030400	12/31/2023
Shower system for exposed installation Vario with Ecostat universal thermostat and shower bar 90 cm	27031400	12/31/2023

Wall bars Unica'E

Unica Shower bar E 90 cm	27640600	12/31/2022
with Isiflex shower hose 160 cm	27645400 27645600	12/31/2022 12/31/2022

Raindance Select E shower holder sets

Shower holder set 120 3jet with shower hose 125 cm	26700400	12/31/2022
--	----------	------------

Raindance Select S shower holder sets

Shower holder set 120 3jet with shower hose 125 cm	26701400	12/31/2022
--	----------	------------

Crometta 100 shower holder sets

Shower holder set 1jet with shower hose 125 cm	26664400	12/31/2023
Shower holder set 1jet with shower hose 160 cm	26665400	12/31/2023
Shower holder set Vario with shower hose 125 cm	26666400	12/31/2023

Overhead showers

Raindance Select E

Overhead shower 300 3jet with shower arm	26468000 26468400	12/31/2022 12/31/2022
Overhead shower 300 2jet EcoSmart 9 l/min with ceiling connector	26608000 26608400	12/31/2022 12/31/2022
Overhead shower 300 2jet EcoSmart 9 l/min with shower arm	26609000 26609400	12/31/2022 12/31/2022
Shower system for concealed installation with ShowerSelect thermostat	27296000	12/31/2022
Overhead shower 300 2jet with ceiling connector	27384000 27384400	12/31/2022 12/31/2022
Overhead shower 300 2jet with shower arm	27385000 27385400	12/31/2022 12/31/2022

Raindance E

Overhead shower 240 1jet EcoSmart 9 l/min with ceiling connector	27383000	12/31/2022
--	----------	------------

Raindance S

Overhead shower 180 1jet EcoSmart 9 l/min with ceiling connector	27464000	12/31/2022
--	----------	------------

	Code no.	available up to		Code no.	available up to
Overhead showers					
Croma Select E					
Overhead shower 180 2jet EcoSmart 9 l/min	26523400	12/31/2022	Single lever basin mixer 240 for washbowls with push-open waste set	15072000 15072400	12/31/2022 12/31/2022
Croma			Single lever basin mixer 110 with pop-up waste set	15074000 15074400	12/31/2022 12/31/2022
Overhead shower 220 1jet LowPressure	26734000	12/31/2022	Single lever basin mixer 100 for hand washbasins with push-open waste set	15075000 15075400	12/31/2022 12/31/2022
Overhead shower 160 1jet	27450000	12/31/2022	Single lever basin mixer 200 with push-open waste set	15081000 15081400	12/31/2022 12/31/2022
Crometta			Single lever basin mixer for concealed installation wall-mounted with spout 16,5 cm	15084000 15084400	12/31/2022 12/31/2022
Overhead shower 160 1jet LowPressure	26576400	12/31/2022	Single lever basin mixer for concealed installation wall-mounted with spout 22,5 cm	15085000 15085400	12/31/2022 12/31/2022
Overhead shower 160 1jet	26577000 26577400	12/31/2022 12/31/2022	Electronic basin mixer with temperature control battery operation	15170000 15170400	12/31/2022 12/31/2022
Overhead shower 160 1jet EcoSmart 9 l/min	26578000 26578400	12/31/2022 12/31/2022	Electronic basin mixer with temperature control mains connection 230 V	15172000	12/31/2022
Bundle hand shower Vario EcoSmart with shower hose 160 cm	26994400	12/31/2023	Single lever bidet mixer with pop-up waste set	15270000 15270400	12/31/2022 12/31/2022
Showerpipes			Single lever basin mixer with bidette hand shower and shower hose 160 cm	15275400	12/31/2022
Croma			3-hole rim mounted single lever bath mixer	15432000 15432400	12/31/2022 12/31/2022
Showerpipe 160 1jet with thermostat	27135000	12/31/2023	Single lever bath mixer for concealed installation for iBox universal	15445000 15445400	12/31/2022 12/31/2022
Showerpipe 160 1jet with single lever mixer	27154000	12/31/2022	Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal	15447000 15447400	12/31/2022 12/31/2022
Crometta			Single lever bath mixer for exposed installation	15472000 15472400	12/31/2022 12/31/2022
Showerpipe 160 1jet with thermostat	27264400	12/31/2022	Single lever bath mixer floor-standing	15473000 15473400	12/31/2022 12/31/2022
Showerpipe 160 1jet EcoSmart 9 l/min with thermostat	27265400	12/31/2022	Single lever shower mixer for concealed installation for iBox universal	15665000 15665400	12/31/2022 12/31/2022
Showerpipe 160 1jet with single lever mixer	27266400	12/31/2022	Single lever shower mixer for exposed installation	15672000 15672400	12/31/2022 12/31/2022
Thermostatic mixers/ valves			Thermostat for concealed installation with shut-off/ diverter valve	15771000 15771400	12/31/2022 12/31/2022
Thermostatic mixers and combis for exposed installation			Shut-off/ diverter valve iControl for concealed installation for 3 functions	15777000	12/31/2022
Bath thermostat 700 for exposed installation	13183400	12/31/2022	Shut-off valve for concealed installation	15978000 15978400	12/31/2022 12/31/2022
RainSelect thermostatic mixers for concealed installation			Overhead shower 400 1jet with ceiling connector	27390000 27390400	12/31/2022 12/31/2022
Basic set for 2 functions bath tub	15314180	12/31/2022	Overhead shower 400 1jet with shower arm	27437000 27437400	12/31/2022 12/31/2022
Thermostat for concealed installation for 2 functions bath tub	15359000 15359400 15359600	12/31/2022 12/31/2022 12/31/2022	Unica Shower bar PuraVida 90 cm with Isiflex shower hose 160 cm	27844000	12/31/2022
ShowerSelect glass thermostatic mixers for concealed installation			Shower set with shower bar 90 cm	27853000 27853400	12/31/2022 12/31/2022
Thermostat HighFlow for concealed installation	15734600	12/31/2022	Body shower 100 1jet	28430000 28430400	12/31/2023 12/31/2023
Thermostat HighFlow for concealed installation for 1 function and additional outlet	15735600	12/31/2022	Hand shower 150 3jet	28557000 28557400	12/31/2022 12/31/2022
Valve for concealed installation for 3 functions	15736600	12/31/2022	Baton hand shower 120 1jet	28558000 28558400	12/31/2023 12/31/2023
Thermostat for concealed installation for 1 function	15737600	12/31/2022	Hand shower 3jet EcoSmart 9 l/min	28567000 28567400	12/31/2022 12/31/2022
Thermostat for concealed installation for 2 functions	15738600	12/31/2022			
PuraVida					
Single lever basin mixer 110 with push-open waste set	15070000 15070400	12/31/2022 12/31/2022			

Phase-out products

	Code no.	available up to
PuraVida		
Baton hand shower 120 ljet EcoSmart 9 l/min	28568000 28568400	12/31/2023 12/31/2023
Towel hook	41501000	12/31/2022
Soap dish	41502000	12/31/2022
Liquid soap dispenser	41503000	12/31/2022
Toothbrush tumbler	41504000	12/31/2022
Toilet brush holder wall-mounted	41505000	12/31/2022
Bath towel rail	41506000	12/31/2022
Roll holder with cover	41508000	12/31/2022
Towel holder twin-handle	41512000	12/31/2022
Grab rail	41513000	12/31/2022
Spare roll holder	41518000	12/31/2022

Metropol

Metropol Classic

Single lever basin mixer 110	31300000	12/31/2022
with lever handle and pop-up waste set	31300090	12/31/2022
Single lever basin mixer 110	31301000	12/31/2022
with lever handle without waste set	31301090	12/31/2022
Single lever basin mixer 160 with lever	31302000	12/31/2022
handle for washbowls with pop-up waste set	31302090	12/31/2022
Single lever basin mixer 260 with lever	31303000	12/31/2022
handle for washbowls with pop-up waste set	31303090	12/31/2022
3-hole basin mixer 110	31306000	12/31/2022
with cross handles and pop-up waste set	31306090	12/31/2022
3-hole basin mixer 160	31307000	12/31/2022
with cross handles and pop-up waste set	31307090	12/31/2022
Single lever bidet mixer	31320000	12/31/2022
with lever handle and pop-up waste set	31320090	12/31/2022
3-hole basin mixer 110	31330000	12/31/2022
with lever handles and pop-up waste set	31330090	12/31/2022
3-hole basin mixer 160	31331000	12/31/2022
with lever handles and pop-up waste set	31331090	12/31/2022
Single lever bath mixer	31340000	12/31/2022
for exposed installation with lever handle	31340090	12/31/2022
Single lever bath mixer	31345000	12/31/2022
for concealed installation	31345090	12/31/2022
with lever handle for iBox universal		
Single lever shower mixer	31360000	12/31/2022
for exposed installation with lever handle	31360090	12/31/2022
Single lever shower mixer	31365000	12/31/2022
for concealed installation	31365090	12/31/2022
with lever handle for iBox universal		
4-hole rim mounted bath mixer	31441000	12/31/2022
with lever handles	31441090	12/31/2022
Single lever bath mixer floor-standing	31445000	12/31/2022
with lever handle	31445090	12/31/2022
4-hole rim mounted bath mixer	31449000	12/31/2022
with cross handles	31449090	12/31/2022

Talis

Talis Single lever basin mixer 80 with pop-up waste set	32040000	12/31/2022
Talis Single lever basin mixer 80 without waste set	32041000	12/31/2022
Talis Single lever basin mixer 210 with swivel spout and push-open waste set	32082000	12/31/2022
Talis Single lever basin mixer 210 with swivel spout and pop-up waste set	32084000	12/31/2022
Talis Single lever bidet mixer with pop-up waste set	32240000	12/31/2022
Talis Single lever bath mixer for exposed installation	32440000	12/31/2022
Talis Single lever shower mixer for exposed installation	32640000	12/31/2022

Focus

Ventil für Wandmontage ohne Ablaufgarnitur	31131000	12/31/2022
Bidet Set mit Unterdusche	31629000	12/31/2022
Einhebel-Waschtischmischer 70 mit 2 Durchflussmengen mit Zugstangen-Ablaufgarnitur	31738000	12/31/2022
4-Loch Wannenrandarmatur	31936000	12/31/2022
Einhebel-Waschtischmischer 70 LowFlow 3,5 l/min mit Zugstangen-Ablaufgarnitur	31951000	12/31/2022

Novus

Single lever basin mixer 70 with pop-up waste set	71020000	12/31/2022
Single lever basin mixer 70 without waste set	71021000	12/31/2022
Single lever basin mixer 70 CoolStart with push-open waste set	71022000	12/31/2022
Single lever basin mixer 70 LowFlow with push-open waste set	71024000	12.31.2022
Single lever basin mixer 100 with pop-up waste set	71030000	12/31/2022
Single lever basin mixer 100 without waste set	71031000	12/31/2022
Single lever basin mixer 100 CoolStart with push-open waste set	71032000	12/31/2022
Single lever basin mixer 100 LowFlow with push-open waste set	71034000	12/31/2022
Single lever basin mixer 100 for vented hot water cylinders with push-open waste set	71036000	12/31/2022
Single lever bath mixer for exposed installation	71040000	12/31/2022
Single lever bath mixer for exposed installation with centre distance 15.3 cm	71041000	12/31/2022
Single lever bath mixer for exposed installation with 2 flow rates	71042000	12/31/2022

Phase-out products

	Code no.	available up to
--	----------	--------------------

Kitchen mixers and sinks

Focus M41

Single lever kitchen mixer E, 160, 1jet	31780000	12/31/2022
---	----------	------------

Single lever kitchen mixer E, 160, LowPressure/vented hot water cylinders, 1jet	31784000	12/31/2022
--	----------	------------

Zubehör für Edelstahlspülen

D14-12 Automatic waste and overflow set for single bowl Select	43941800	12/31/2022
---	----------	------------

D15-12 Automatic waste and overflow set for double bowl Select	43942800	12/31/2022
---	----------	------------

Zubehör für Granitspülen

D16-12 Automatic waste and overflow set for single bowl granite Select	43947000	12/31/2022
---	----------	------------

D17-12 Automatic waste and overflow set for double bowl granite Select	43948000	12/31/2022
---	----------	------------

	Code no.		Code no.
Hand showers		Shower sets / Shower bars / Shower holder	
Raindance Select S		Pulsify Select S shower sets	
Hand shower 120 3jet PowderRain	26014140 26014340 26014670 26014700 26014990	Select Shower set 105 3jet Relaxation with shower bar 65 cm	24160000 24160670 24160700
		Select Shower set 105 3jet Relaxation EcoSmart with shower bar 65 cm	24161000 24161670 24161700
Pulsify Select S		Select Shower set 105 3jet Relaxation with shower bar 90 cm	24170000 24170670 24170700
Select Hand shower 105 3jet Activation	24100000 24100670 24100700	Select Shower set 105 3jet Relaxation EcoSmart with shower bar 90 cm	24171000 24171670 24171699
Select Hand shower 105 3jet Activation EcoSmart	24101000 24101670 24101700	Vernis Blend shower sets	
Select Hand shower 105 3jet Relaxation	24110000 24110670 24110700	Shower set Vario with shower bar Crometta 65 cm	26275000
Select Hand shower 105 3jet Relaxation EcoSmart	24111000 24111670 24111700	Shower set Vario EcoSmart with shower bar Crometta 65 cm	26279000
		Shower set Vario with shower bar 65 cm project pack (6 pieces)	26371000
Pulsify S		Shower set Vario with shower bar 65 cm	26422670
Hand shower 105 1jet	24120000 24120670 24120700	Shower set Vario EcoSmart with shower bar S Puro 65 cm	26423670
Hand shower 105 1jet Green	24121000 24121670 24121700	Modern style wall bars	
		Shower bar Pulsify S 65 cm with push slider and Isiflex shower hose 160 cm	24400000
Croma Select E		Shower bar Pulsify S 90 cm with push slider and Isiflex shower hose 160 cm	24401000
Hand shower 1jet	26814140 26814340 26814670 26814700 26814990	Pulsify Select S shower holder sets	
		Select Shower holder set 105 3jet Relaxation with shower hose 125 cm	24302000 24302670 24302700
Hand shower 1jet EcoSmart 9 l/min	26815140 26815340 26815670 26815700 26815990	Select Shower holder set 105 3jet Relaxation with shower hose 160 cm	24303000 24303670 24303700
Vernis Blend		Pulsify S shower holder sets	
Hand shower Vario project pack (12 pcs.)	26085000	Shower holder set 105 1jet with shower hose 125 cm	24301000 24301670 24301700
Hand shower Vario Green	26090000	Vernis Blend shower holder sets	
Hand shower Vario	26270000 26270670	Shower holder set Vario with shower hose 160 cm	26273000
Hand shower Vario EcoSmart	26340000 26340670	Shower holder set Vario EcoSmart with shower hose 160 cm	26278000
Jocolino		Overhead showers	
Children hand shower lion 2jet	28760210	Raindance E	
Children hand shower zebra 2jet	28787640	Shower system 300 1jet with ShowerSelect Square	27952000
Children hand shower crocodile 2jet	28788570	Raindance S	
DogShower		Shower system 240 1 jet PowderRain with ShowerSelect S	27951000
Dogs hand shower 150 3jet Select	26640540 26640560 26640670 26640700	Shower system 240 1 jet PowderRain with ShowerSelect S	27959670
		Pulsify S	
		Overhead shower 105 1jet	24130000 24130670 24130700

	Code no.
Overhead showers	
Pulsify S	
Overhead shower 105 1jet Green	24132000 24132670 24132700
Overhead shower 260 1jet	24140000 24140670 24140700
Overhead shower 260 1jet EcoSmart	24141000 24141670 24141700
Overhead shower 260 2jet with wall connector	24150000 24150670 24150700
Overhead shower 260 2jet EcoSmart with wall connector	24151000 24151670 24151700
Croma E	
Shower system 280 1jet with Ecostat E	27953000
Croma	
Shower system 280 1jet with Ecostat S	27954000
Shower system 280 1jet with Ecostat S	27961670
Crometta E	
Shower system 240 1jet with single lever mixer	27957000
Crometta S	
Shower system 240 1jet with single lever mixer	27958000
Vernis Blend	
Overhead shower 200 1jet Green	26093000
Overhead shower 200 1jet LowPressure	26095000
Overhead shower 200 1jet	26271000 26271670
Overhead shower 200 1jet EcoSmart	26277000 26277670
Overhead shower 200 1jet project pack (12 pcs.)	26365000
Vernis Shape	
Overhead shower 230 1jet Green	26094000
Overhead shower 200 1jet LowPressure	26096000
Overhead shower 230 1jet	26281000 26281670
Overhead shower 230 1jet EcoSmart	26283000 26283670
Overhead shower 230 1jet project pack (12 pcs.)	26579000
Shower arms for overhead showers	
Wall connector for overhead shower 105	24139000 24139670 24139700
Wall connector for overhead shower 260	24149000 24149670 24149700
Shower arm 24 cm	26405000 26405670
Shower arm 24 cm	27809000 27809670

	Code no.
Ceiling connectors for overhead showers	
Ceiling connector 10 cm	26406000 26406670
Ceiling connector 30 cm	26407000 26407670
Ceiling connector 10 cm	27479140 27479340 27479670 27479700 27479990
Ceiling connector 10 cm	27804000 27804670
Ceiling connector 30 cm	27805000 27805670
Showerpipes	
Pulsify S	
Showerpipe 260 1jet with ShowerTablet Select 400	24220000
Showerpipe 260 1jet EcoSmart with ShowerTablet Select 400	24221000
Showerpipe 260 1jet with bath thermostat ShowerTablet 400	24230000
Showerpipe 260 2jet with ShowerTablet Select 400	24240000 24240670 24240700
Showerpipe 260 2jet EcoSmart with ShowerTablet Select 400	24241000 24241670 24241700
Vernis Blend	
Showerpipe 200 1jet EcoSmart with bath thermostat	26079000
Showerpipe 200 1jet EcoSmart with thermostat	26089000 26089670
Showerpipe 200 1jet Reno EcoSmart	26099000 26099670
Showerpipe 200 1jet Reno	26272000 26272670
Showerpipe 200 1jet with bath thermostat	26274000
Showerpipe 200 1jet with thermostat	26276000 26276670
Showerpipe 200 1jet with thermostat project pack (2 pcs.)	26285000
Showerpipe 200 1jet Green with thermostat	26318000
Vernis Shape	
Showerpipe 230 1jet EcoSmart with thermostat	26097000 26097670
Showerpipe 230 1jet EcoSmart with bath thermostat	26098000
Showerpipe 230 1jet Reno	26282000 26282670
Showerpipe 230 1jet with bath thermostat	26284000
Showerpipe 230 1jet with thermostat	26286000 26286670
Showerpipe 230 1jet with shower thermostat project pack (2 pcs.)	26287000
Showerpipe 230 1jet Reno EcoSmart	26289000 26289670
Showerpipe 230 1jet Green with thermostat	26319000

Code no.

Code no.

Thermostatic mixers/ valves**Thermostatic mixers and combis for exposed installation**

Select Shower system 105 3jet Relaxation with hand shower, thermostat, shower bar 65 cm, slider and shower hose	24260000
Select Shower system 105 3jet Relaxation with hand shower, thermostat, shower bar 90 cm, slider and shower hose	24270000
Bath thermostat 400 for exposed installation	24340000 24340670 24340700
Shower thermostat 400 for exposed installation	24360000 24360670 24360700

iBox Universal**Extension elements**

Extension element	13593140 13593340 13593670 13593700 13593990
Extension element 15 cm	13597140 13597340 13597670 13597700 13597990
Extension element	15597140 15597340 15597670 15597700 15597990

Finoris

Basic set for 4-hole rim mounted bath mixer	13440180
Single lever basin mixer 100 with push-open waste set	76010000 76010670 76010700
Pillar tap 100 for cold water without waste set	76013000 76013670 76013700
Single lever basin mixer 110 with pop-up waste set	76020000 76020670 76020700
Single lever basin mixer 110 with push-open waste set	76023000 76023670 76023700
Single lever basin mixer 110 CoolStart with push-open waste set	76024000 76024670 76024700
3-hole basin mixer 110 with push-open waste set	76033000 76033670 76033700
3-hole basin mixer 160 with push-open waste set	76034000 76034670 76034700
Single lever basin mixer for concealed installation wall-mounted with spout 22,8 cm	76050000 76050670 76050700
Single lever basin mixer for concealed installation wall-mounted with spout 16,8 cm	76051000 76051670 76051700

Single lever basin mixer 230 with swivel spout and push-open waste set	76060000 76060670 76060700
Single lever basin mixer 230 with pull-out spray, 2jet and push-open waste set	76063000 76063670 76063700
Single lever basin mixer 260 for washbowls with push-open waste set	76070000 76070670 76070700
Single lever bidet mixer with push-open waste set	76200000 76200670 76200700
Single lever basin mixer 110 with bidette hand shower and shower hose 160 cm	76210000 76210670
Single lever basin mixer 260 with bidette hand shower and shower hose 160 cm	76220000 76220670
Bath spout	76410000 76410670 76410700
Single lever bath mixer for concealed installation for iBox universal	76415000 76415670 76415700
Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal	76416000 76416670 76416700
Single lever bath mixer for exposed installation	76420000 76420670 76420700
4-hole rim mounted bath mixer with sBox	76444000 76444670 76444700
Single lever bath mixer floor-standing	76445000 76445670 76445700
Single lever shower mixer for concealed installation for iBox universal	76615000 76615670 76615700
Single lever shower mixer for exposed installation	76620000 76620670 76620700

Vivenis

Basic set for 4-hole rim mounted bath mixer	13440180
Single lever basin mixer 80 with pop-up waste set	75010000 75010670 75010700
Single lever basin mixer 80 without waste set	75012000 75012670 75012700
Pillar tap 80 for cold water without waste set	75013000 75013670 75013700
Single lever basin mixer 110 with pop-up waste set	75020000 75020670 75020700
Single lever basin mixer 110 without waste set	75022000 75022670 75022700
Single lever basin mixer 110 CoolStart with pop-up waste set	75023000 75023670 75023700

New products

	Code no.		Code no.
Vivenis		Logis	
Single lever basin mixer 110 CoolStart without waste set	75024000 75024670 75024700	Single lever bidet mixer 110 Fine with pop-up waste set	71201000
Single lever basin mixer 210 with swivel spout and pop-up waste set	75030000 75030670 75030700	Single lever basin mixer 110 Fine with pop-up waste set	71251000
Single lever basin mixer 210 with swivel spout without waste set	75032000 75032670 75032700	Single lever basin mixer 110 Fine with push-open waste set	71252000
3-hole basin mixer 90 with pop-up waste set	75033000 75033670 75033700	Single lever basin mixer 110 Fine without waste set	71253000
Single lever basin mixer 250 for washbowls with pop-up waste set	75040000 75040670 75040700	Single lever basin mixer 110 Fine CoolStart with pop-up waste set	71254000
Single lever basin mixer 250 for washbowls without waste set	75042000 75042670 75042700	Single lever basin mixer 110 Fine CoolStart without waste set	71255000
Single lever basin mixer for concealed installation wall-mounted with spout 19,2 cm	75050000 75050670 75050700	Single lever basin mixer for concealed installation Fine wall-mounted with spout 20,5 cm	71256000
Single lever bidet mixer with pop-up waste set	75200000 75200670 75200700	Single lever basin mixer 240 Fine with pop-up waste set	71257000
Single lever basin mixer with bidette hand shower and shower hose 160 cm	75210000	Single lever basin mixer 240 Fine without waste set	71258000
Bath spout	75410000 75410670 75410700	Vernis	
Single lever bath mixer for concealed installation for iBox universal	75415000 75415670 75415700	Vernis Blend	
Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal	75416000 75416670 75416700	Single lever bidet mixer with pop-up waste set	71210000 71210670
Single lever bath mixer for exposed installation	75420000 75420670 75420700	Bidet set with vertical spray	71214000
4-hole rim mounted bath mixer with sBox	75444000 75444670 75444700	Single lever basin mixer 100 with bidette hand shower and shower hose 160 cm	71215000
Single lever bath mixer floor-standing	75445000 75445670 75445700	Bath spout	71420000 71420670
Single lever shower mixer for concealed installation for iBox universal	75615000 75615670 75615700	Single lever bath mixer for exposed installation	71440000 71440670
Single lever shower mixer for exposed installation	75620000 75620670 75620700	2-hole rim mounted bath mixer	71442000 71442670
		Single lever bath mixer Monotrou	71443000
		Single lever bath and shower mixer Monotrou	71444000
		Single lever bath and shower mixer Monotrou with 2 flow rates	71446000
		Single lever bath mixer for exposed installation projects pack (6 pcs.)	71447000
		Single lever bath mixer for concealed installation	71449000 71449670
		Single lever bath mixer for exposed installation with 2 flow rates	71454000
		4-hole rim mounted bath mixer	71456000 71456670
		2-hole rim mounted bath mixer with diverter valve and hand shower Vario	71461000 71461670
		Single lever bath mixer for concealed installation for iBox universal	71466000 71466670
		Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal	71467000 71467670
		Electronic basin mixer with temperature pre-adjustment mains connection 230 V	71501000
		Electronic basin mixer with temperature pre-adjustment battery operation	71502000
		Electronic basin mixer for cold water or pre-adjusted water battery operation	71503000
Talis			
Talis E			
Self-closing basin mixer with temperature control	71718000		
Self-closing pillar tap for cold water or pre-adjusted water	71719000		
Service tool for thermal disinfection	93913000		

	Code no.		Code no.
Vernis		Vernis Shape	
Vernis Blend			
Electronic basin mixer for cold water or pre-adjusted water mains connection 230 V	71504000	Single lever bidet mixer with pop-up waste set	71211000 71211670
Single lever basin mixer 70 with pop-up waste set	71550000 71550670	Single lever basin mixer 100 with bidette hand shower and shower hose 160 cm	71216000
Single lever basin mixer 100 with pop-up waste set	71551000 71551670	Single lever bath mixer for exposed installation	71450000 71450670
Single lever basin mixer 190 with pop-up waste set	71552000 71552670	2-hole rim mounted bath mixer	71452000 71452670
3-hole basin mixer with pop-up waste set	71553000 71553670	Single lever bath mixer for exposed installation with 2 flow rates	71453000
Single lever basin mixer with swivel spout and pop-up waste set	71554000	Single lever bath mixer for exposed installation project pack (6 pcs.)	71457000
Single lever basin mixer 70 with metal pop-up waste set	71557000	Single lever bath mixer for concealed installation	71458000 71458670
Single lever basin mixer 70 without waste set	71558000 71558670	4-hole rim mounted bath mixer	71459000 71459670
Single lever basin mixer 100 with metal pop-up waste set	71559000	Bath spout	71460000 71460670
Single lever basin mixer 70 with isolated water conduction and pop-up waste set	71570000	2-hole rim mounted bath mixer with diverter valve and Vernis Blend hand shower Vario	71462000 71462670
Single lever basin mixer 100 with isolated water conduction and pop-up waste set	71571000	Single lever bath and shower mixer Monotrou	71463000
Single lever basin mixer 190 with isolated water conduction and pop-up waste set	71572000	Single lever bath and shower mixer Monotrou with 2 flow rates	71464000
Single lever basin mixer for concealed installation wall-mounted with spout 20,7 cm	71576000 71576670	Single lever bath mixer for concealed installation for iBox universal	71468000 71468670
Single lever basin mixer 100 without waste set	71580000 71580670	Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal	71469000 71469670
Single lever basin mixer 190 with metal pop-up waste set	71581000	Single lever basin mixer 70 with pop-up waste set	71560000 71560670
Single lever basin mixer 190 without waste set	71582000 71582670	Single lever basin mixer 100 with pop-up waste set	71561000 71561670
Pillar tap 70 for cold water without waste set	71583000 71583670	Single lever basin mixer 190 with pop-up waste set	71562000 71562670
Single lever basin mixer 70 CoolStart with pop-up waste set	71584000 71584670	3-hole basin mixer with pop-up waste set	71563000 71563670
Single lever basin mixer 100 CoolStart with pop-up waste set	71585000 71585670	Single lever basin mixer with swivel spout and pop-up waste set	71564000
Single lever basin mixer 70 with pop-up waste set project pack (6 pcs.)	71587000	Single lever basin mixer 70 with metal pop-up waste set	71566000
Single lever basin mixer 100 with pop-up waste set project pack (6 pcs.)	71588000	Single lever basin mixer 70 without waste set	71567000 71567670
Single lever shower mixer for exposed installation	71640000 71640670	Single lever basin mixer 100 with metal pop-up waste set	71568000
Single lever shower mixer for exposed installation with 2 flow rates	71646000	Single lever basin mixer 100 without waste set	71569000 71569670
Single lever shower mixer for exposed installation projects pack (6 pcs.)	71647000	Single lever basin mixer for concealed installation wall-mounted with spout 20,7 cm	71578000 71578670
Single lever shower mixer for concealed installation	71649000 71649670	Single lever basin mixer 190 with metal pop-up waste set	71590000
Single lever shower mixer for concealed installation for iBox universal	71667000 71667670	Single lever basin mixer 190 without waste set	71591000 71591670
		Pillar tap 70 for cold water without waste set	71592000 71592670
		Single lever basin mixer 70 CoolStart with pop-up waste set	71593000 71593670
		Single lever basin mixer 100 CoolStart with pop-up waste set	71594000 71594670

New products

	Code no.		Code no.
Vernis		XtraStoris Individual	
Vernis Shape		Wall niche Brushed Stainless Steel with design frame 300/150/100	
Single lever basin mixer 70 with pop-up waste set project pack (6 pcs.)	71596000		56094140
Single lever basin mixer 100 with pop-up waste set project pack (6 pcs.)	71597000		56094340
Single lever shower mixer for exposed installation	71650000	Wall niche Matt Black with design frame 300/150/100	56094670
	71650670		56094700
Single lever shower mixer for exposed installation with 2 flow rates	71656000		56094800
Single lever shower mixer for exposed installation project pack (6 pcs.)	71657000		56094990
Single lever shower mixer for concealed installation	71658000		56095140
	71658670	Wall niche Matt White with design frame 300/150/100	56095340
Single lever shower mixer for concealed installation for iBox universal	71668000		56095670
	71668670		56095700
			56095800
			56095990
		Wall niche Brushed Stainless Steel with design frame 300/300/100	56096140
			56096340
			56096670
			56096700
			56096800
			56096990
			56097140
			56097340
			56097670
			56097700
			56097800
			56097990
Wall niche with frame 300/150/100	56057670	Wall niche Matt Black with design frame 300/300/100	56098140
	56057700		56098340
	56057800		56098670
Wall niche with frame 300/300/100	56061670		56098700
	56061700		56098800
	56061800		56098990
Wall niche with frame 300/600/100	56064670	Wall niche Matt White with design frame 300/300/100	56099140
	56064700		56099340
	56064800		56099670
Wall niche with frame 300/900/100	56067670		56099700
	56067700		56099800
	56067800		56099990
XtraStoris Minimalistic		XtraStoris Safe	
Wall niche frameless 300/150/100	56070670	Wall niche with tileable door and integrated shut-off valve 150/300/100	56100800
	56070700		
	56070800	AddStoris	
Wall niche frameless 300/300/100	56073670	Corner basket	41741000
	56073700		41741140
	56073800		41741340
Wall niche frameless 300/150/140	56076670		41741670
	56076700		41741700
	56076800		41741990
Wall niche frameless 300/300/140	56079670	Towel hook	41742000
	56079700		41742140
	56079800		41742340
			41742670
			41742700
			41742990
Wall niche with tileable door 300/150/100	56082670	Double bath towel rail	41743000
	56082700		41743140
	56082800		41743340
Wall niche with tileable door 300/300/100	56085670		41743670
	56085700		41743700
	56085800		41743990
Wall niche with tileable door 300/150/140	56088670	Grab bar	41744000
	56088700		41744140
	56088800		41744340
Wall niche with tileable door 300/300/140	56091670		41744670
	56091700		41744700
	56091800		41744990

	Code no.		Code no.
Accessories		Shower door handle	41759000
AddStoris			41759140
Liquid soap dispenser	41745000		41759340
	41745140		41759670
	41745340		41759700
	41745670	Towel holder twin-handle	41759990
	41745700		41770000
	41745990		41770140
Soap dish	41746000		41770340
	41746140		41770670
	41746340		41770700
	41746670	Roll holder without cover	41770990
	41746700		41771000
	41746990		41771140
Bath towel rail	41747000		41771340
	41747140		41771670
	41747340		41771700
	41747670	Roll holder with shelf	41771990
	41747700		41772000
	41747990		41772140
Double roll holder	41748000		41772340
	41748140		41772670
	41748340		41772700
	41748670	Sanitary bag dispenser	41772990
	41748700		41773000
	41748990		41773140
Toothbrush tumbler	41749000		41773340
	41749140		41773670
	41749340		41773700
	41749670	Tissue box	41773990
	41749700		41774000
	41749990		41774140
Towel rack with towel holder	41751000		41774340
	41751140		41774670
	41751340		41774700
	41751670	Pedal Bin	41774990
	41751700		41775000
	41751990		41775670
Toilet brush holder wall-mounted	41752000	Shaving mirror with LED light	41775700
	41752140		41790000
	41752340		41790140
	41752670		41790340
	41752700		41790670
	41752990		41790700
Roll holder with cover	41753000	Shaving mirror	41790990
	41753140		41791000
	41753340		41791140
	41753670		41791340
	41753700		41791670
	41753990		41791700
Towel ring	41754000	WallStoris	41791990
	41754140		
	41754340	Bundle hand shower 105 3jet EcoSmart Activation, thermostat, shower bar 70 cm and storage set	24250670
	41754670		24250700
	41754700	Bundle hand shower 105 3jet Activation EcoSmart, shower bar 70 cm and storage set	24291670
	41754990		24291700
Towel hook double	41755000	Wall bar 50 cm	27902670
	41755140		27902700
	41755340	Wall bar 70 cm	27904670
	41755670		27904700
	41755700		
	41755990	Storage basket deep	27912670
Spare roll holder	41756000		27912700
	41756140	Storage basket	27913670
	41756340		27913700
	41756670	Towel hook wide	27914670
	41756700		27914700
	41756990		

New products

	Code no.		Code no.
Accessories			
WallStoris			
Shelf	27915670 27915700	Complete set for standard installation - 900 for shower drains finish sets	56025180
Squeegee	27916670 27916700	Complete set for standard installation - 1000 for shower drains finish sets	56026180
Push slider	27917670 27917700	Complete set for standard installation - 1200 for shower drains finish sets	56027180
Tumbler	27921670 27921700	RainDrain	
Cover for storage basket	27925670 27925700	Installation set 600 for shower drains finish sets	56010180
Towel rail	27926670 27926700	Installation set 700 for shower drains finish sets	56011180
Toilet brush holder	27927670 27927700	Installation set 800 for shower drains finish sets	56012180
Toilet paper holder with shelf	27928670 27928700	Installation set 900 for shower drains finish sets	56013180
Towel hook slim	27929670 27929700	Installation set 1000 for shower drains finish sets	56014180
Bathtub bundle	27966670 27966700	Installation set 1200 for shower drains finish sets	56015180
Shower bundle	27967670 27967700	RainDrain Flex	
Bathroom bundle	27968670 27968700	Finish set shower drain 700 cuttable	56043000 56043140 56043340 56043670 56043700 56043800 56043990
Toilet bundle	27969670 27969700	Finish set shower drain 800 cuttable	56044000 56044140 56044340 56044670 56044700 56044800 56044990
Mounting set (3 screws, 3 plugs)	94268000	Finish set shower drain 900 cuttable	56045000 56045140 56045340 56045670 56045700 56045800 56045990
Wastes and overflow			
uBox universal			
Base set for finish sets for flat installation	01000180	Finish set shower drain 1000 cuttable	56046000 56046140 56046340 56046670 56046700 56046800 56046990
Base set for finish sets for standard installation	01001180		
Base set for finish sets for vertical installation	01002180		
Complete set for flat installation - 600 for shower drains finish sets	56016180		
Complete set for flat installation - 700 for shower drains finish sets	56017180	Finish set shower drain 1200 cuttable	56047000 56047140 56047340 56047670 56047700 56047800 56047990
Complete set for flat installation - 800 for shower drains finish sets	56018180		
Complete set for flat installation - 900 for shower drains finish sets	56019180		
Complete set for flat installation - 1000 for shower drains finish sets	56020180	Finish set shower drain 700 cuttable for wall mounting	56050000 56050140 56050340 56050670 56050700 56050800 56050990
Complete set for flat installation - 1200 for shower drains finish sets	56021180		
Complete set for standard installation - 600 for shower drains finish sets	56022180		
Complete set for standard installation - 700 for shower drains finish sets	56023180	Finish set shower drain 800 cuttable for wall mounting	56051000 56051140 56051340 56051670 56051700 56051800 56051990
Complete set for standard installation - 800 for shower drains finish sets	56024180		

	Code no.		Code no.
Wastes and overflow			
RainDrain Flex			
Finish set shower drain 900 cuttable for wall mounting	56052000 56052140 56052340 56052670 56052700 56052800 56052990	Finish set shower drain 1000 cut on size and tileable	56033000
Finish set shower drain 1000 cuttable for wall mounting	56053000 56053140 56053340 56053670 56053700 56053800 56053990	Finish set shower drain 1200 cut on size and tileable	56034000
Finish set shower drain 1200 cuttable for wall mounting	56054000 56054140 56054340 56054670 56054700 56054800 56054990	RainDrain Spot	
		Complete set 150/150 point drain and installation set	56055800
		Height compensation supplementary piece	56056000
		Complete set 150/150 point drain tileable rear cover and installation set	56112800
Bath filler with wastes and overflow for bath tubs			
		Finish set oval	28020140 28020340 28020670 28020700 28020990
Accessories			
		Straight pipe 30 cm	53428670 53428700
Kitchen mixers and sinks			
Aqittura M91			
Finish set shower drain 600 with height adjustable frame	56036000 56036450 56036610 56036670 56036700 56036800	FilterSystem 210, pull-out spout, 1jet, sBox, starter set	76800000 76800670 76800800
Finish set shower drain 700 with height adjustable frame	56037000 56037450 56037610 56037670 56037700 56037800	FilterSystem 210, pull-out spout, 1jet, starter set	76801000 76801670 76801800
Finish set shower drain 800 with height adjustable frame	56038000 56038450 56038610 56038670 56038700 56038800	FilterSystem 240, 1jet, starter set	76802000 76802670 76802800
Finish set shower drain 900 with height adjustable frame	56040000 56040450 56040610 56040670 56040700 56040800	FilterSystem 210, pull-out spout, 1jet	76803000 76803670 76803800
Finish set shower drain 1000 with height adjustable frame	56041000 56041450 56041610 56041670 56041700 56041800	FilterSystem 240, 1jet	76804000 76804670 76804800
Finish set shower drain 1200 with height adjustable frame	56042000 56042450 56042610 56042670 56042700 56042800	Filter active carbon	76814000
		Filter ion exchanger and active carbon	76815000
		F23 Flowmeter	76818000
		FilterSystem 210, pull-out spout, 1jet, sBox	76826000 76826670 76826800
		Filter ion exchanger Pro and active carbon	76827000
		Mineralisation and filter Harmony	76828000
		Mineralisation and filter Life	76829000
		Mineralisation and filter Sport	76830000
Zesis M33			
		Single lever kitchen mixer 150, pull-out spray, 2jet	74800000 74800670 74800800
		Single lever kitchen mixer 160, pull-out spray, 2jet	74801000 74801670 74801800
		Single lever kitchen mixer 150, 1jet	74802000 74802670 74802800
RainDrain Rock			
Finish set shower drain 600 cut on size and tileable	56029000		
Finish set shower drain 700 cut on size and tileable	56030000		
Finish set shower drain 800 cut on size and tileable	56031000		
Finish set shower drain 900 cut on size and tileable	56032000		

Code no.

Kitchen mixers and sinks

Zesis M33

Single lever kitchen mixer 150, pull-out spray, 2jet, sBox lite	74803000 74803670 74803800
Single lever kitchen mixer, 160, pull-out spray, 2jet, sBox lite	74804000 74804670 74804800
Single lever kitchen mixer 160, installation in front of a window, 1jet	74805000
Single lever kitchen mixer 150, LowPressure/vented hot water cylinders, 1jet	74806000
Single lever kitchen mixer 200, device shut-off valve, CoolStart, 1jet	74807000
Single lever kitchen mixer 200, device shut-off valve, 1jet	74808000
Single lever kitchen mixer 150, Eco, pull-out spray, 2jet	74810000
Single lever kitchen mixer 150, Eco, 1jet	74811000
Single lever kitchen mixer 150, CoolStart, EcoSmart, 1jet	74813000

Vernis M35

Single lever kitchen mixer 210 with swivel spout	71870000 71870670
Single lever kitchen mixer 210 with swivel spout	71871000 71871670

Index Price brackets for Spare Parts

effective from 01.01.2022

Price bracket	finish (Euro*)	Price bracket	finish (Euro*)
1	2.50	51	3.80
2	4.10	52	6.20
3	6.60	53	9.90
4	8.90	54	13.40
5	10.90	55	16.40
6	14.40	56	21.60
7	17.60	57	26.40
8	22.10	58	33.20
9	28.20	59	42.30
10	35.00	60	52.50
11	44.90	61	67.40
12	55.40	62	83.10
13	67.70	63	101.60
14	78.90	64	118.40
15	98.10	65	147.20
16	127.30	66	191.00
17	160.20	67	240.30
18	196.30	68	294.50
19	259.10	69	388.70
20	315.10	70	472.70
21	423.70	71	635.60
22	598.90	72	898.40
23	857.60	73	1,286.40
24	1,695.80	74	2,543.70
98	Price find at this price book		
99	Price on request		

* Gross prices per piece, VAT not included.
Recommended retail prices.

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
01		13423000	20	14883000	4	15742000	10	21141000	64
01000180	8	13424000	15	14883800	4	15743000	10	21142000	64
01001180	8	13437180	2	14884000	4	15743140	10	21143000	64
01002180	8	13439180	8	14884800	4	15743340	10	21144000	64
01800180	10	13444180	2	14888000	4	15743670	10	21145000	64
01850180	10	13593000	15	14893000	36	15743700	10	21146000	64
06		13595000	50	14920000	20	15743990	10	24	
06010000	2500	13597000	24	15		15744000	10	24010180	6
10		13601000	20	15310180	3	15745000	10	24100000	30
10452180	6	13604000	20	15311180	3	15747000	10	24100670	30
10823000	30	13620180	24	15346000	31	15748000	10	24100700	30
10823800	30	13622180	25	15355000	2	15755000	6	24101000	30
13		13901000	100	15355400	2	15756000	9	24101670	30
13111000	4	13902000	100	15356000	2	15757000	10	24101700	30
13111400	3	13903000	100	15356400	2	15758000	10	24110000	30
13114000	7	13912000	750	15357000	2	15758140	10	24110670	30
13114140	7	13913000	750	15357400	2	15758340	10	24110700	30
13114340	7	13950000	40	15358000	2	15758670	10	24111000	30
13114670	7	13950140	36	15358400	2	15758700	10	24111670	30
13114700	7	13950340	36	15380000	4	15758990	10	24111700	30
13114990	7	13950670	36	15380670	2	15760000	10	24120000	30
13115000	7	13950700	36	15380700	4	15761000	10	24120670	30
13116000	10	13950990	36	15381000	2	15762000	10	24120700	30
13116140	8	13952000	50	15381700	2	15763000	10	24121000	30
13116340	8	13954000	50	15382000	2	15763140	6	24121670	30
13116670	8	13954820	36	15382670	2	15763670	6	24121700	30
13116700	8	13961000	200	15382700	2	15763700	6	24130000	12
13116990	8	13964000	100	15384000	2	15764000	10	24130670	12
13117000	7	14		15384700	2	15765000	6	24130700	12
13122000	10	14095000	56	15597000	17	15767000	10	24132000	12
13123000	7	14096000	56	15705000	12	15768000	10	24132670	12
13132000	20	14420000	28	15706000	9	15773000	8	24132700	12
13141000	5	14495000	28	15707000	9	15774000	7	24139000	10
13141400	5	14806000	3	15708000	10	15930180	25	24140000	4
13151000	4	14820000	4	15712000	10	15932000	25	24150000	4
13151400	4	14820800	4	15714000	10	15970180	25	24160000	12
13159180	10	14821000	4	15714140	10	15972000	40	24160670	12
13161000	4	14821800	4	15714340	10	15973180	50	24160700	12
13161400	4	14822000	4	15714670	10	15974180	50	24161000	12
13171000	4	14822800	4	15714700	10	15981180	20	24161670	12
13171400	4	14823000	4	15714990	10	16		24161700	12
13182000	136	14834000	4	15734400	12	16884000	100	24170000	6
13201000	7	14834800	4	15735400	6	16884820	80	24170670	6
13211000	10	14847000	4	15736400	12	19		24170700	6
13233180	5	14847800	4	15737400	12	19418000	2	24171000	6
13244180	8	14857000	4	15738400	10	21		24171670	6
13414000	35	14857800	4	15741000	10	21140700	64	24171700	6

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
24270000	2	26221700	6	26282670	2	26453000	110	26524000	10
24291670	2	26221990	6	26283000	6	26453670	110	26524400	10
24291700	2	26228000	6	26283670	6	26455000	110	26528000	10
24301000	20	26228700	6	26284000	2	26455140	110	26528400	10
24301670	20	26229000	6	26286000	2	26455340	110	26530000	20
24301700	20	26229700	6	26286670	2	26455670	110	26530140	20
24302000	20	26231000	2	26289000	2	26455700	110	26530340	20
24302670	20	26231340	2	26289670	2	26455990	110	26530400	20
24302700	20	26231700	2	26318000	2	26456000	10	26530670	20
24303000	20	26238000	3	26319000	2	26456400	10	26530700	20
24303670	20	26238140	3	26320000	10	26457000	168	26530990	20
24303700	20	26238340	3	26322000	3	26457140	168	26531000	25
24340000	2	26238670	3	26322400	3	26464000	10	26531140	20
24340670	2	26238700	3	26323000	5	26465000	7	26531340	20
24340700	2	26238990	3	26326000	2	26466000	6	26531400	25
24360000	2	26239000	3	26328400	9	26466400	6	26531670	20
24360670	2	26243000	8	26329000	15	26467000	6	26531700	20
24360700	2	26243700	8	26330400	24	26467400	6	26531990	20
24400000	12	26250000	3	26331400	24	26469000	6	26532400	12
24401000	11	26250140	3	26332400	24	26470000	6	26533400	12
26		26250340	3	26333400	24	26470400	6	26534400	12
26014000	22	26250670	3	26334400	24	26471180	10	26535400	12
26014140	20	26250700	3	26336400	24	26472000	6	26536400	7
26014340	20	26250990	3	26340000	34	26481000	6	26537400	4
26014670	20	26251000	3	26340670	34	26485000	40	26538400	4
26014700	20	26252000	3	26401000	10	26486000	25	26539400	6
26014990	20	26253000	3	26402000	5	26487000	25	26550000	28
26079000	2	26254180	6	26403400	2	26503000	16	26550400	28
26089000	2	26257000	4	26404400	2	26504000	8	26551000	30
26089670	2	26258000	4	26405000	70	26505000	12	26551400	28
26090000	24	26270000	34	26405670	70	26506000	6	26553400	12
26093000	8	26270670	34	26406000	140	26511000	24	26554400	12
26097000	2	26271000	8	26406670	140	26511400	24	26555400	16
26097670	2	26271670	8	26407000	60	26511600	24	26560400	12
26098000	2	26272000	2	26407670	60	26519000	38	26561400	12
26099000	2	26273000	8	26410400	20	26520000	25	26562400	12
26099670	2	26274000	2	26411400	20	26520140	20	26563400	12
26220000	6	26275000	12	26412400	20	26520340	20	26564400	12
26220140	6	26276000	2	26413400	20	26520400	25	26565400	12
26220340	6	26276670	2	26420400	20	26520670	20	26566400	12
26220670	6	26277000	6	26421400	20	26520700	20	26567400	20
26220700	6	26277670	6	26422670	14	26520990	20	26568400	20
26220990	6	26278000	8	26423670	12	26521000	25	26569400	20
26221000	6	26279000	12	26424400	20	26521400	24	26570400	7
26221140	6	26281000	8	26425400	20	26522000	10	26571400	7
26221340	6	26281670	8	26442000	10	26522400	7	26572400	7
26221670	6	26282000	2	26443000	10	26523000	7	26573400	7

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
26574400	7	26720400	20	26867000	30	27381000	4	27492000	2
26575400	4	26721000	20	26867700	30	27388000	7	27493000	6
26580400	12	26721400	10	27		27389000	7	27494000	6
26581400	12	26722000	10	27013400	7	27389140	7	27505000	150
26582400	12	26723000	10	27014400	5	27389340	7	27506000	100
26583400	10	26724000	10	27032000	6	27389670	7	27521000	100
26584400	12	26725000	10	27033000	3	27389700	7	27558000	20
26585400	12	26726000	10	27034000	7	27389990	7	27559000	20
26586400	12	26727000	10	27035000	3	27393000	24	27574000	20
26590400	7	26790000	2	27038000	2	27393140	24	27575000	20
26591400	7	26791000	2	27081400	7	27393670	24	27576000	20
26592400	6	26793000	2	27082400	5	27393700	24	27577000	20
26593400	7	26794000	2	27085000	4	27405000	7	27592000	20
26594400	7	26800400	24	27086000	8	27405090	7	27593000	20
26595400	7	26801400	24	27114000	2	27409000	20	27594000	20
26600000	3	26802400	24	27115000	2	27411000	48	27595000	20
26601000	6	26803400	24	27116000	2	27412000	15	27607000	6
26604000	4	26804400	24	27129000	2	27413000	21	27609000	10
26605000	4	26805400	34	27129400	2	27413140	21	27610000	10
26620000	16	26806400	34	27133000	2	27413340	21	27611000	20
26620400	12	26810400	32	27133400	2	27413670	21	27614000	10
26621000	7	26811400	34	27185000	2	27413700	21	27615000	20
26621400	7	26812400	32	27188000	2	27413990	21	27617000	12
26622000	12	26813400	32	27222000	2	27414000	150	27617820	12
26622400	12	26814400	32	27224000	2	27424000	5	27620000	7
26623000	6	26815400	34	27254400	2	27424090	7	27623000	7
26623400	6	26816400	34	27256400	2	27438000	36	27636000	5
26626000	6	26840180	8	27258400	2	27441000	26	27640000	3
26626400	6	26843000	8	27267000	2	27443000	26	27640400	3
26630000	12	26843700	8	27268000	2	27446000	20	27645000	2
26630400	16	26844000	8	27269000	2	27452000	20	27646000	2
26631000	7	26844700	8	27270000	2	27453000	100	27648000	3
26631400	5	26852000	12	27271000	2	27454000	100	27648400	3
26632000	12	26852700	12	27281000	2	27454140	100	27649000	3
26633000	6	26857000	12	27284000	2	27454340	100	27652000	12
26640540	12	26857700	12	27289000	2	27454670	100	27653000	7
26640560	12	26858000	8	27337000	6	27454700	100	27654000	12
26640670	12	26858700	8	27337400	6	27454990	100	27660000	2
26640700	12	26864000	26	27355000	10	27456000	98	27667000	7
26690400	20	26864700	26	27356000	10	27458000	100	27668000	10
26691400	20	26865000	20	27370000	4	27461000	6	27669000	11
26692400	20	26865700	16	27371000	4	27463000	7	27671000	4
26693400	15	26866000	30	27375000	4	27467000	24	27672000	2
26694400	14	26866340	30	27376000	4	27474000	6	27673000	2
26700000	20	26866670	48	27378000	6	27477000	7	27674000	2
26701000	20	26866700	30	27378400	6	27478000	7	27704000	14
26720000	20	26866990	30	27380000	4	27479000	36	27717000	10

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
27724000	7	27926700	30	28276700	25	28631000	10	31161000	5
27728000	10	27927670	10	28276800	25	28631140	10	31162000	6
27729000	7	27927700	10	28276990	25	28631340	10	31163000	6
27762000	7	27928670	28	28307000	20	28631670	10	31166000	10
27763000	10	27928700	28	28321000	200	28631700	10	31171000	4
27764000	12	27929670	216	28324000	100	28631990	10	31172000	4
27766000	7	27929700	216	28328000	72	28632000	20	31173000	4
27767000	10	27966670	2	28331000	100	28632140	20	31174000	8
27771000	7	27966700	2	28331140	105	28632340	20	31183000	5
27772000	10	27967670	8	28331340	105	28632670	20	31184000	4
27774000	7	27967700	8	28331670	105	28632700	20	31185000	5
27776000	12	27968670	4	28331700	105	28632990	20	31186000	10
27802000	10	27968700	4	28331800	105	28650000	170	31187000	6
27803000	5	27969670	4	28331990	105	28662000	10	31190000	6
27803400	5	27969700	4	28335000	54	28663000	12	31203000	11
27804000	70	28		28346000	180	28672000	20	31204000	11
27804670	70	28010000	5	28387000	60	28675000	60	31261000	10
27805000	40	28010670	6	28387140	105	28678000	40	31280000	10
27805670	60	28010700	5	28387340	105	28679000	60	31285000	6
27809000	60	28020000	5	28387670	105	28684000	50	31422000	4
27809670	60	28020670	5	28387700	105	28694000	100	31423000	4
27812400	7	28020700	5	28387990	105	28698000	6	31442000	6
27813400	3	28072000	400	28389000	2	28760210	24	31443000	9
27833400	3	28132000	25	28423000	50	28787640	24	31446000	6
27856000	10	28134000	25	28424000	32	28788570	24	31451000	12
27857000	5	28136000	25	28425000	25	31		31454000	12
27902670	25	28167000	25	28462000	26	31016000	10	31456000	12
27902700	25	28168000	25	28466000	48	31022000	4	31460000	8
27904670	30	28169000	25	28467000	80	31023000	4	31465000	10
27904700	30	28248000	25	28496000	18	31060000	10	31466000	10
27912670	24	28249000	25	28535000	20	31068000	10	31480000	8
27912700	24	28262000	50	28536000	20	31080000	10	31493000	10
27913670	40	28264000	50	28537000	24	31081000	6	31494000	20
27913700	40	28266000	50	28538000	24	31082000	4	31509000	10
27914670	216	28272000	25	28539000	16	31084000	10	31513000	10
27914700	216	28272140	25	28548000	12	31085000	6	31517000	10
27915670	24	28272340	25	28548090	15	31086000	6	31518000	5
27915700	24	28272450	25	28561000	30	31087000	5	31519000	6
27916670	170	28272670	25	28562000	30	31088000	10	31521000	4
27916700	170	28272700	25	28563000	30	31100000	4	31523000	4
27917670	120	28272990	25	28580000	24	31101000	4	31531000	5
27917700	120	28274000	25	28583000	24	31102000	4	31532000	5
27921670	12	28276000	25	28585000	35	31103000	4	31539000	10
27921700	12	28276140	25	28587000	20	31121000	10	31603000	10
27925670	112	28276340	25	28587400	20	31130000	10	31604000	10
27925700	112	28276450	25	28588000	20	31159000	6	31607000	10
27926670	30	28276670	25	28588400	20	31160000	10	31608000	5

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
31609000	6	31938000	8	32511990	6	32565700	10	40952800	90
31621000	10	31940000	8	32512000	7	32565990	10	41	
31657000	10	31945000	10	32512140	7	32570000	5	41710000	30
31658000	4	31946000	10	32512340	7	32571000	5	41711000	200
31660000	8	31947000	25	32512670	4	32572000	4	41712000	18
31665000	10	31948000	8	32512700	4	32620000	8	41713000	30
31677000	40	31952000	7	32512990	4	32675000	10	41714000	30
31680000	8	31960000	8	32514000	4	32841000	10	41715000	30
31685000	9	31961000	20	32515000	9	32851000	10	41716000	25
31686000	15	31965000	10	32515340	9	40		41717000	24
31730000	10	31967000	25	32515670	9	40068000	48	41718000	40
31732000	10	31968000	8	32515700	9	40088000	48	41720000	4
31733000	10	31971000	50	32515990	9	40089000	22	41722000	6
31741180	20	32		32520000	5	40418000	15	41723000	30
31803000	6	32020000	10	32520140	7	40418800	15	41724000	9
31804000	10	32031000	10	32520990	7	40438000	15	41725000	75
31806000	10	32032000	10	32522000	4	40438340	15	41726000	75
31806800	10	32070000	6	32525000	6	40438670	15	41727000	3
31815000	4	32122000	15	32526000	9	40438800	15	41728000	2
31815670	4	32127000	20	32526700	7	40448000	15	41741000	12
31815800	4	32128000	20	32540000	6	40448670	15	41741140	12
31816000	10	32129000	20	32540670	8	40448800	15	41741340	12
31817000	10	32420000	8	32540990	10	40468000	15	41741670	12
31817670	4	32475000	10	32542000	20	40468670	15	41741700	12
31817800	10	32477000	10	32543000	5	40468800	15	41741990	12
31820000	10	32500000	6	32543140	7	40511000	125	41742000	72
31820670	10	32500140	6	32543340	7	40511820	80	41742140	72
31820800	10	32500340	6	32543670	7	40512000	15	41742340	72
31822000	10	32500670	6	32543700	7	40512820	6	41742670	72
31823000	4	32500700	6	32543990	7	40513000	20	41742700	72
31825000	8	32500990	6	32545000	6	40513820	6	41742990	72
31910000	8	32501000	5	32545140	10	40514000	12	41743000	12
31911000	8	32502000	5	32545670	10	40514820	12	41743140	6
31913000	6	32503000	5	32545700	10	40515000	18	41743340	6
31914000	8	32506000	5	32545990	10	40515820	6	41743670	6
31915000	8	32507000	5	32546000	6	40516000	18	41743700	6
31916000	2	32507140	5	32548000	30	40516820	20	41743990	6
31917000	8	32507340	5	32550000	6	40517000	30	41744000	18
31920000	10	32507670	5	32551000	6	40517820	36	41744140	18
31922000	10	32507700	5	32552000	6	40518000	18	41744340	18
31923000	6	32507990	5	32553000	6	40518820	6	41744670	18
31926000	10	32508000	5	32560000	6	40522000	10	41744700	18
31927000	6	32511000	6	32560670	10	40522820	10	41744990	18
31928000	10	32511140	6	32560700	10	40523000	32	41745000	20
31930000	10	32511340	6	32565000	6	40523820	10	41745140	20
31931000	10	32511670	6	32565140	10	40526000	30	41745340	20
31937000	4	32511700	6	32565670	10	40526820	10	41745670	19

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
41745700	20	41754670	20	41774340	12	53		56042000	2
41745990	20	41754700	20	41774670	12	53002000	25	56042450	2
41746000	15	41754990	20	41774700	12	53010000	25	56042610	2
41746140	15	41755000	144	41774990	12	53428000	50	56042670	2
41746340	15	41755140	144	41775000	2	53646000	14	56042700	2
41746670	15	41755340	144	41775670	2	53990000	100	56042800	2
41746700	15	41755670	144	41775700	2	55		56043000	4
41746990	15	41755700	144	41790000	4	55213000	30	56043140	4
41747000	10	41755990	144	41790140	6	55237000	25	56043340	4
41747140	12	41756000	30	41790340	6	56		56043670	4
41747340	12	41756140	30	41790670	6	56010180	2	56043700	4
41747670	12	41756340	30	41790700	6	56011180	2	56043800	4
41747700	12	41756670	30	41790990	6	56012180	2	56043990	4
41747990	12	41756700	30	41791000	10	56013180	2	56044000	4
41748000	18	41756990	30	41791140	10	56014180	2	56044140	4
41748140	18	41759000	15	41791340	10	56015180	2	56044340	4
41748340	18	41759140	15	41791670	10	56029000	4	56044670	4
41748670	18	41759340	15	41791700	10	56030000	4	56044700	4
41748700	18	41759670	15	41791990	10	56031000	4	56044800	4
41748990	18	41759700	15	43		56032000	4	56044990	4
41749000	15	41759990	15	43921800	12	56033000	4	56045000	4
41749140	15	41770000	18	43927000	10	56034000	2	56045140	4
41749340	15	41770140	18	43928000	4	56036000	4	56045340	4
41749670	15	41770340	18	43931800	12	56036450	4	56045670	4
41749700	15	41770670	18	43937000	10	56036610	4	56045700	4
41749990	15	41770700	18	43938000	6	56036670	4	56045800	4
41751000	4	41770990	18	50		56036700	4	56045990	4
41751140	4	41771000	30	50001000	80	56036800	4	56047000	2
41751340	4	41771140	30	50100000	30	56037000	4	56047140	2
41751670	4	41771340	30	50100140	100	56037450	4	56047340	2
41751700	4	41771670	30	50100340	70	56037610	4	56047670	2
41751990	4	41771700	30	50100670	100	56037670	4	56047700	2
41752000	8	41771990	30	50100700	100	56037700	4	56047800	2
41752140	8	41772000	30	50100990	70	56037800	4	56047990	2
41752340	8	41772140	30	50105000	100	56038000	4	56050000	4
41752670	8	41772340	30	50107000	12	56038450	4	56050140	4
41752700	8	41772670	30	52		56038610	4	56050340	4
41752990	8	41772700	30	52010000	30	56038670	4	56050670	4
41753000	20	41772990	30	52053000	30	56038700	4	56050700	4
41753140	20	41773000	30	52100000	18	56038800	4	56050800	4
41753340	20	41773140	30	52105000	30	56040000	4	56050990	4
41753670	20	41773340	30	52105140	24	56040450	4	56051000	4
41753700	20	41773670	30	52105340	24	56040610	4	56051140	4
41753990	20	41773700	30	52105670	18	56040670	4	56051340	4
41754000	20	41773990	30	52105700	24	56040700	4	56051670	4
41754140	20	41774000	12	52105990	24	56040800	4	56051700	4
41754340	20	41774140	12	52120000	20	56041800	4	56051800	4

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
56051990	4	56088670	2	58113000	13	71120000	13	71407000	10
56052000	4	56088700	2	58115180	13	71130000	6	71409000	12
56052140	4	56088800	2	58116180	10	71131000	6	71410000	20
56052340	4	56091670	2	58117000	50	71133000	4	71420000	50
56052670	4	56091700	3	58117140	36	71170000	13	71420670	50
56052700	4	56091800	2	58117340	36	71171000	13	71430000	8
56052800	4	56094140	3	58117670	36	71200000	13	71440000	8
56052990	4	56094340	3	58117700	36	71201000	5	71440670	8
56054000	2	56094670	3	58117820	50	71203000	13	71442000	4
56054140	2	56094700	3	58117990	36	71204000	13	71442670	3
56054340	2	56094800	3	58123000	13	71210000	5	71444000	10
56054670	2	56094990	3	58125180	13	71210670	5	71447000	2
56054700	2	56095140	3	58126180	10	71211000	5	71449000	10
56054800	2	56095340	3	58127000	50	71211670	5	71449670	10
56054990	2	56095670	3	58128000	36	71215000	6	71450000	8
56055800	3	56095700	3	58140180	13	71216000	6	71450670	10
56056000	8	56095800	3	58141180	10	71220000	6	71452670	3
56057670	3	56095990	3	58142000	13	71221000	4	71456670	4
56057700	3	56096140	3	58143000	13	71222000	4	71458000	10
56057800	3	56096340	3	58150000	13	71225000	8	71458670	10
56061670	3	56096670	3	58185000	100	71243000	6	71459670	4
56061700	3	56096700	3	58185990	100	71251000	5	71460000	50
56061800	3	56096800	3	58186000	80	71252000	5	71460670	50
56064670	2	56096990	3	58192000	20	71253000	5	71461000	4
56064700	2	56097140	3	60		71254000	5	71463000	14
56064800	2	56097340	3	60056000	20	71255000	5	71466670	7
56067670	2	56097670	3	60067000	14	71256000	8	71474140	10
56067700	2	56097700	3	71		71257000	4	71474670	10
56067800	2	56097800	3	71070000	13	71258000	4	71474700	10
56070670	3	56097990	3	71071000	13	71263000	9	71474990	10
56070700	3	56098140	3	71072000	13	71280000	5	71501000	9
56070800	3	56098340	3	71073000	13	71283000	5	71502000	9
56073670	3	56098670	3	71074000	10	71285000	5	71503000	9
56073700	3	56098700	3	71075000	13	71286000	6	71504000	9
56073800	3	56098800	3	71076000	13	71287000	6	71550000	5
56076670	2	56098990	3	71077000	13	71290000	10	71550670	5
56076700	2	56099140	3	71078000	13	71310000	5	71551000	5
56076800	2	56099340	3	71090000	5	71311000	12	71551670	5
56079670	2	56099670	3	71091000	5	71312000	12	71552000	5
56079700	2	56099700	3	71095000	5	71313000	5	71552670	5
56079800	2	56099800	3	71100000	13	71314000	9	71553670	6
56082670	3	56099990	3	71101000	13	71315000	12	71554000	4
56082700	3	56100800	3	71102000	13	71400000	8	71557000	6
56082800	3	56112800	7	71103000	13	71401000	8	71558000	15
56085670	3	56373000	36	71104000	13	71402000	5	71558670	6
56085700	3	58		71105000	13	71405000	10	71559000	6
56085800	3	58112000	12	71107000	13	71406000	15	71560000	6

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
71560670	6	71640000	8	71716670	5	71760000	8	72013000	10
71561000	6	71640670	8	71716700	5	71760140	6	72014000	10
71561670	6	71647000	2	71716990	5	71760340	6	72017000	10
71562000	5	71649000	10	71717000	5	71760670	6	72020000	10
71562670	5	71649670	10	71717140	5	71760700	6	72021000	10
71563670	6	71650000	10	71717340	5	71760990	6	72022000	10
71564000	4	71650670	8	71717670	5	71761000	8	72023000	10
71566000	6	71658000	10	71717700	5	71764000	20	72031000	5
71567000	10	71658670	10	71717990	5	71765000	10	72032000	8
71567670	6	71666000	9	71718000	6	71765140	10	72040000	10
71568000	6	71667670	7	71719000	6	71765670	10	72041000	10
71569000	10	71700000	10	71720000	10	71765700	10	72042000	10
71569670	6	71701000	10	71721000	10	71765990	10	72043000	10
71570000	7	71702000	10	71729000	7	71766000	20	72044000	7
71576000	8	71703000	10	71731000	5	71768000	10	72045000	5
71576670	8	71704000	10	71732000	6	71802000	4	72105000	6
71578000	8	71705000	10	71733000	4	71802800	4	72110000	8
71578670	8	71706000	10	71733140	4	71804000	10	72111000	9
71580000	15	71710000	10	71733670	4	71805000	10	72113000	5
71580670	15	71710140	10	71734000	6	71806000	10	72115000	6
71581000	5	71710340	10	71734140	6	71806800	10	72116000	6
71582000	5	71710670	10	71734340	6	71807000	10	72200000	10
71583000	15	71710700	10	71734670	6	71808000	6	72202000	10
71583670	15	71710990	10	71734700	6	71813000	3	72290000	6
71584000	5	71711000	10	71734990	6	71814000	10	72291000	8
71584670	6	71712000	10	71740000	8	71820000	6	72400000	8
71585000	5	71712140	10	71740140	6	71820800	6	72405000	9
71585670	6	71712340	10	71740340	6	71829000	3	72410000	20
71587000	2	71712670	10	71740670	6	71829800	3	72416000	6
71588000	2	71712700	10	71740700	6	71830000	10	72417000	5
71590000	5	71712990	10	71740990	6	71831000	10	72419000	6
71591000	5	71713000	10	71745000	10	71832000	10	72600000	8
71591670	6	71713140	10	71745140	9	71833000	4	72605000	12
71592000	15	71713340	10	71745340	9	71834000	3	72606000	20
71592670	15	71713670	10	71745670	10	71835000	10	72800000	4
71593000	5	71713700	10	71745700	10	71836000	10	72800670	4
71593670	6	71713990	10	71745990	10	71837000	10	72800800	9
71594000	5	71714000	10	71747000	5	71839000	10	72801000	3
71594670	6	71714140	10	71748000	6	71870000	5	72801670	3
71596000	2	71714340	10	71748140	3	71870670	5	72801800	3
71600000	8	71714670	10	71748670	5	71871000	5	72802000	4
71601000	8	71714700	10	71750000	10	71871670	5	72802670	9
71604000	15	71714990	10	71751000	10	71970000	50	72802800	9
71605000	10	71715000	10	71752000	5	72		72803000	3
71606000	20	71716000	4	71753000	10	72010000	10	72803670	3
71629000	5	71716140	5	71754000	6	72011000	10	72803800	3
71630000	8	71716340	5	71755000	5	72012000	10	72804000	9

Packaging units

Please consider the packaging units when placing your order.

code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit	code no.	Number Of Items Per PackingUnit
72804670	9	72844000	4	74550000	6	75042000	3	76060670	2
72804800	9	72844670	9	74551000	6	75042670	3	76060700	2
72805000	9	72845000	4	74552000	6	75042700	4	76063000	2
72805670	9	72845670	9	74553000	6	75050000	6	76063670	2
72805800	9	73		74560000	8	75050670	6	76063700	2
72806000	9	73561000	9	74565000	10	75050700	6	76070000	3
72806670	9	73800000	6	74800000	4	75200000	5	76070670	3
72806800	9	73800800	6	74800670	4	75200670	5	76070700	3
72807000	9	73801000	6	74801000	4	75200700	5	76200000	5
72807670	9	73801800	6	74802000	4	75410000	20	76200670	5
72807800	9	73802000	6	74802670	4	75410670	20	76200700	5
72808000	4	73802800	4	74807000	3	75410700	20	76410000	20
72808670	9	73803000	6	74808000	3	75415000	6	76410670	20
72808800	9	73803800	6	74810000	4	75415670	6	76410700	20
72809000	3	73804000	5	74811000	4	75415700	6	76415000	6
72809670	3	73804800	6	74813000	4	75420000	2	76415670	6
72809800	3	73812000	4	75		75420670	2	76415700	6
72810000	4	73812800	6	75010000	5	75420700	2	76420000	2
72810800	4	73850000	6	75010670	5	75615000	6	76420670	2
72811000	9	73850800	6	75010700	5	75615670	6	76420700	2
72813000	4	73851000	6	75012000	5	75615700	6	76615000	6
72813800	4	73851800	6	75012670	5	75620000	8	76615670	6
72814000	4	73852000	6	75012700	5	75620670	8	76615700	6
72814800	9	73852800	6	75013000	5	75620700	8	76620000	4
72815000	9	73853000	6	75013670	5	76		76620670	4
72815800	9	73853800	5	75013700	5	76010000	5	76620700	8
72820000	4	73860000	6	75020000	5	76010670	5	92	
72820800	4	73860800	6	75020670	5	76010700	5	92019000	180
72821000	4	73880000	4	75020700	5	76013000	5	92601000	50
72821800	4	73880800	3	75022000	5	76013670	5	92631000	30
72822000	8	74		75022670	5	76013700	5	92730000	50
72822800	8	74500000	5	75022700	5	76020000	5	93	
72823000	3	74502000	5	75023000	5	76020670	5	93286000	20
72823800	3	74506000	5	75023670	5	76020700	5	93500000	32
72827000	9	74507000	5	75023700	5	76023000	5	94	
72827670	9	74511000	5	75024000	5	76023670	5	94004000	30
72827800	9	74512000	4	75024670	5	76023700	5	94005000	200
72840000	9	74514000	9	75024700	5	76024000	5	94008000	90
72840670	9	74515000	9	75030000	2	76024670	5	94009000	120
72840800	9	74520000	5	75030670	2	76024700	5	94051000	200
72841000	16	74522000	8	75030700	2	76050000	6	94055000	80
72841670	16	74525000	6	75032000	2	76050670	6	94139000	20
72841800	16	74526000	6	75032670	2	76050700	6	94139140	20
72842000	4	74540000	8	75032700	2	76051000	6	94139340	20
72842670	9	74545000	10	75040000	4	76051670	6	94140000	106
72843000	4	74546000	10	75040670	4	76051700	6	94148000	25
72843670	4	74548000	30	75040700	4	76060000	2	94149000	200

code no.	Number Of Items Per PackingUnit
94246000	800
94282000	50
94850000	200
95	
95048000	25
95052000	30
95053000	100
95239000	100
96	
96016000	160
96026000	50
96083000	50
96100000	1000
96153000	50
96170000	50
96177880	80
96179000	200
96184000	200
96186000	400
96188000	160
96189000	160
96190000	50
96191000	100
96192000	160
96339000	56
96370000	100
96387000	18
96392000	160
96441000	6
96467000	80
96507000	100
96529000	200
96615000	27
96618000	160
96657000	31
97	
97116000	20
97231000	160
97450000	4000
97462000	140
98	
98066000	4500
98556000	80
98610000	160
98993000	100

Code Numbers and Trade Prices

brand	code no.	Euro	EAN	page
01				
HG	01000180	160.00	4059625350867	566
HG	01001180	160.00	4059625350850	566
HG	01002180	160.00	4059625350836	567
HG	01800180	137.30	4011097347240	176
HG	01850180	178.40	4011097677545	336
02				
HG	02024000	4.70	4011097100005	167
HG	02026000	32.20	4011097729220	233
06				
HG	06010000	2.60	4011097100135	602
10				
AX	10452180	459.80	4011097254104	365
AX	10490000	78.90	4011097432601	705
AX	10823000	149.00	4011097693712	689
AX	10823800	223.50	4011097694566	689
AX	10890000	55.40	4011097460901	705
AX	10891000	55.40	4011097462110	705
11				
AX	11095000	78.90	4011097165110	700
AX	11098000	67.70	4011097257051	702
13				
HG	13085000	8.90	4011097102184	700
HG	13085810	10.90	4011097423449	700
HG	13097000	35.00	4011097102375	699
HG	13111000	376.30	4011097754161	296
HG	13111400	376.30	4011097753928	296
HG	13114000	320.00	4011097678832	299
HG	13114140	479.90	4059625229774	299
HG	13114340	479.90	4059625229781	299
HG	13114670	447.90	4059625229798	299
HG	13114700	447.90	4059625229804	299
HG	13114990	479.90	4059625229811	299
HG	13115000	345.10	4011097678849	300
HG	13116000	250.50	4011097678856	300
HG	13116140	375.80	4059625229828	300
HG	13116340	375.80	4059625229835	300
HG	13116670	350.60	4059625229842	300
HG	13116700	350.60	4059625229859	300
HG	13116990	375.80	4059625229866	300
HG	13117000	275.60	4011097678863	301
HG	13122000	224.90	4011097739205	305
HG	13123000	287.40	4011097739229	306
HG	13132000	148.40	4011097526058	446
HG	13141000	488.60	4011097661308	294
HG	13141400	488.60	4011097666402	294
HG	13151000	653.40	4011097717036	291
HG	13151400	653.40	4011097717029	291
HG	13159180	210.00	4011097835310	373
HG	13161000	376.30	4011097661315	295
HG	13161400	376.30	4011097665696	295
HG	13171000	488.60	4011097717012	290
HG	13171400	488.60	4011097717005	290
HG	13182000	12.50	4011097668482	701
HG	13183000	1,470.80	4011097771021	289
HG	13184000	1,225.80	4011097771083	288
HG	13184400	1,225.80	4011097771076	288
HG	13201000	222.90	4011097799599	306
HG	13211000	175.70	4011097799582	306
HG	13233180	188.70	4011097629407	429
HG	13244180	289.00	4011097629414	378
AX	13290450	35.00	4011097102993	704
AX	13290480	35.00	4011097103013	704
HG	13414000	112.70	4011097532509	448

brand	code no.	Euro	EAN	page
HG	13423000	115.30	4011097603766	448
HG	13424000	124.80	4011097594774	448
HG	13437180	686.60	4011097660837	374
HG	13439180	350.10	4011097734033	375
HG	13440180	425.00	4059625321218	408
HG	13444180	838.00	4011097140841	376
HG	13473000	78.90	4011097178233	702
AX	13485000	14.40	4011097104416	700
HG	13560180	52.50	4059625202968	594
HG	13593000	46.80	4011097745015	337
HG	13593140	70.20	4059625346716	337
HG	13593340	70.20	4059625346723	337
HG	13593670	65.50	4059625346693	337
HG	13593700	65.50	4059625346709	337
HG	13593990	70.20	4059625346730	337
HG	13595000	50.40	4011097333670	337
HG	13597000	47.80	4011097564739	330
HG	13597140	71.80	4059625250075	330
HG	13597340	71.80	4059625346839	330
HG	13597670	67.00	4059625346815	330
HG	13597700	67.00	4059625346822	330
HG	13597990	71.80	4059625346846	330
HG	13601000	113.60	4011097783727	318
HG	13604000	100.20	4011097825915	317
HG	13620180	110.60	4011097228747	392
HG	13622180	220.50	4011097625386	363
AX	13690430	35.00	4011097104997	704
AX	13690450	35.00	4011097105017	704
AX	13690480	35.00	4011097105031	704
AX	13690610	35.00	4011097177304	704
HG	13893000	98.10	4011097105444	706
HG	13893450	98.10	4011097105475	706
HG	13901000	16.30	4011097537122	600
HG	13902000	14.00	4011097537139	599
HG	13903000	15.60	4011097646411	599
HG	13904000	30.10	4011097666778	599
HG	13912000	14.10	4011097413747	701
HG	13913000	10.90	4011097413754	701
HG	13914000	11.10	4011097413761	701
HG	13950000	32.70	4011097350721	599
HG	13950140	49.00	4011097957050	599
HG	13950340	49.00	4059625266151	599
HG	13950670	45.70	4059625266137	599
HG	13950700	45.70	4059625266144	599
HG	13950990	49.00	4011097957128	599
HG	13952000	28.20	4011097105932	699
HG	13954000	52.90	4011097360393	599
HG	13954820	79.40	4011097525532	599
HG	13961000	17.60	4011097105949	709
HG	13964000	35.00	4011097105970	699
HG	13970000	55.40	4011097105994	702
HG	13971000	67.70	4011097178578	702
HG	13981000	35.00	4011097177434	707
HG	13988000	98.10	4011097106557	709
HG	13989000	28.20	4011097106564	709
14				
HG	14091000	55.40	4011097177557	704
HG	14095000	78.90	4011097165103	699
HG	14096000	78.90	4011097176222	699
HG	14097000	78.90	4011097236995	699
HG	14098000	78.90	4011097237008	699
HG	14420000	185.90	4011097488424	397
HG	14495000	101.40	4011097255705	399
HG	14780000	502.90	4059625195970	641

brand	code no.	Euro	EAN	page
HG	14781000	406.10	4059625197110	643
HG	14782000	343.60	4059625198100	644
HG	14785000	436.40	4059625197998	641
HG	14786000	514.90	4059625195994	638
HG	14806000	387.40	4011097732992	658
HG	14820000	502.90	4011097718378	641
HG	14820800	653.40	4011097718361	641
HG	14821000	406.10	4011097718354	643
HG	14821800	528.60	4011097718347	643
HG	14822000	343.60	4011097718170	644
HG	14822800	446.80	4011097718330	644
HG	14823000	406.10	4011097718323	645
HG	14834000	448.00	4011097823690	642
HG	14834800	582.30	4011097823683	642
HG	14847000	382.60	4011097823676	641
HG	14847800	498.00	4011097823669	641
HG	14857000	459.70	4011097823652	640
HG	14857800	597.50	4011097823645	640
HG	14883000	436.40	4011097748559	641
HG	14883800	556.10	4011097748566	641
HG	14884000	514.90	4011097772783	638
HG	14884800	669.30	4011097772790	638
HG	14888000	464.40	4011097752631	645
HG	14890000	55.40	4011097362274	703
HG	14891000	55.40	4011097217253	703
HG	14893000	98.10	4011097260303	706
HG	14896000	55.40	4011097508009	705
HG	14920000	128.70	4011097153759	708
15				
HG	15310180	630.00	4011097815602	309
HG	15311180	735.00	4059625034057	310
HG	15312180	840.00	4059625034040	312
HG	15313180	945.00	4059625034033	313
HG	15346000	277.40	4011097727219	307
HG	15355000	1,256.30	4059625034019	308
HG	15355400	1,256.30	4011097815619	308
HG	15355600	1,256.30	4059625034002	308
HG	15356000	1,484.70	4059625033999	310
HG	15356400	1,484.70	4059625033982	310
HG	15356600	1,484.70	4059625033975	310
HG	15357000	1,713.10	4059625033968	311
HG	15357400	1,713.10	4059625033951	311
HG	15357600	1,713.10	4059625033944	311
HG	15358000	1,941.50	4059625033937	313
HG	15358400	1,941.50	4059625033920	313
HG	15358600	1,941.50	4059625033913	313
HG	15380000	1,154.40	4059625201350	308
HG	15380140	1,731.60	4059625241707	308
HG	15380340	1,731.60	4059625241691	308
HG	15380670	1,500.60	4059625241684	308
HG	15380700	1,500.60	4059625201336	308
HG	15380990	1,731.60	4059625241677	308
HG	15381000	1,371.20	4059625201312	309
HG	15381700	1,782.40	4059625201299	309
HG	15382000	1,587.90	4059625201275	311
HG	15382140	2,381.90	4059625241967	311
HG	15382340	2,381.90	4059625241974	311
HG	15382670	2,064.30	4059625241981	311
HG	15382700	2,064.30	4059625201251	311
HG	15382990	2,381.90	4059625241998	311
HG	15384000	1,804.70	4059625201237	312
HG	15384700	2,345.90	4059625201213	312
HG	15597000	46.70	4011097625027	336
HG	15597140	70.00	4059625346785	336

brand	code no.	Euro	EAN	page
HG	15597340	70.00	4059625346792	336
HG	15597670	65.30	4059625346761	336
HG	15597700	65.30	4059625346778	336
HG	15597990	70.00	4059625346808	336
HG	15705000	248.90	4011097741727	328
HG	15706000	404.50	4011097741710	327
HG	15707000	404.50	4011097741703	327
HG	15708000	454.10	4011097741697	327
HG	15712000	404.50	4059625028728	326
HG	15714000	454.10	4059625028735	326
HG	15714140	681.10	4059625230244	326
HG	15714340	681.10	4059625230251	326
HG	15714670	635.80	4059625230268	326
HG	15714700	635.80	4059625230275	326
HG	15714990	681.10	4059625230282	326
HG	15734400	516.00	4011097777528	314
HG	15735400	710.20	4011097777511	315
HG	15736400	516.00	4011097777504	315
HG	15737400	710.20	4011097777498	313
HG	15738400	776.90	4011097777481	314
HG	15741000	415.00	4011097741369	322
HG	15742000	574.50	4011097741352	323
HG	15743000	625.60	4011097741345	322
HG	15743140	938.50	4059625142424	322
HG	15743340	938.50	4059625244548	322
HG	15743670	875.80	4059625266069	322
HG	15743700	875.80	4059625266076	322
HG	15743990	938.50	4059625266083	322
HG	15744000	574.50	4011097741338	321
HG	15745000	415.00	4011097741321	323
HG	15747000	478.80	4011097746388	324
HG	15748000	530.10	4011097749631	324
HG	15755000	248.90	4011097741680	329
HG	15756000	404.50	4011097741673	329
HG	15757000	404.50	4011097741666	328
HG	15758000	454.10	4011097741659	328
HG	15758140	681.10	4059625155028	328
HG	15758340	681.10	4059625216682	328
HG	15758670	635.80	4059625266038	328
HG	15758700	635.80	4059625266045	328
HG	15758990	681.10	4059625266052	328
HG	15760000	415.00	4011097719870	319
HG	15760140	622.60	4059625355893	319
HG	15760340	622.60	4059625355879	319
HG	15760670	581.00	4059625355855	319
HG	15760700	581.00	4059625355831	319
HG	15760990	622.60	4059625355817	319
HG	15761000	574.50	4011097719863	319
HG	15762000	574.50	4011097719856	317
HG	15763000	625.60	4011097719849	317
HG	15763140	938.50	4059625230299	317
HG	15763340	938.50	4059625230909	317
HG	15763670	875.80	4059625230916	317
HG	15763700	875.80	4059625230923	317
HG	15763990	938.50	4059625230930	317
HG	15764000	415.00	4011097719832	320
HG	15764140	622.60	4059625355794	320
HG	15764340	622.60	4059625355770	320
HG	15764670	581.00	4059625355756	320
HG	15764700	581.00	4059625355732	320
HG	15764990	622.60	4059625355718	320
HG	15765000	766.10	4011097719825	318
HG	15767000	478.80	4011097746364	320
HG	15768000	530.10	4011097749624	321

Code Numbers and Trade Prices

brand	code no.	Euro	EAN	page
HG	15773000	288.90	4059625196076	298
HG	15774000	353.10	4059625196069	299
HG	15930180	263.20	4011097345239	331
HG	15932000	131.40	4011097487984	329
HG	15956000	62.70	4011097629360	337
HG	15970180	91.90	4011097345208	329
HG	15972000	98.20	4011097487960	329
HG	15973180	84.60	4011097345215	331
HG	15974180	87.90	4011097345222	329
HG	15981180	167.00	4011097415772	331
HG	15984180	160.90	4011097727073	392
16				
AX	16391000	44.90	4011097111483	705
AX	16884000	41.40	4011097515915	167
AX	16884820	62.10	4011097515922	167
AX	16991000	44.90	4011097112367	705
AX	16993000	44.90	4011097112411	705
19				
AX	19418000	431.20	4011097664637	373
21				
HG	21140700	15.70	4059625250341	562
HG	21141000	10.70	4059625250358	562
HG	21142000	10.70	4059625250365	562
HG	21143000	10.70	4059625250372	563
HG	21144000	10.70	4059625250389	563
HG	21145000	10.70	4059625250396	563
HG	21146000	10.70	4059625250402	563
24				
HG	24001400	2,696.60	4011097772219	176
HG	24001600	2,696.60	4011097983165	176
HG	24002400	1,593.60	4011097771182	181
HG	24002600	1,593.60	4011097975764	181
HG	24003400	1,716.10	4011097771243	180
HG	24003600	1,716.10	4011097983066	180
HG	24004400	2,083.90	4011097771304	180
HG	24004600	2,083.90	4011097983080	180
HG	24005400	2,206.30	4011097771366	179
HG	24005600	2,206.30	4011097983103	179
HG	24006400	2,328.80	4011097771380	178
HG	24006600	2,328.80	4011097983127	178
HG	24007400	2,451.60	4011097771397	177
HG	24007600	2,451.60	4011097983141	177
HG	24010180	245.20	4011097771175	178
HG	24011400	2,696.60	4011097772226	176
HG	24012400	1,593.60	4011097771151	178
HG	24013400	1,716.10	4011097771229	180
HG	24014400	2,083.90	4011097771281	178
HG	24015400	2,206.30	4011097771342	179
HG	24016400	2,328.80	4011097772202	178
HG	24017400	2,451.60	4011097772332	177
HG	24100000	35.00	4059625315897	98
HG	24100670	45.50	4059625316016	98
HG	24100700	45.50	4059625316009	98
HG	24101000	35.00	4059625320556	98
HG	24101670	45.50	4059625320570	98
HG	24101700	45.50	4059625320563	98
HG	24110000	35.00	4059625310915	99
HG	24110670	45.50	4059625313046	99
HG	24110700	45.50	4059625313039	99
HG	24111000	35.00	4059625310922	99
HG	24111670	45.50	4059625338773	99
HG	24111700	45.50	4059625338766	99
HG	24120000	26.50	4059625316023	99
HG	24120670	34.50	4059625316047	99

brand	code no.	Euro	EAN	page
HG	24120700	34.50	4059625316030	99
HG	24121000	26.50	4059625320587	530
HG	24121670	34.50	4059625320600	530
HG	24121700	34.50	4059625320594	530
HG	24130000	85.00	4059625313718	203
HG	24130670	110.50	4059625313732	203
HG	24130700	110.50	4059625313725	203
HG	24132000	85.00	4059625316894	534
HG	24132670	110.50	4059625317013	534
HG	24132700	110.50	4059625317006	534
HG	24139000	50.00	4059625340974	215
HG	24139670	65.00	4059625340998	215
HG	24139700	65.00	4059625340981	215
HG	24140000	250.00	4059625340073	203
HG	24140670	325.00	4059625340097	203
HG	24140700	325.00	4059625340080	203
HG	24141000	250.00	4059625340707	203
HG	24141670	325.00	4059625340721	203
HG	24141700	325.00	4059625340714	203
HG	24149000	80.00	4059625341063	215
HG	24149670	104.00	4059625341087	215
HG	24149700	104.00	4059625341070	215
HG	24150000	470.00	4059625340851	202
HG	24150670	611.00	4059625340875	202
HG	24150700	611.00	4059625340868	202
HG	24151000	470.00	4059625340882	202
HG	24151670	611.00	4059625340905	202
HG	24151700	611.00	4059625340899	202
HG	24160000	95.00	4059625348048	121
HG	24160670	133.00	4059625358214	121
HG	24160700	133.00	4059625358221	121
HG	24161000	95.00	4059625348031	121
HG	24161670	133.00	4059625358238	121
HG	24161700	133.00	4059625358245	121
HG	24170000	110.00	4059625348024	121
HG	24170670	154.00	4059625358252	121
HG	24170700	154.00	4059625358269	121
HG	24171000	110.00	4059625348017	121
HG	24171670	154.00	4059625358276	121
HG	24171700	154.00	4059625358283	121
HG	24220000	740.00	4059625358375	243
HG	24221000	740.00	4059625358290	243
HG	24230000	795.00	4059625358306	244
HG	24240000	840.00	4059625358313	242
HG	24240670	1,092.00	4059625358320	242
HG	24240700	1,092.00	4059625358337	242
HG	24241000	840.00	4059625358344	242
HG	24241670	1,092.00	4059625358351	242
HG	24241700	1,092.00	4059625358368	242
HG	24250670	418.00	4059625368251	561
HG	24250700	418.00	4059625368244	561
HG	24260000	430.00	4059625368268	142
HG	24270000	445.00	4059625368275	142
HG	24291670	98.00	4059625368299	561
HG	24291700	98.00	4059625368282	561
HG	24301000	49.00	4059625347928	157
HG	24301670	63.70	4059625358382	157
HG	24301700	63.70	4059625358399	157
HG	24302000	55.00	4059625347911	156
HG	24302670	71.50	4059625358405	156
HG	24302700	71.50	4059625358412	156
HG	24303000	59.00	4059625347904	157
HG	24303670	76.70	4059625358429	157
HG	24303700	76.70	4059625358436	157

brand	code no.	Euro	EAN	page
HG	24340000	412.70	4059625358443	292
HG	24340670	536.50	4059625358450	292
HG	24340700	536.50	4059625358467	292
HG	24360000	341.40	4059625358474	292
HG	24360670	443.80	4059625358481	292
HG	24360700	443.80	4059625358498	292
HG	24400000	70.00	4059625347799	148
HG	24401000	77.00	4059625347782	148
25				
HG	25968000	55.40	4011097460079	693
26				
HG	26014000	94.30	4059625136621	97
HG	26014140	141.40	4059625346907	97
HG	26014340	141.40	4059625346914	97
HG	26014670	132.00	4059625346921	97
HG	26014700	132.00	4059625346938	97
HG	26014990	141.40	4059625346945	97
HG	26079000	500.00	4059625315125	274
HG	26085000	229.00	4059625319994	105
HG	26089000	385.00	4059625315101	272
HG	26089670	539.00	4059625338667	272
HG	26090000	19.50	4059625299142	532
HG	26093000	100.00	4059625302514	534
HG	26094000	100.00	4059625302507	535
HG	26095000	100.00	4059625302491	213
HG	26096000	100.00	4059625302484	214
HG	26097000	385.00	4059625314791	276
HG	26097670	539.00	4059625338650	276
HG	26098000	500.00	4059625314784	278
HG	26099000	315.00	4059625314777	275
HG	26099670	441.00	4059625338643	275
HG	26115000	4,341.50	4011097679174	188
HG	26117000	5,177.70	4011097679167	188
HG	26220000	337.50	4011097790992	207
HG	26220140	506.20	4059625264126	207
HG	26220340	506.20	4059625264102	207
HG	26220670	472.50	4059625264089	207
HG	26220700	472.50	4059625264096	207
HG	26220990	506.20	4059625264119	207
HG	26221000	339.60	4011097791104	207
HG	26221140	509.40	4059625203798	207
HG	26221340	509.40	4059625217030	207
HG	26221670	475.50	4059625264058	207
HG	26221700	475.50	4059625264065	207
HG	26221990	509.40	4059625264072	207
HG	26226000	748.00	4059625201084	181
HG	26226700	972.20	4059625201077	181
HG	26227000	748.00	4059625200780	181
HG	26227700	972.20	4059625200797	181
HG	26228000	628.60	4059625201565	182
HG	26228140	943.00	4059625264775	182
HG	26228340	943.00	4059625264751	182
HG	26228670	817.20	4059625264744	182
HG	26228700	817.20	4059625201558	182
HG	26228990	943.00	4059625264768	182
HG	26229000	628.60	4059625200902	182
HG	26229140	943.00	4059625264812	182
HG	26229340	943.00	4059625264799	182
HG	26229670	817.20	4059625264782	182
HG	26229700	817.20	4059625200919	182
HG	26229990	943.00	4059625264805	182
HG	26230000	856.30	4059625200926	183
HG	26230140	1,284.50	4059625264737	183
HG	26230340	1,284.50	4059625264713	183

brand	code no.	Euro	EAN	page
HG	26230670	1,113.20	4059625264706	183
HG	26230700	1,113.20	4059625201541	183
HG	26230990	1,284.50	4059625264720	183
HG	26231000	736.90	4059625201534	184
HG	26231140	1,105.50	4059625264898	184
HG	26231340	1,105.50	4059625264874	184
HG	26231670	958.20	4059625264867	184
HG	26231700	958.20	4059625201527	184
HG	26231990	1,105.50	4059625264881	184
HG	26232000	1,073.10	4059625201510	185
HG	26232700	1,394.90	4059625201503	185
HG	26233000	1,073.10	4059625201497	185
HG	26233700	1,394.90	4059625201480	185
HG	26234000	1,181.40	4059625201473	186
HG	26234140	1,772.10	4059625264850	186
HG	26234340	1,772.10	4059625264836	186
HG	26234670	1,535.80	4059625264829	186
HG	26234700	1,535.80	4059625201466	186
HG	26234990	1,772.10	4059625264843	186
HG	26238000	565.30	4011097853420	193
HG	26238140	848.00	4059625230718	193
HG	26238340	848.00	4059625230725	193
HG	26238670	791.60	4059625230732	193
HG	26238700	791.60	4059625230749	193
HG	26238990	848.00	4059625230756	193
HG	26239000	565.30	4011097975658	193
HG	26243000	487.80	4059625201435	219
HG	26243700	634.00	4059625201428	219
HG	26250000	531.10	4011097853413	194
HG	26250140	796.70	4059625191934	194
HG	26250340	796.70	4059625230763	194
HG	26250670	743.70	4059625230770	194
HG	26250700	743.70	4059625230787	194
HG	26250990	796.70	4059625230794	194
HG	26251000	531.10	4011097975665	194
HG	26252000	856.60	4011097975672	194
HG	26253000	856.60	4011097975689	195
HG	26254180	125.60	4011097975696	195
HG	26257000	337.10	4059625196106	206
HG	26258000	337.10	4059625196090	206
HG	26270000	19.50	4059625299135	104
HG	26270670	27.30	4059625339145	104
HG	26271000	100.00	4059625302170	213
HG	26271670	140.00	4059625339121	213
HG	26272000	315.00	4059625328934	275
HG	26272670	441.00	4059625330067	275
HG	26273000	36.50	4059625325575	162
HG	26274000	500.00	4059625328941	274
HG	26275000	47.90	4059625333228	138
HG	26276000	385.00	4059625314760	272
HG	26276670	539.00	4059625339084	272
HG	26277000	100.00	4059625302163	213
HG	26277670	140.00	4059625339077	213
HG	26278000	36.50	4059625325582	162
HG	26279000	47.90	4059625333235	138
HG	26281000	100.00	4059625302156	214
HG	26281670	140.00	4059625339053	214
HG	26282000	315.00	4059625315873	279
HG	26282670	441.00	4059625339039	279
HG	26283000	100.00	4059625302149	214
HG	26283670	140.00	4059625339022	214
HG	26284000	500.00	4059625328958	278
HG	26285000	755.00	4059625326602	273
HG	26286000	385.00	4059625314753	276

Code Numbers and Trade Prices

brand	code no.	Euro	EAN	page
HG	26286670	539.00	4059625330074	276
HG	26287000	755.00	4059625326596	277
HG	26289000	315.00	4059625339015	279
HG	26289670	441.00	4059625339008	279
HG	26318000	385.00	4059625338995	535
HG	26319000	385.00	4059625338988	536
HG	26320000	282.90	4011097804330	120
HG	26322000	294.70	4011097804316	120
HG	26322400	294.70	4011097787855	120
HG	26323000	294.70	4011097804309	120
HG	26324000	412.60	4011097804293	118
HG	26326000	412.60	4011097804279	119
HG	26328400	149.40	4011097787794	529
HG	26329000	153.30	4011097787787	529
HG	26330400	21.20	4011097780689	103
HG	26331400	18.80	4011097780672	103
HG	26332400	23.40	4011097780665	103
HG	26333400	21.20	4011097780658	103
HG	26334400	21.20	4011097780641	531
HG	26336400	23.40	4011097792064	531
HG	26340000	19.50	4059625299128	104
HG	26340670	27.30	4059625338971	104
HG	26365000	1,175.00	4059625320419	213
HG	26371000	282.00	4059625338964	139
HG	26401000	188.60	4011097804255	152
HG	26402000	200.30	4011097804248	152
HG	26403400	318.20	4011097804231	152
HG	26404400	318.20	4011097804224	152
HG	26405000	47.00	4059625316351	217
HG	26405670	65.80	4059625326589	217
HG	26406000	45.00	4059625316344	218
HG	26406670	63.00	4059625326565	218
HG	26407000	60.00	4059625316337	214
HG	26407670	84.00	4059625326541	214
HG	26410400	66.50	4011097744872	158
HG	26411400	79.30	4011097744865	158
HG	26412400	66.50	4011097760285	158
HG	26413400	79.30	4011097760292	157
HG	26420400	63.10	4011097757025	158
HG	26421400	75.40	4011097757018	158
HG	26422670	67.10	4059625365793	138
HG	26423670	66.70	4059625365816	138
HG	26424400	63.10	4011097757049	158
HG	26425400	75.40	4011097757032	157
HG	26442000	272.50	4011097705941	189
HG	26443000	272.50	4011097705958	189
HG	26453000	27.00	4011097756868	166
HG	26453140	40.50	4059625142448	166
HG	26453340	40.50	4059625308509	166
HG	26453670	37.80	4059625308523	166
HG	26453700	37.80	4059625308516	166
HG	26453990	40.50	4059625308530	166
HG	26455000	27.00	4011097756851	167
HG	26455140	40.50	4011097837291	167
HG	26455340	40.50	4011097837284	167
HG	26455670	37.80	4059625230947	167
HG	26455700	37.80	4059625230954	167
HG	26455990	40.50	4011097837390	167
HG	26456000	160.60	4011097814803	165
HG	26456400	160.60	4011097786902	165
HG	26457000	27.00	4011097756875	167
HG	26457140	40.50	4011097891873	167
HG	26457340	40.50	4011097891866	167
HG	26457670	37.80	4059625304778	167

brand	code no.	Euro	EAN	page
HG	26457700	37.80	4059625304761	167
HG	26457990	40.50	4011097891972	167
HG	26464000	236.50	4011097689678	208
HG	26465000	236.50	4011097689685	208
HG	26466000	445.00	4011097720562	192
HG	26466400	445.00	4011097720555	192
HG	26467000	406.90	4011097720548	191
HG	26467400	406.90	4011097720531	191
HG	26469000	406.90	4011097720524	191
HG	26470000	445.00	4011097720500	192
HG	26470400	445.00	4011097720494	192
HG	26471180	100.50	4011097718637	190
HG	26472000	439.30	4011097718620	190
HG	26481000	439.30	4011097718613	190
HG	26485000	85.00	4011097767536	165
HG	26486000	85.00	4011097767543	165
HG	26487000	85.00	4011097767550	165
HG	26503000	67.90	4011097756820	149
HG	26504000	74.20	4011097756837	148
HG	26505000	49.00	4011097773810	149
HG	26506000	55.20	4011097773803	148
HG	26511000	68.50	4011097857046	693
HG	26511400	68.50	4011097857039	693
HG	26511600	68.50	4011097961286	693
HG	26515000	94.30	4059625326763	97
HG	26516000	94.30	4059625326770	530
HG	26519000	19.90	4011097693200	153
HG	26520000	92.40	4011097706047	97
HG	26520140	138.70	4059625230824	97
HG	26520340	138.70	4059625221297	97
HG	26520400	92.40	4011097706085	97
HG	26520670	129.50	4059625230817	97
HG	26520700	129.50	4059625230800	97
HG	26520990	138.70	4059625230961	97
HG	26521000	92.40	4011097706054	97
HG	26521400	92.40	4011097706092	97
HG	26522000	251.20	4011097741956	205
HG	26522400	251.20	4011097741963	205
HG	26523000	251.20	4011097741970	205
HG	26524000	251.20	4011097751993	204
HG	26524400	251.20	4011097752006	204
HG	26528000	251.20	4011097752068	204
HG	26528400	251.20	4011097752075	204
HG	26530000	92.40	4011097706764	98
HG	26530140	138.70	4059625264027	98
HG	26530340	138.70	4059625264010	98
HG	26530400	92.40	4011097726663	98
HG	26530670	129.50	4059625263990	98
HG	26530700	129.50	4059625264003	98
HG	26530990	138.70	4059625026830	98
HG	26531000	92.40	4011097719115	98
HG	26531140	138.70	4059625265925	98
HG	26531340	138.70	4059625265901	98
HG	26531400	92.40	4011097726946	98
HG	26531670	129.50	4059625265888	98
HG	26531700	129.50	4059625265895	98
HG	26531990	138.70	4059625265918	98
HG	26532400	51.60	4011097792057	133
HG	26533400	49.30	4011097792040	135
HG	26534400	54.10	4011097792033	133
HG	26535400	51.60	4011097792026	135
HG	26536400	57.70	4011097792019	132
HG	26537400	55.20	4011097792002	134
HG	26538400	59.80	4011097791999	132

brand	code no.	Euro	EAN	page
HG	26539400	57.70	4011097791982	134
HG	26550000	118.20	4011097720067	96
HG	26550400	118.20	4011097720050	96
HG	26551000	118.20	4011097720043	96
HG	26551400	118.20	4011097720036	96
HG	26553400	57.70	4011097791975	134
HG	26554400	51.60	4011097791968	533
HG	26555400	54.10	4011097791951	532
HG	26560400	127.50	4011097744858	127
HG	26561400	127.50	4011097736228	127
HG	26562400	111.70	4011097744841	128
HG	26563400	111.70	4011097736433	128
HG	26564400	99.30	4011097744834	129
HG	26565400	99.30	4011097736426	129
HG	26566400	118.20	4011097767048	129
HG	26567400	37.00	4011097791944	161
HG	26568400	37.00	4011097791937	161
HG	26569400	39.60	4011097791920	161
HG	26570400	133.80	4011097744827	126
HG	26571400	133.80	4011097736419	126
HG	26572400	118.20	4011097744810	127
HG	26573400	118.20	4011097736402	127
HG	26574400	105.60	4011097744803	128
HG	26575400	105.60	4011097736396	128
HG	26579000	1,175.00	4059625320433	214
HG	26580400	127.50	4011097753911	122
HG	26581400	127.50	4011097736389	122
HG	26582400	111.70	4011097753904	124
HG	26583400	111.70	4011097736372	124
HG	26584400	99.30	4011097753898	125
HG	26585400	99.30	4011097736365	125
HG	26586400	118.20	4011097767055	126
HG	26590400	133.80	4011097753881	122
HG	26591400	133.80	4011097736358	122
HG	26592400	118.20	4011097753850	123
HG	26593400	118.20	4011097736341	123
HG	26594400	105.60	4011097753843	125
HG	26595400	105.60	4011097736334	125
HG	26600000	674.80	4011097754369	197
HG	26601000	714.10	4011097754826	197
HG	26604000	629.00	4011097754383	195
HG	26605000	665.20	4011097754390	196
HG	26620000	192.60	4011097706061	113
HG	26620400	192.60	4011097706078	113
HG	26621000	199.10	4011097706306	112
HG	26621400	199.10	4011097706313	112
HG	26622000	192.60	4011097711799	113
HG	26622400	192.60	4011097712000	113
HG	26623000	199.10	4011097712017	112
HG	26623400	199.10	4011097712024	112
HG	26626000	358.10	4011097691893	113
HG	26626400	358.10	4011097692043	113
HG	26630000	192.60	4011097719108	115
HG	26630400	192.60	4011097726953	115
HG	26631000	199.10	4011097719092	115
HG	26631400	199.10	4011097726960	115
HG	26632000	192.60	4011097719085	115
HG	26633000	199.10	4011097719078	115
HG	26640540	87.00	4059625301951	106
HG	26640560	87.00	4059625301944	106
HG	26640670	87.00	4059625301937	106
HG	26640700	87.00	4059625301920	106
HG	26690400	34.80	4011097791913	161
HG	26691400	37.00	4011097791906	160

brand	code no.	Euro	EAN	page
HG	26692400	39.60	4011097791890	160
HG	26693400	39.60	4011097791883	160
HG	26694400	41.90	4011097791876	160
HG	26700000	124.50	4011097808741	155
HG	26701000	124.50	4011097808727	156
HG	26720000	126.70	4011097758107	155
HG	26720400	126.70	4011097758114	155
HG	26721000	126.70	4011097758121	156
HG	26721400	126.70	4011097758138	156
HG	26722000	212.30	4011097770987	210
HG	26723000	212.30	4011097770970	211
HG	26724000	214.50	4011097770963	211
HG	26725000	212.30	4011097770956	211
HG	26726000	212.30	4011097770949	210
HG	26727000	214.50	4011097770932	210
HG	26790000	802.90	4011097801711	245
HG	26791000	767.90	4011097801704	248
HG	26792000	977.30	4011097801698	247
HG	26793000	721.40	4011097806280	249
HG	26794000	805.00	4011097806297	245
HG	26800400	65.90	4011097744599	101
HG	26801400	65.90	4011097736273	101
HG	26802400	50.30	4011097744582	101
HG	26803400	50.30	4011097736266	101
HG	26804400	37.80	4011097744575	101
HG	26805400	37.80	4011097736327	101
HG	26806400	37.80	4011097752037	101
HG	26810400	65.90	4011097750026	100
HG	26811400	65.90	4011097736259	100
HG	26812400	50.30	4011097750033	100
HG	26813400	50.30	4011097736242	100
HG	26814140	56.80	4059625346617	100
HG	26814340	56.80	4059625346624	100
HG	26814400	37.80	4011097750040	100
HG	26814670	52.90	4059625346594	100
HG	26814700	52.90	4059625346600	100
HG	26814990	56.80	4059625346631	100
HG	26815140	56.80	4059625346662	100
HG	26815340	56.80	4059625346679	100
HG	26815400	37.80	4011097736235	100
HG	26815670	52.90	4059625346648	100
HG	26815700	52.90	4059625346655	100
HG	26815990	56.80	4059625346686	100
HG	26816400	37.80	4011097752136	100
HG	26840180	119.20	4059625241660	228
HG	26842000	1,354.90	4059625241653	228
HG	26842700	1,761.20	4059625241646	228
HG	26843000	357.70	4059625201411	164
HG	26843700	465.00	4059625201404	164
HG	26844000	271.10	4059625201398	541
HG	26844700	352.30	4059625201381	541
HG	26851000	168.00	4059625216095	154
HG	26851700	218.40	4059625216408	154
HG	26852000	165.90	4059625216415	154
HG	26852700	215.60	4059625216422	154
HG	26856000	151.70	4059625216439	154
HG	26856700	197.30	4059625216446	154
HG	26857000	149.60	4059625216453	154
HG	26857700	194.40	4059625216460	154
HG	26858000	357.70	4059625201374	165
HG	26858700	465.00	4059625201367	165
HG	26864000	102.90	4059625189696	96
HG	26864140	154.40	4059625264935	96
HG	26864340	154.40	4059625264911	96

Code Numbers and Trade Prices

brand	code no.	Euro	EAN	page
HG	26864670	133.90	4059625264904	96
HG	26864700	133.90	4059625189702	96
HG	26864990	154.40	4059625264928	96
HG	26865000	102.90	4059625198544	96
HG	26865140	154.40	4059625264973	96
HG	26865340	154.40	4059625264959	96
HG	26865670	133.90	4059625264942	96
HG	26865700	133.90	4059625198575	96
HG	26865990	154.40	4059625264966	96
HG	26866000	86.70	4059625213407	96
HG	26866140	130.00	4059625265710	96
HG	26866340	130.00	4059625265673	96
HG	26866670	112.80	4059625264980	96
HG	26866700	112.80	4059625220054	96
HG	26866990	130.00	4059625265703	96
HG	26867000	86.70	4059625220085	96
HG	26867140	130.00	4059625265758	96
HG	26867340	130.00	4059625265734	96
HG	26867670	112.80	4059625265727	96
HG	26867700	112.80	4059625220092	96
HG	26867990	130.00	4059625265741	96
HG	26890140	1,259.50	4059625265970	246
HG	26890340	1,259.50	4059625265956	246
HG	26890670	1,176.00	4059625265932	246
HG	26890700	1,176.00	4059625265949	246
HG	26890990	1,259.50	4059625265963	246
HG	26891140	1,262.70	4059625266021	246
HG	26891340	1,262.70	4059625266007	246
HG	26891670	1,179.20	4059625265987	246
HG	26891700	1,179.20	4059625265994	246
HG	26891990	1,262.70	4059625266014	246
27				
HG	27008000	2,621.30	4011097691886	279
HG	27008400	2,621.30	4011097662251	279
HG	27013400	289.10	4011097745152	143
HG	27014400	295.20	4011097745169	143
HG	27028400	3,432.20	4011097771106	227
HG	27029400	3,922.40	4011097771120	226
HG	27032000	332.90	4011097679655	145
HG	27033000	340.00	4011097679662	144
HG	27034000	327.10	4011097679679	145
HG	27035000	334.20	4011097679686	144
HG	27036000	551.20	4011097679303	141
HG	27036400	551.20	4011097691824	141
HG	27037000	559.00	4011097679310	141
HG	27037400	559.00	4011097691831	141
HG	27038000	501.10	4011097727936	140
HG	27038400	501.10	4011097727943	140
HG	27039000	509.00	4011097727950	140
HG	27039400	509.00	4011097727967	140
HG	27081400	289.10	4011097755243	142
HG	27082400	295.20	4011097755250	142
HG	27085000	357.90	4011097537566	146
HG	27086000	333.80	4011097537573	146
HG	27106400	3,922.40	4011097771113	226
HG	27109400	3,432.20	4011097771090	227
HG	27112000	1,459.80	4011097679549	231
HG	27112400	1,459.80	4011097679556	231
HG	27113000	1,590.80	4011097679563	232
HG	27113400	1,590.80	4011097679570	232
HG	27114000	1,116.20	4011097679587	239
HG	27115000	893.10	4011097679594	240
HG	27116000	893.10	4011097690117	240
HG	27117000	1,130.00	4011097690124	241

brand	code no.	Euro	EAN	page
HG	27126000	1,733.50	4011097716954	230
HG	27126400	1,733.50	4011097716947	230
HG	27127000	2,054.30	4011097716930	229
HG	27127400	2,054.30	4011097716923	229
HG	27129000	1,077.80	4011097718132	237
HG	27129400	1,077.80	4011097718125	237
HG	27133000	1,279.90	4011097718118	236
HG	27133400	1,279.90	4011097718101	236
HG	27185000	710.00	4011097689692	260
HG	27188000	710.00	4011097690148	260
HG	27222000	667.10	4011097690155	262
HG	27223000	922.10	4011097690162	261
HG	27224000	539.20	4011097690179	263
HG	27247400	353.10	4011097770000	253
HG	27248400	353.10	4011097770024	257
HG	27253400	719.00	4011097745114	250
HG	27254400	719.00	4011097751740	250
HG	27255400	681.10	4011097751733	252
HG	27256400	719.00	4011097751726	254
HG	27257400	719.00	4011097751719	254
HG	27258400	681.10	4011097751702	256
HG	27267000	459.70	4011097775944	264
HG	27268000	461.90	4011097775937	264
HG	27269000	424.30	4011097775920	266
HG	27270000	377.10	4011097775913	267
HG	27271000	459.70	4011097775906	268
HG	27281000	461.90	4011097775890	268
HG	27283000	1,733.50	4011097755205	230
HG	27283400	1,733.50	4011097755212	230
HG	27284000	424.30	4011097775883	270
HG	27286000	1,459.80	4011097754246	231
HG	27286400	1,459.80	4011097754253	231
HG	27288000	1,733.50	4011097751245	233
HG	27288400	1,733.50	4011097751238	233
HG	27289000	377.10	4011097775876	271
HG	27294000	857.00	4011097773896	204
HG	27295000	857.00	4011097775500	205
HG	27297000	1,212.30	4011097775524	192
HG	27298000	636.60	4011097801681	269
HG	27320000	636.60	4011097801674	265
HG	27337000	534.10	4011097720609	190
HG	27337400	534.10	4011097720593	190
HG	27351400	908.10	4011097769011	251
HG	27352400	908.10	4011097769028	255
HG	27355000	55.90	4011097815732	151
HG	27356000	61.90	4011097815749	151
HG	27361000	1,427.60	4011097971735	235
HG	27362000	1,427.60	4011097971728	235
HG	27363000	1,667.40	4011097971711	234
HG	27364000	1,667.40	4011097971704	234
HG	27370000	553.60	4011097625126	196
HG	27371000	669.60	4011097625140	195
HG	27375000	558.50	4011097655727	196
HG	27376000	665.20	4011097691435	196
HG	27378000	572.20	4011097720586	191
HG	27378400	572.20	4011097720579	191
HG	27380000	512.90	4011097625119	196
HG	27381000	629.00	4011097625133	195
HG	27388000	84.10	4011097783253	218
HG	27389000	84.10	4011097783260	218
HG	27389140	126.60	4059625234471	218
HG	27389340	126.60	4059625234488	218
HG	27389670	118.30	4059625234495	218
HG	27389700	118.30	4059625234464	218

brand	code no.	Euro	EAN	page
HG	27389990	126.60	4059625234457	218
HG	27393000	59.10	4011097769837	217
HG	27393140	88.60	4059625234518	217
HG	27393340	88.60	4059625234525	217
HG	27393670	82.70	4059625234440	217
HG	27393700	82.70	4059625234501	217
HG	27393990	88.60	4059625234532	217
HG	27405000	657.00	4011097592466	202
HG	27405090	821.20	4011097815701	202
HG	27409000	61.80	4011097476124	216
HG	27411000	22.60	4011097112930	216
HG	27412000	61.80	4011097112947	216
HG	27413000	87.30	4011097112978	216
HG	27413140	130.90	4011097819983	216
HG	27413340	130.90	4011097819976	216
HG	27413670	122.20	4059625264034	216
HG	27413700	122.20	4059625264041	216
HG	27413990	130.90	4011097820064	216
HG	27414000	42.90	4011097614083	167
HG	27424000	698.80	4011097592459	201
HG	27424090	873.40	4011097806426	201
HG	27438000	75.20	4011097113128	216
HG	27441000	52.00	4011097537580	209
HG	27443000	81.30	4011097537597	209
HG	27446000	87.30	4011097759746	217
HG	27452000	89.50	4011097235219	166
HG	27453000	32.70	4011097514383	166
HG	27454000	27.30	4011097113258	166
HG	27454140	41.00	4011097892863	166
HG	27454340	41.00	4011097892825	166
HG	27454670	38.20	4059625266090	166
HG	27454700	38.20	4059625266106	166
HG	27454990	41.00	4011097113425	166
HG	27456000	58.90	4011097526782	166
HG	27458000	52.80	4011097113449	166
HG	27461000	600.80	4011097528205	200
HG	27463000	558.20	4011097528229	201
HG	27467000	58.90	4011097759753	218
HG	27474000	595.70	4011097413693	200
HG	27477000	553.30	4011097413709	201
HG	27478000	417.20	4011097415819	201
HG	27479000	58.90	4011097381138	217
HG	27479140	88.30	4011097838632	217
HG	27479340	88.30	4011097838625	217
HG	27479670	82.40	4059625346853	217
HG	27479700	82.40	4059625346860	217
HG	27479990	88.30	4011097838694	217
HG	27492000	739.10	4011097583556	197
HG	27493000	714.10	4011097563831	197
HG	27494000	674.80	4011097563824	197
HG	27505000	31.50	4011097678733	166
HG	27506000	35.80	4011097678726	166
HG	27521000	19.10	4011097157818	163
HG	27558000	37.40	4011097570228	161
HG	27559000	39.60	4011097570242	161
HG	27574000	58.60	4011097663968	160
HG	27575000	60.40	4011097663975	160
HG	27576000	32.40	4011097663982	162
HG	27577000	35.60	4011097663999	162
HG	27592000	67.40	4011097537436	159
HG	27593000	93.70	4011097537443	159
HG	27594000	69.90	4011097537450	159
HG	27595000	100.10	4011097537474	159
HG	27607000	427.40	4059625137161	198

brand	code no.	Euro	EAN	page
HG	27609000	53.70	4011097626871	151
HG	27610000	86.70	4011097537504	150
HG	27611000	77.30	4011097537511	150
HG	27614000	59.80	4011097570167	151
HG	27615000	56.50	4011097570174	151
HG	27617000	173.60	4011097594590	153
HG	27617820	260.50	4011097594903	153
HG	27620000	394.40	4059625137178	199
HG	27623000	361.50	4059625137185	199
HG	27623670	508.20	4059625340028	199
HG	27623700	508.20	4059625340011	199
HG	27630000	759.70	4059625196052	258
HG	27633000	987.90	4059625154892	238
HG	27633140	1,481.90	4059625230978	238
HG	27633340	1,481.90	4059625230985	238
HG	27633670	1,383.00	4059625230992	238
HG	27633700	1,383.00	4059625231005	238
HG	27633990	1,481.90	4059625231012	238
HG	27636000	286.60	4011097587448	147
HG	27640000	319.70	4011097857022	147
HG	27640400	319.70	4011097857015	147
HG	27645000	434.00	4011097857008	147
HG	27646000	491.20	4011097856988	116
HG	27648000	376.90	4011097856940	117
HG	27648400	376.90	4011097856933	117
HG	27649000	376.90	4011097856926	117
HG	27652000	69.70	4011097607139	137
HG	27653000	120.00	4011097607146	130
HG	27654000	196.60	4059625154908	114
HG	27660000	759.70	4059625196045	258
HG	27667000	203.10	4059625154915	114
HG	27668000	129.90	4059625157077	155
HG	27669000	127.70	4059625157084	155
HG	27671000	374.00	4059625214145	110
HG	27672000	374.00	4059625214152	110
HG	27673000	482.30	4059625214169	111
HG	27674000	482.30	4059625214176	111
HG	27687000	936.30	4059625196038	259
HG	27694000	195.00	4059625261309	215
HG	27694140	292.70	4059625266199	215
HG	27694340	292.70	4059625266175	215
HG	27694670	273.10	4059625266168	215
HG	27694700	273.10	4059625261316	215
HG	27694990	292.70	4059625266182	215
HG	27704000	73.30	4011097710495	150
HG	27717000	92.20	4011097664828	132
HG	27724000	100.20	4011097664835	131
HG	27728000	60.40	4011097664859	137
HG	27729000	63.80	4011097664866	137
HG	27762000	65.00	4011097570181	136
HG	27763000	61.20	4011097570198	136
HG	27764000	67.80	4011097610221	136
HG	27766000	80.50	4011097570204	135
HG	27767000	76.80	4011097570211	135
HG	27771000	115.40	4011097537290	130
HG	27772000	106.40	4011097537405	131
HG	27774000	144.00	4011097537412	130
HG	27776000	116.30	4011097537528	131
HG	27802000	235.20	4011097679600	114
HG	27803000	242.60	4011097679624	114
HG	27803400	242.60	4011097679631	114
HG	27804000	45.00	4059625316320	217
HG	27804670	63.00	4059625326527	217
HG	27805000	60.00	4059625316313	213

Code Numbers and Trade Prices

brand	code no.	Euro	EAN	page
HG	27805670	84.00	4059625326503	213
HG	27809000	47.00	4059625316306	216
HG	27809670	65.80	4059625326480	216
HG	27812400	218.00	4011097803265	307
HG	27813400	227.40	4011097803272	146
HG	27833400	248.40	4059625039175	143
HG	27856000	236.20	4011097720029	112
HG	27857000	244.10	4011097720005	112
HG	27902670	24.90	4059625352892	554
HG	27902700	24.90	4059625353035	554
HG	27904670	29.90	4059625352885	555
HG	27904700	29.90	4059625353028	555
HG	27912670	18.90	4059625352861	555
HG	27912700	18.90	4059625353004	555
HG	27913670	13.90	4059625352854	556
HG	27913700	13.90	4059625352991	556
HG	27914670	5.90	4059625352847	557
HG	27914700	5.90	4059625352984	557
HG	27915670	24.90	4059625352830	557
HG	27915700	24.90	4059625352977	557
HG	27916670	10.90	4059625352823	556
HG	27916700	10.90	4059625352960	556
HG	27917670	19.90	4059625347331	558
HG	27917700	19.90	4059625347348	558
HG	27921670	18.90	4059625352816	557
HG	27921700	18.90	4059625352953	557
HG	27925670	9.40	4059625352809	556
HG	27925700	9.40	4059625352946	556
HG	27926670	29.90	4059625352793	558
HG	27926700	29.90	4059625352939	558
HG	27927670	38.90	4059625352786	558
HG	27927700	38.90	4059625352922	558
HG	27928670	29.90	4059625352779	558
HG	27928700	29.90	4059625352915	558
HG	27929670	4.90	4059625352762	557
HG	27929700	4.90	4059625352908	557
HG	27939670	2,071.40	4059625321546	194
HG	27951000	1,394.40	4059625341155	198
HG	27952000	1,532.30	4059625341179	193
HG	27953000	1,175.90	4059625341186	206
HG	27954000	1,176.30	4059625341193	207
HG	27957000	632.80	4059625341216	210
HG	27958000	682.10	4059625341223	211
HG	27959670	1,877.90	4059625347157	200
HG	27961670	1,602.20	4059625347164	208
HG	27966670	70.00	4059625368398	559
HG	27966700	70.00	4059625368381	559
HG	27967670	52.80	4059625368374	559
HG	27967700	52.80	4059625368367	559
HG	27968670	63.80	4059625368350	560
HG	27968700	63.80	4059625368336	560
HG	27969670	65.40	4059625368312	560
HG	27969700	65.40	4059625368305	560
HG	27999000	217.80	4011097662268	279
28				
HG	28010000	314.40	4059625203026	593
HG	28010140	471.50	4059625241639	593
HG	28010340	471.50	4059625241622	593
HG	28010670	440.10	4059625241615	593
HG	28010700	440.10	4059625241608	593
HG	28010990	471.50	4059625241592	593
HG	28016000	65.00	4059625206676	594
HG	28020000	314.40	4059625203002	594
HG	28020140	471.50	4059625358849	594

brand	code no.	Euro	EAN	page
HG	28020340	471.50	4059625358856	594
HG	28020670	440.10	4059625310731	594
HG	28020700	440.10	4059625310748	594
HG	28020990	471.50	4059625358863	594
HG	28021000	162.60	4059625206690	595
HG	28071000	28.20	4011097115498	698
HG	28072000	4.40	4011097436920	171
HG	28132000	38.50	4011097557854	170
HG	28134000	42.30	4011097557861	170
HG	28136000	40.30	4011097557847	170
HG	28167000	17.40	4011097796055	171
HG	28168000	18.20	4011097796062	171
HG	28169000	22.90	4011097796079	171
HG	28248000	48.20	4059625024799	170
HG	28249000	46.10	4059625024782	170
HG	28262000	13.90	4011097314044	171
HG	28264000	19.60	4011097314051	171
HG	28266000	14.70	4011097260860	171
HG	28272000	24.80	4011097314013	170
HG	28272140	37.10	4011097838779	170
HG	28272340	37.10	4011097838748	170
HG	28272450	31.10	4011097327099	170
HG	28272670	31.10	4059625302125	170
HG	28272700	31.10	4059625302132	170
HG	28272990	37.10	4011097838984	170
HG	28274000	28.40	4011097314020	170
HG	28276000	26.80	4011097314037	692
HG	28276030	44.90	4011097667164	692
HG	28276090	55.40	4011097327143	692
HG	28276140	40.20	4011097839677	692
HG	28276340	40.20	4011097839639	692
HG	28276430	44.90	4011097667195	692
HG	28276450	33.50	4011097327150	692
HG	28276460	44.90	4011097667201	692
HG	28276480	44.90	4011097667218	692
HG	28276610	44.90	4011097667225	692
HG	28276670	37.50	4059625231029	692
HG	28276700	37.50	4059625231036	692
HG	28276800	40.20	4011097411804	692
HG	28276810	44.90	4011097411828	692
HG	28276880	44.90	4011097327181	692
HG	28276990	40.20	4011097839950	692
HG	28307000	107.40	4011097280011	711
HG	28321000	21.30	4011097116587	163
HG	28324000	29.70	4011097594958	164
HG	28328000	36.70	4011097734514	164
HG	28331000	25.40	4011097487311	163
HG	28331140	38.10	4011097830452	163
HG	28331340	38.10	4011097830421	163
HG	28331670	35.60	4059625273708	163
HG	28331700	35.60	4059625273692	163
HG	28331800	38.10	4011097487335	163
HG	28331990	38.10	4011097830698	163
HG	28335000	36.70	4011097734293	164
HG	28346000	12.20	4011097116969	106
HG	28387000	48.80	4059625214121	163
HG	28387140	73.20	4059625231043	163
HG	28387340	73.20	4059625231050	163
HG	28387670	68.30	4059625231067	163
HG	28387700	68.30	4059625231074	163
HG	28387990	73.20	4059625231081	163
HG	28389000	44.90	4011097254418	711
HG	28412180	122.20	4011097502809	188
HG	28414180	135.50	4011097591766	187

brand	code no.	Euro	EAN	page
HG	28417000	4,341.40	4011097591742	187
HG	28418000	5,177.00	4011097591759	187
HG	28423000	45.60	4011097570136	212
HG	28424000	46.20	4011097570143	212
HG	28425000	57.30	4011097570150	212
HG	28433000	1,386.30	4011097660936	189
HG	28433400	1,386.30	4011097681542	189
HG	28462000	59.50	4011097607184	209
HG	28466000	106.10	4011097192437	219
HG	28467000	122.80	4011097235264	219
HG	28496000	213.50	4011097141909	215
HG	28535000	38.10	4011097537306	102
HG	28536000	67.70	4011097537016	102
HG	28536430	98.10	4011097681160	692
HG	28536450	98.10	4011097681153	692
HG	28536460	98.10	4011097681146	692
HG	28536610	98.10	4011097681115	692
HG	28536710	98.10	4011097681122	692
HG	28536810	98.10	4011097706634	692
HG	28536880	98.10	4011097706641	692
HG	28537000	43.20	4011097537269	102
HG	28538000	72.60	4011097537276	102
HG	28539000	82.50	4011097591469	102
HG	28548000	157.00	4011097610023	98
HG	28548090	196.50	4011097806433	98
HG	28561000	29.70	4011097570105	531
HG	28562000	22.90	4011097570112	104
HG	28563000	40.30	4011097570129	103
HG	28580000	31.10	4011097664804	102
HG	28583000	36.30	4011097664811	102
HG	28585000	18.80	4011097664842	104
HG	28587000	118.20	4011097679327	97
HG	28587400	118.20	4011097679334	97
HG	28588000	118.20	4011097679341	97
HG	28588400	118.20	4011097679358	97
HG	28631000	129.00	4011097487175	149
HG	28631140	193.60	4059625231098	149
HG	28631340	193.60	4059625229606	149
HG	28631670	180.60	4059625231104	149
HG	28631700	180.60	4059625231111	149
HG	28631820	193.60	4011097499574	149
HG	28631990	193.60	4059625231128	149
HG	28632000	120.50	4011097487199	149
HG	28632140	180.80	4059625231135	149
HG	28632340	180.80	4059625231142	149
HG	28632670	168.60	4059625231159	149
HG	28632700	168.60	4059625231166	149
HG	28632990	180.80	4059625231173	149
HG	28650000	17.60	4011097118789	692
HG	28662000	120.90	4011097723709	150
HG	28663000	127.30	4011097723716	150
HG	28672000	28.20	4011097118833	692
HG	28672450	55.40	4011097118857	692
HG	28672880	44.90	4011097151076	692
HG	28675000	28.20	4011097118901	694
HG	28678000	15.70	4011097537283	153
HG	28679000	38.60	4011097487557	153
HG	28684000	15.70	4011097205588	694
HG	28685000	28.20	4011097118970	694
HG	28694000	35.00	4011097591735	147
HG	28698000	79.00	4011097413686	693
HG	28760210	50.00	4059625361337	105
HG	28787640	50.00	4059625361351	106
HG	28788570	50.00	4059625361375	105

brand	code no.	Euro	EAN	page
31				
HG	31015000	261.90	4059625130889	520
HG	31016000	274.50	4059625130872	393
HG	31022000	369.10	4011097576602	394
HG	31023000	356.00	4011097646084	394
HG	31060000	282.60	4011097484006	393
HG	31063000	272.30	4011097719344	521
HG	31068000	269.40	4011097540566	393
HG	31074000	362.10	4011097660950	382
HG	31080000	249.40	4011097660967	382
HG	31081000	322.80	4011097660974	383
HG	31082000	337.20	4011097660981	384
HG	31084000	242.00	4011097661001	382
HG	31085000	315.40	4011097661018	385
HG	31086000	344.60	4011097661025	385
HG	31087000	330.10	4011097651231	383
HG	31088000	234.90	4011097661032	382
HG	31091000	44.90	4011097205564	704
HG	31100000	737.70	4011097519210	395
HG	31101000	680.30	4011097519227	395
HG	31102000	781.90	4011097519234	395
HG	31103000	723.00	4011097519241	395
HG	31121000	253.70	4011097691527	382
HG	31130000	103.90	4011097679396	456
HG	31132000	180.20	4011097678030	452
HG	31159000	347.20	4011097677903	393
HG	31160000	313.90	4011097497419	396
HG	31161000	347.20	4011097641850	393
HG	31162000	350.50	4011097641867	394
HG	31163000	381.10	4011097641874	394
HG	31166000	220.20	4011097661049	384
HG	31171000	505.70	4011097679112	457
HG	31172000	459.10	4011097679129	457
HG	31173000	529.30	4011097679136	457
HG	31174000	506.40	4011097679143	457
HG	31183000	308.30	4011097661056	383
HG	31184000	329.90	4011097692319	384
HG	31185000	300.70	4011097705149	383
HG	31186000	227.20	4011097710402	382
HG	31187000	330.10	4011097674056	383
HG	31190000	778.10	4011097661063	390
HG	31203000	253.70	4011097719337	519
HG	31204000	247.70	4011097719320	520
HG	31251000	304.00	4011097718590	520
HG	31261000	282.60	4011097484013	396
HG	31280000	290.60	4011097661070	386
HG	31285000	311.10	4011097661094	386
HG	31416000	194.10	4011097686486	398
HG	31417000	180.30	4011097686479	398
HG	31422000	390.20	4011097722399	389
HG	31423000	324.30	4011097722702	389
HG	31442000	778.10	4011097661100	390
HG	31443000	605.30	4011097645735	399
HG	31446000	773.10	4011097641126	398
HG	31447000	773.10	4011097712246	398
HG	31451000	352.10	4011097748450	387
HG	31454000	227.20	4011097748443	387
HG	31456000	212.70	4011097748467	391
HG	31460000	368.50	4011097484020	396
HG	31465000	253.60	4011097488547	397
HG	31466000	402.80	4011097488554	397
HG	31471000	1,716.10	4011097760667	386
HG	31480000	324.30	4011097656687	387
HG	31484000	117.30	4011097661117	388

Code Numbers and Trade Prices

brand	code no.	Euro	EAN	page
HG	31487000	352.10	4011097661124	388
HG	31493000	227.20	4011097661131	388
HG	31494000	217.80	4011097661148	389
HG	31509000	131.70	4011097755847	453
HG	31513000	126.90	4011097719313	453
HG	31515000	321.70	4011097699356	498
HG	31517000	131.70	4011097679402	453
HG	31518000	159.50	4011097679419	454
HG	31519000	194.10	4011097679426	455
HG	31521000	318.40	4011097722900	462
HG	31523000	268.20	4011097722917	462
HG	31531000	197.90	4011097795201	455
HG	31532000	192.20	4011097795218	455
HG	31539000	112.70	4011097734026	452
HG	31603000	133.40	4011097719306	523
HG	31604000	112.70	4011097706160	452
HG	31607000	138.60	4011097679433	453
HG	31608000	166.30	4011097679440	454
HG	31609000	201.00	4011097679457	455
HG	31621000	138.60	4011097691510	453
HG	31652000	212.70	4011097708584	392
HG	31657000	138.60	4011097696089	454
HG	31658000	166.30	4011097696096	454
HG	31660000	282.60	4011097484037	399
HG	31665000	230.00	4011097488585	400
HG	31677000	39.80	4011097665290	330
HG	31680000	274.30	4011097656694	391
HG	31685000	212.70	4011097661155	391
HG	31686000	102.70	4011097661162	392
HG	31730000	112.70	4011097590769	452
HG	31732000	104.90	4011097602424	452
HG	31733000	104.90	4011097590783	452
HG	31741180	124.50	4011097477237	389
HG	31791000	35.00	4011097483535	704
HG	31793000	35.00	4011097506005	704
HG	31803000	300.70	4011097641881	660
HG	31804000	146.10	4011097641898	660
HG	31806000	129.60	4011097641904	660
HG	31806800	168.30	4011097654829	660
HG	31815000	272.90	4011097718187	658
HG	31815670	382.00	4059625231180	658
HG	31815800	354.90	4011097718309	658
HG	31816000	133.70	4011097646312	660
HG	31817000	210.40	4011097718194	659
HG	31817670	294.70	4059625231197	659
HG	31817800	274.10	4011097726717	659
HG	31820000	183.60	4011097679464	659
HG	31820670	257.00	4059625231203	659
HG	31820800	239.50	4011097679471	659
HG	31821000	183.60	4059625196700	659
HG	31821800	239.50	4059625197974	659
HG	31822000	202.70	4011097679488	659
HG	31823000	300.80	4011097708027	659
HG	31825000	174.80	4011097708041	660
HG	31826000	129.60	4059625196694	660
HG	31827000	210.40	4059625196786	659
HG	31833000	272.90	4059625196717	658
HG	31910000	123.70	4011097725819	453
HG	31911000	151.80	4011097725833	524
HG	31913000	158.10	4011097725864	525
HG	31914000	117.40	4011097757421	453
HG	31915000	145.00	4011097757438	524
HG	31916000	127.50	4011097725857	525
HG	31917000	145.00	4011097757445	516

brand	code no.	Euro	EAN	page
HG	31920000	112.70	4011097591506	457
HG	31922000	112.70	4011097706177	457
HG	31923000	143.90	4011097766072	455
HG	31926000	131.40	4011097646688	458
HG	31927000	158.10	4011097728544	458
HG	31928000	112.70	4011097646329	458
HG	31930000	146.30	4011097629889	461
HG	31931000	136.70	4011097629896	461
HG	31937000	263.80	4011097689739	456
HG	31938000	146.30	4011097646336	461
HG	31940000	138.60	4011097591520	459
HG	31945000	140.40	4011097602523	459
HG	31946000	214.60	4011097602547	459
HG	31947000	51.40	4011097602561	460
HG	31948000	138.60	4011097646343	459
HG	31952000	101.00	4011097719283	523
HG	31960000	116.10	4011097591544	462
HG	31961000	43.80	4059625194195	464
HG	31964000	132.00	4011097708560	463
HG	31965000	132.00	4011097602615	463
HG	31967000	43.80	4011097602653	464
HG	31968000	116.10	4011097646350	462
HG	31971000	112.80	4011097641539	363
HG	31991000	44.90	4011097386836	704
32				
HG	32020000	214.20	4011097397382	446
HG	32031000	205.10	4011097397399	446
HG	32032000	277.80	4011097399287	446
HG	32070000	320.50	4011097473574	446
HG	32092000	44.90	4011097424101	704
HG	32095000	44.90	4011097494470	704
HG	32122000	51.90	4011097722818	107
HG	32127000	49.20	4011097722801	107
HG	32128000	88.30	4011097412863	107
HG	32129000	86.40	4011097617909	107
HG	32420000	271.30	4011097397894	447
HG	32475000	184.50	4011097397962	447
HG	32477000	328.70	4011097399430	447
HG	32498000	127.30	4011097240077	389
HG	32500000	268.30	4011097812786	357
HG	32500140	402.50	4059625229286	357
HG	32500340	402.50	4059625229293	357
HG	32500670	375.70	4059625231210	357
HG	32500700	375.70	4059625231227	357
HG	32500990	402.50	4059625229309	357
HG	32501000	251.20	4011097812762	356
HG	32502000	274.10	4011097812755	357
HG	32503000	279.90	4011097812724	357
HG	32506000	285.60	4011097812687	358
HG	32507000	291.20	4011097812649	358
HG	32507140	436.90	4059625229316	358
HG	32507340	436.90	4059625229330	358
HG	32507670	407.80	4059625212455	358
HG	32507700	407.80	4059625212462	358
HG	32507990	436.90	4059625229347	358
HG	32508000	296.90	4011097812625	358
HG	32511000	399.80	4011097812588	359
HG	32511140	599.60	4059625222539	359
HG	32511340	599.60	4059625222546	359
HG	32511670	559.60	4059625231234	359
HG	32511700	559.60	4059625231241	359
HG	32511990	599.60	4059625222553	359
HG	32512000	411.10	4011097812540	359
HG	32512140	616.60	4059625229354	359

brand	code no.	Euro	EAN	page
HG	32512340	616.60	4059625229378	359
HG	32512670	575.50	4059625231500	359
HG	32512700	575.50	4059625231517	359
HG	32512990	616.60	4059625229385	359
HG	32514000	382.60	4011097810973	363
HG	32515000	399.80	4011097835297	363
HG	32515140	599.60	4059625229392	363
HG	32515340	599.60	4059625229408	363
HG	32515670	559.60	4059625231524	363
HG	32515700	559.60	4059625231531	363
HG	32515990	599.60	4059625229415	363
HG	32520000	376.90	4011097812472	365
HG	32520140	565.40	4059625229446	365
HG	32520340	565.40	4059625229453	365
HG	32520670	527.70	4059625231548	365
HG	32520700	527.70	4059625231555	365
HG	32520990	565.40	4059625229460	365
HG	32522000	382.60	4011097812441	366
HG	32525000	342.60	4011097835280	362
HG	32526000	365.50	4011097835273	362
HG	32526140	548.20	4059625229422	362
HG	32526340	548.20	4059625204672	362
HG	32526670	511.60	4059625231562	362
HG	32526700	511.60	4059625231579	362
HG	32526990	548.20	4059625229439	362
HG	32530000	1,199.20	4011097835266	364
HG	32531000	913.70	4011097835259	371
HG	32532000	1,770.20	4011097835242	367
HG	32532140	2,655.40	4059625229491	367
HG	32532340	2,655.40	4059625229507	367
HG	32532670	2,478.30	4059625231586	367
HG	32532700	2,478.30	4059625231593	367
HG	32532990	2,655.40	4059625229514	367
HG	32540000	354.20	4011097812410	369
HG	32540140	531.20	4059625231708	369
HG	32540340	531.20	4059625229477	369
HG	32540670	495.90	4059625231715	369
HG	32540700	495.90	4059625231722	369
HG	32540990	531.20	4059625231739	369
HG	32542000	228.40	4059625007266	372
HG	32543000	342.60	4011097835235	372
HG	32543140	513.90	4059625231746	372
HG	32543340	513.90	4059625231753	372
HG	32543670	479.60	4059625231760	372
HG	32543700	479.60	4059625231777	372
HG	32543990	513.90	4059625231784	372
HG	32545000	239.90	4011097826097	370
HG	32545140	359.80	4059625231791	370
HG	32545340	359.80	4059625229484	370
HG	32545670	335.90	4059625231807	370
HG	32545700	335.90	4059625231814	370
HG	32545990	359.80	4059625231821	370
HG	32546000	342.60	4011097826073	370
HG	32546140	513.90	4059625231838	370
HG	32546340	513.90	4059625231845	370
HG	32546670	479.60	4059625231852	370
HG	32546700	479.60	4059625231869	370
HG	32546990	513.90	4059625231876	370
HG	32548000	285.60	4011097835228	372
HG	32550000	685.20	4011097835211	373
HG	32551000	514.00	4011097835204	375
HG	32552000	685.20	4011097835198	376
HG	32553000	514.00	4011097835181	377
HG	32560000	239.90	4011097812373	378

brand	code no.	Euro	EAN	page
HG	32560140	359.80	4059625241585	378
HG	32560340	359.80	4059625241578	378
HG	32560670	335.90	4059625241561	378
HG	32560700	335.90	4059625241554	378
HG	32560990	359.80	4059625241547	378
HG	32565000	222.80	4011097826066	379
HG	32565140	334.10	4059625231883	379
HG	32565340	334.10	4059625231890	379
HG	32565670	311.90	4059625231906	379
HG	32565700	311.90	4059625231913	379
HG	32565990	334.10	4059625231920	379
HG	32570000	319.70	4011097812335	356
HG	32571000	331.30	4011097812304	356
HG	32572000	456.90	4011097812274	356
HG	32620000	216.70	4011097399423	448
HG	32675000	172.00	4011097398006	449
HG	32698000	98.10	4011097240534	392
HG	32841000	355.00	4011097521565	652
HG	32842000	378.40	4011097523071	653
HG	32845000	355.00	4059625195956	652
HG	32851000	253.50	4011097521558	653
HG	32857000	253.50	4059625195987	653
33				
HG	33091000	44.90	4011097236018	704
HG	33891000	44.90	4011097362304	704
35				
AX	35891800	127.30	4011097238678	705
AX	35893800	196.30	4011097363301	706
36				
AX	36391000	78.90	4011097233413	705
AX	36991000	44.90	4011097233338	706
40				
HG	40068000	17.60	4011097218939	544
HG	40088000	17.60	4011097120461	543
HG	40089000	55.40	4011097147208	543
HG	40418000	108.90	4011097191669	688
HG	40418800	163.40	4011097304342	688
HG	40438000	61.00	4059625131589	688
HG	40438340	88.30	4059625297469	688
HG	40438670	82.40	4059625297452	688
HG	40438800	79.40	4059625131596	688
HG	40448000	83.30	4059625131602	688
HG	40448670	112.40	4059625297445	688
HG	40448800	108.20	4059625131619	688
HG	40468000	83.30	4059625131626	688
HG	40468670	112.40	4059625297438	688
HG	40468800	108.20	4059625131633	688
HG	40511000	18.40	4011097584805	542
HG	40511820	27.60	4011097585246	542
HG	40512000	91.70	4011097584584	542
HG	40512820	137.60	4011097585284	542
HG	40513000	91.70	4011097584812	542
HG	40513820	137.60	4011097585222	542
HG	40514000	122.30	4011097584829	541
HG	40514820	183.40	4011097585314	541
HG	40515000	76.70	4011097584843	542
HG	40515820	115.20	4011097585291	542
HG	40516000	107.10	4011097584591	542
HG	40516820	160.60	4011097585239	542
HG	40517000	61.20	4011097584836	543
HG	40517820	91.90	4011097585338	543
HG	40518000	76.70	4011097584881	541
HG	40518820	115.20	4011097585307	541
HG	40522000	137.60	4011097584850	543

Code Numbers and Trade Prices

brand	code no.	Euro	EAN	page
HG	40522820	206.50	4011097585321	543
HG	40523000	76.70	4011097584874	542
HG	40523820	115.20	4011097585253	542
HG	40526000	61.20	4011097585260	543
HG	40526820	91.90	4011097585277	543
HG	40952800	12.60	4059625027134	687
HG	40953670	32.10	4059625325148	687
HG	40953800	18.30	4059625027141	687
HG	40960000	133.20	4059625175194	689
HG	40961000	100.00	4059625175200	689
HG	40962800	86.70	4059625189276	689
HG	40963000	21.70	4059625189269	689
41				
HG	41710000	27.70	4059625123140	551
HG	41711000	8.40	4059625123089	552
HG	41712000	55.50	4059625123010	552
HG	41713000	44.40	4059625123102	551
HG	41714000	38.80	4059625123133	551
HG	41715000	27.70	4059625123058	551
HG	41716000	44.40	4059625123003	551
HG	41717000	27.70	4059625123126	553
HG	41718000	27.70	4059625123041	551
HG	41720000	77.70	4059625123027	552
HG	41722000	38.80	4059625123034	553
HG	41723000	38.80	4059625123119	552
HG	41724000	27.70	4059625123065	552
HG	41725000	16.70	4059625123096	552
HG	41726000	27.70	4059625123072	553
HG	41727000	122.10	4059625131374	554
HG	41728000	199.70	4059625131381	554
HG	41741000	36.70	4059625296868	544
HG	41741140	55.00	4059625296851	544
HG	41741340	58.70	4059625296844	544
HG	41741670	51.40	4059625296837	544
HG	41741700	51.40	4059625296820	544
HG	41741990	55.00	4059625296813	544
HG	41742000	9.20	4059625296325	544
HG	41742140	13.80	4059625296318	544
HG	41742340	14.70	4059625296301	544
HG	41742670	12.80	4059625296295	544
HG	41742700	12.80	4059625296288	544
HG	41742990	13.80	4059625296271	544
HG	41743000	68.30	4059625296264	545
HG	41743140	102.40	4059625296257	545
HG	41743340	109.20	4059625296240	545
HG	41743670	95.60	4059625296233	545
HG	41743700	95.60	4059625296226	545
HG	41743990	102.40	4059625296219	545
HG	41744000	51.00	4059625296806	546
HG	41744140	76.40	4059625296790	546
HG	41744340	81.50	4059625296783	546
HG	41744670	71.30	4059625296776	546
HG	41744700	71.30	4059625296769	546
HG	41744990	76.40	4059625296752	546
HG	41745000	44.80	4059625296561	548
HG	41745140	67.30	4059625296554	548
HG	41745340	71.70	4059625296547	548
HG	41745670	62.80	4059625296530	548
HG	41745700	62.80	4059625296523	548
HG	41745990	67.30	4059625296516	548
HG	41746000	31.60	4059625297131	548
HG	41746140	47.40	4059625297124	548
HG	41746340	50.50	4059625297117	548
HG	41746670	44.20	4059625297100	548

brand	code no.	Euro	EAN	page
HG	41746700	44.20	4059625297094	548
HG	41746990	47.40	4059625297087	548
HG	41747000	51.00	4059625296202	545
HG	41747140	76.40	4059625296196	545
HG	41747340	81.50	4059625296189	545
HG	41747670	71.30	4059625296172	545
HG	41747700	71.30	4059625296165	545
HG	41747990	76.40	4059625296158	545
HG	41748000	31.60	4059625297377	547
HG	41748140	47.40	4059625297360	547
HG	41748340	50.50	4059625297353	547
HG	41748670	44.20	4059625297346	547
HG	41748700	44.20	4059625297339	547
HG	41748990	47.40	4059625297322	547
HG	41749000	31.60	4059625297070	548
HG	41749140	47.40	4059625297063	548
HG	41749340	50.50	4059625297056	548
HG	41749670	44.20	4059625297049	548
HG	41749700	44.20	4059625297032	548
HG	41749990	47.40	4059625297025	548
HG	41751000	142.70	4059625296745	545
HG	41751140	214.00	4059625296738	545
HG	41751340	228.30	4059625296721	545
HG	41751670	199.70	4059625296714	545
HG	41751700	199.70	4059625296707	545
HG	41751990	214.00	4059625296691	545
HG	41752000	44.80	4059625296509	548
HG	41752140	67.30	4059625296493	548
HG	41752340	71.70	4059625296486	548
HG	41752670	62.80	4059625296479	548
HG	41752700	62.80	4059625296462	548
HG	41752990	67.30	4059625296455	548
HG	41753000	49.90	4059625297018	547
HG	41753140	74.90	4059625297001	547
HG	41753340	79.90	4059625296998	547
HG	41753670	69.90	4059625296981	547
HG	41753700	69.90	4059625296974	547
HG	41753990	74.90	4059625296967	547
HG	41754000	31.60	4059625296141	546
HG	41754140	47.40	4059625296134	546
HG	41754340	50.50	4059625296127	546
HG	41754670	44.20	4059625296110	546
HG	41754700	44.20	4059625296103	546
HG	41754990	47.40	4059625295892	546
HG	41755000	19.40	4059625297315	544
HG	41755140	29.00	4059625297308	544
HG	41755340	31.00	4059625297292	544
HG	41755670	27.10	4059625297285	544
HG	41755700	27.10	4059625297278	544
HG	41755990	29.00	4059625297261	544
HG	41756000	31.60	4059625296950	547
HG	41756140	47.40	4059625296943	547
HG	41756340	50.50	4059625296936	547
HG	41756670	44.20	4059625296929	547
HG	41756700	44.20	4059625296912	547
HG	41756990	47.40	4059625296905	547
HG	41759000	68.30	4059625297254	546
HG	41759140	102.40	4059625297247	546
HG	41759340	109.20	4059625297230	546
HG	41759670	95.60	4059625297223	546
HG	41759700	95.60	4059625297216	546
HG	41759990	102.40	4059625297209	546
HG	41770000	51.00	4059625297193	545
HG	41770140	76.40	4059625297186	545

brand	code no.	Euro	EAN	page
HG	41770340	81.50	4059625297179	545
HG	41770670	71.30	4059625297162	545
HG	41770700	71.30	4059625297155	545
HG	41770990	76.40	4059625297148	545
HG	41771000	35.70	4059625296448	546
HG	41771140	53.50	4059625296431	546
HG	41771340	57.10	4059625296424	546
HG	41771670	49.90	4059625296417	546
HG	41771700	49.90	4059625296400	546
HG	41771990	53.50	4059625296394	546
HG	41772000	42.80	4059625296684	547
HG	41772140	64.20	4059625296677	547
HG	41772340	68.50	4059625296660	547
HG	41772670	59.90	4059625296653	547
HG	41772700	59.90	4059625296646	547
HG	41772990	64.20	4059625296639	547
HG	41773000	22.40	4059625296387	549
HG	41773140	33.60	4059625296370	549
HG	41773340	35.90	4059625296363	549
HG	41773670	31.40	4059625296356	549
HG	41773700	31.40	4059625296349	549
HG	41773990	33.60	4059625296332	549
HG	41774000	48.90	4059625296622	549
HG	41774140	73.40	4059625296615	549
HG	41774340	78.30	4059625296608	549
HG	41774670	68.50	4059625296592	549
HG	41774700	68.50	4059625296585	549
HG	41774990	73.40	4059625296578	549
HG	41775000	48.90	4059625296899	549
HG	41775670	68.50	4059625296882	549
HG	41775700	68.50	4059625296875	549
HG	41790000	155.90	4059625321683	550
HG	41790140	233.90	4059625321911	550
HG	41790340	249.50	4059625321690	550
HG	41790670	218.30	4059625321935	550
HG	41790700	218.30	4059625321928	550
HG	41790990	233.90	4059625321904	550
HG	41791000	76.40	4059625321942	550
HG	41791140	149.10	4059625321973	550
HG	41791340	159.00	4059625321959	550
HG	41791670	107.00	4059625321997	550
HG	41791700	107.00	4059625321980	550
HG	41791990	149.10	4059625321966	550
43				
HG	43201000	1,127.40	4059625006887	673
HG	43201800	1,296.60	4059625025413	673
HG	43202000	1,217.60	4059625007006	676
HG	43202800	1,386.80	4059625025505	676
HG	43203000	1,691.00	4059625007020	678
HG	43203800	1,860.30	4059625025499	678
HG	43205000	1,424.40	4059625006894	674
HG	43205800	1,588.60	4059625025482	674
HG	43206000	1,578.40	4059625007013	677
HG	43206800	1,747.60	4059625025475	677
HG	43217000	843.60	4059625100509	679
HG	43218000	920.40	4059625100493	682
HG	43219000	1,008.00	4059625100486	680
HG	43220000	942.20	4059625100479	683
HG	43221000	1,008.00	4059625100462	684
HG	43228000	1,008.00	4059625173589	681
HG	43230000	1,424.40	4059625177839	675
HG	43230800	1,588.60	4059625177846	675
HG	43301800	653.90	4059625007082	606
HG	43302800	710.30	4059625007129	609

brand	code no.	Euro	EAN	page
HG	43303800	1,217.60	4059625007167	611
HG	43305800	653.90	4059625007099	606
HG	43306800	931.30	4059625007105	607
HG	43307800	931.30	4059625007112	607
HG	43308800	710.30	4059625007136	609
HG	43309800	1,104.80	4059625007143	610
HG	43310800	1,104.80	4059625007150	610
HG	43311800	1,217.60	4059625007174	611
HG	43312170	303.20	4059625104781	618
HG	43312290	303.20	4059625104774	618
HG	43312380	303.20	4059625104767	618
HG	43313170	387.00	4059625104750	619
HG	43313290	387.00	4059625104743	619
HG	43313380	387.00	4059625104736	619
HG	43314170	470.90	4059625104729	618
HG	43314290	470.90	4059625104712	618
HG	43314380	470.90	4059625104705	618
HG	43315170	387.00	4059625104699	620
HG	43315290	387.00	4059625104682	620
HG	43315380	387.00	4059625104941	620
HG	43316170	451.60	4059625104934	620
HG	43316290	451.60	4059625104927	620
HG	43316380	451.60	4059625104910	620
HG	43330170	470.90	4059625173572	619
HG	43330290	470.90	4059625173565	619
HG	43330380	470.90	4059625173558	619
HG	43331800	931.30	4059625177792	608
HG	43332800	931.30	4059625177808	608
HG	43333000	22.90	4059625024003	687
HG	43334800	256.80	4059625217511	617
HG	43335800	267.50	4059625217504	617
HG	43336800	278.20	4059625217498	617
HG	43337800	363.80	4059625217481	615
HG	43338800	385.20	4059625217474	616
HG	43339800	438.70	4059625217467	616
HG	43340800	342.40	4059625217450	615
HG	43341800	363.80	4059625217443	615
HG	43342800	417.30	4059625217436	616
HG	43425800	451.00	4059625007181	612
HG	43426800	484.80	4059625007198	612
HG	43427800	507.40	4059625007204	613
HG	43428800	529.90	4059625007211	613
HG	43429800	890.60	4059625007228	614
HG	43430800	969.50	4059625007235	614
HG	43431170	373.10	4059625104903	621
HG	43431290	373.10	4059625104897	621
HG	43431380	373.10	4059625104880	621
HG	43432170	457.00	4059625104873	621
HG	43432290	457.00	4059625104866	621
HG	43432380	457.00	4059625104859	621
HG	43433170	457.00	4059625104842	622
HG	43433290	457.00	4059625104835	622
HG	43433380	457.00	4059625104828	622
HG	43434170	521.40	4059625104811	622
HG	43434290	521.40	4059625104804	622
HG	43434380	521.40	4059625104798	622
HG	43921800	26.80	4059625248737	685
HG	43922800	44.60	4059625248720	685
HG	43927000	26.70	4059625105009	686
HG	43928000	44.40	4059625104996	686
HG	43931800	46.90	4059625248713	685
HG	43932800	72.60	4059625248706	685
HG	43937000	46.70	4059625104989	686
HG	43938000	72.30	4059625104972	686

Code Numbers and Trade Prices

brand	code no.	Euro	EAN	page
50				
HG	50001000	37.80	4011097146867	598
HG	50100000	58.90	4011097369495	597
HG	50100140	88.40	4011097820125	597
HG	50100340	88.40	4011097820101	597
HG	50100670	82.40	4059625266113	597
HG	50100700	82.40	4059625266120	597
HG	50100990	88.40	4011097820286	597
HG	50105000	25.10	4011097716282	598
HG	50107000	58.10	4011097664323	595
52				
HG	52010000	34.70	4011097123349	600
HG	52053000	24.70	4011097123431	600
HG	52100000	137.30	4011097346199	598
HG	52105000	77.10	4011097440804	598
HG	52105140	115.60	4059625001400	598
HG	52105340	115.60	4059625001370	598
HG	52105670	107.90	4059625240182	598
HG	52105700	107.90	4059625240199	598
HG	52105990	115.60	4059625001707	598
HG	52120000	196.70	4011097369563	598
53				
HG	53002000	19.10	4011097123912	600
HG	53010000	25.00	4011097123936	600
HG	53428000	13.30	4011097124070	601
HG	53428670	18.70	4059625346747	601
HG	53428700	18.70	4059625346754	601
HG	53493000	23.60	4011097124193	601
HG	53493670	33.10	4059625315149	601
HG	53493700	33.10	4059625315132	601
HG	53555000	24.20	4011097124308	601
HG	53646000	51.50	4011097124384	601
HG	53971000	2.50	4011097124872	710
HG	53985000	2.50	4011097124988	710
HG	53990000	22.60	4011097125008	602
55				
HG	55213000	32.80	4011097125121	600
HG	55237000	25.40	4011097125138	601
56				
HG	56010180	213.00	4059625355589	570
HG	56011180	215.00	4059625355572	570
HG	56012180	219.00	4059625355565	570
HG	56013180	225.00	4059625355558	570
HG	56014180	233.00	4059625355541	570
HG	56015180	247.00	4059625355534	570
HG	56016180	373.00	4059625355527	569
HG	56017180	375.00	4059625355510	569
HG	56018180	379.00	4059625355503	569
HG	56019180	385.00	4059625355497	569
HG	56020180	393.00	4059625355480	569
HG	56021180	407.00	4059625355473	569
HG	56022180	373.00	4059625355466	568
HG	56023180	375.00	4059625355459	568
HG	56024180	379.00	4059625355442	568
HG	56025180	385.00	4059625355435	568
HG	56026180	393.00	4059625355428	568
HG	56027180	407.00	4059625355411	568
HG	56029000	125.00	4059625350621	585
HG	56030000	131.00	4059625350614	585
HG	56031000	148.00	4059625350607	586
HG	56032000	151.00	4059625350591	586
HG	56033000	157.00	4059625350584	587
HG	56034000	180.00	4059625350577	587
HG	56036000	254.00	4059625350553	579

brand	code no.	Euro	EAN	page
HG	56036450	406.00	4059625360989	579
HG	56036610	406.00	4059625360972	579
HG	56036670	372.00	4059625350515	579
HG	56036700	372.00	4059625350508	579
HG	56036800	169.00	4059625355398	579
HG	56037000	270.00	4059625350492	580
HG	56037450	432.00	4059625360965	580
HG	56037610	432.00	4059625360958	580
HG	56037670	396.00	4059625350454	580
HG	56037700	396.00	4059625350447	580
HG	56037800	180.00	4059625355381	580
HG	56038000	281.00	4059625350430	581
HG	56038450	449.00	4059625360941	581
HG	56038610	449.00	4059625360934	581
HG	56038670	411.00	4059625350393	581
HG	56038700	411.00	4059625350386	581
HG	56038800	187.00	4059625355374	581
HG	56040000	290.00	4059625350362	582
HG	56040450	463.00	4059625360927	582
HG	56040610	463.00	4059625360910	582
HG	56040670	425.00	4059625350324	582
HG	56040700	425.00	4059625350317	582
HG	56040800	193.00	4059625355367	582
HG	56041000	296.00	4059625350300	583
HG	56041450	473.00	4059625360903	583
HG	56041610	473.00	4059625360897	583
HG	56041670	433.00	4059625350263	583
HG	56041700	433.00	4059625350256	583
HG	56041800	197.00	4059625355350	583
HG	56042000	321.00	4059625350249	584
HG	56042450	514.00	4059625360880	584
HG	56042610	514.00	4059625360873	584
HG	56042670	471.00	4059625350201	584
HG	56042700	471.00	4059625350195	584
HG	56042800	214.00	4059625355343	584
HG	56043000	389.00	4059625350188	571
HG	56043140	478.00	4059625350171	571
HG	56043340	478.00	4059625350164	571
HG	56043670	389.00	4059625350157	571
HG	56043700	389.00	4059625350140	571
HG	56043800	278.00	4059625350133	571
HG	56043990	478.00	4059625350126	571
HG	56044000	399.00	4059625350119	571
HG	56044140	490.00	4059625350102	571
HG	56044340	490.00	4059625350096	571
HG	56044670	399.00	4059625350089	571
HG	56044700	399.00	4059625350072	571
HG	56044800	285.00	4059625350065	571
HG	56044990	490.00	4059625350058	571
HG	56045000	434.00	4059625350041	572
HG	56045140	533.00	4059625350034	572
HG	56045340	533.00	4059625350027	572
HG	56045670	434.00	4059625350010	572
HG	56045700	434.00	4059625350003	572
HG	56045800	310.00	4059625349991	572
HG	56045990	533.00	4059625349984	572
HG	56046000	445.00	4059625349977	572
HG	56046140	547.00	4059625349960	572
HG	56046340	547.00	4059625349953	572
HG	56046670	445.00	4059625349946	572
HG	56046700	445.00	4059625349939	572
HG	56046800	318.00	4059625349922	572
HG	56046990	547.00	4059625349915	572
HG	56047000	479.00	4059625349908	573

brand	code no.	Euro	EAN	page
HG	56047140	588.00	4059625349892	573
HG	56047340	588.00	4059625349885	573
HG	56047670	479.00	4059625349878	573
HG	56047700	479.00	4059625349861	573
HG	56047800	342.00	4059625349854	573
HG	56047990	588.00	4059625349847	573
HG	56050000	389.00	4059625349816	574
HG	56050140	478.00	4059625349809	574
HG	56050340	478.00	4059625349793	574
HG	56050670	389.00	4059625349786	574
HG	56050700	389.00	4059625349779	574
HG	56050800	278.00	4059625349762	574
HG	56050990	478.00	4059625349755	574
HG	56051000	399.00	4059625349748	575
HG	56051140	490.00	4059625349731	575
HG	56051340	490.00	4059625349724	575
HG	56051670	399.00	4059625349717	575
HG	56051700	399.00	4059625349700	575
HG	56051800	285.00	4059625349694	575
HG	56051990	490.00	4059625349687	575
HG	56052000	434.00	4059625349670	576
HG	56052140	533.00	4059625349663	576
HG	56052340	533.00	4059625349656	576
HG	56052670	434.00	4059625349649	576
HG	56052700	434.00	4059625349632	576
HG	56052800	310.00	4059625349625	576
HG	56052990	533.00	4059625349618	576
HG	56053000	445.00	4059625349601	577
HG	56053140	547.00	4059625349595	577
HG	56053340	547.00	4059625349588	577
HG	56053670	445.00	4059625349571	577
HG	56053700	445.00	4059625349564	577
HG	56053800	318.00	4059625349557	577
HG	56053990	547.00	4059625349540	577
HG	56054000	479.00	4059625349533	578
HG	56054140	588.00	4059625349526	578
HG	56054340	588.00	4059625349519	578
HG	56054670	479.00	4059625349502	578
HG	56054700	479.00	4059625349496	578
HG	56054800	342.00	4059625349489	578
HG	56054990	588.00	4059625349472	578
HG	56055800	107.00	4059625349465	588
HG	56056000	20.00	4059625349441	589
HG	56057670	346.00	4059625351598	538
HG	56057700	346.00	4059625351581	538
HG	56057800	346.00	4059625351574	538
HG	56061670	393.00	4059625351567	538
HG	56061700	393.00	4059625351550	538
HG	56061800	393.00	4059625351543	538
HG	56064670	504.00	4059625351536	538
HG	56064700	504.00	4059625351529	538
HG	56064800	504.00	4059625351512	538
HG	56067670	605.00	4059625351505	538
HG	56067700	605.00	4059625351499	538
HG	56067800	605.00	4059625351482	538
HG	56070670	297.00	4059625351475	538
HG	56070700	297.00	4059625351468	538
HG	56070800	297.00	4059625351451	538
HG	56073670	343.00	4059625351444	538
HG	56073700	343.00	4059625351437	538
HG	56073800	343.00	4059625351420	538
HG	56076670	313.00	4059625351413	538
HG	56076700	313.00	4059625351406	538
HG	56076800	313.00	4059625351390	538

brand	code no.	Euro	EAN	page
HG	56079670	363.00	4059625351383	538
HG	56079700	363.00	4059625351376	538
HG	56079800	363.00	4059625351369	538
HG	56082670	379.00	4059625351352	539
HG	56082700	379.00	4059625351345	539
HG	56082800	379.00	4059625351338	539
HG	56085670	426.00	4059625351321	539
HG	56085700	426.00	4059625351314	539
HG	56085800	426.00	4059625351307	539
HG	56088670	399.00	4059625351291	539
HG	56088700	399.00	4059625351284	539
HG	56088800	399.00	4059625351277	539
HG	56091670	449.00	4059625351260	539
HG	56091700	449.00	4059625351253	539
HG	56091800	449.00	4059625351246	539
HG	56094140	422.00	4059625349069	539
HG	56094340	422.00	4059625349052	539
HG	56094670	413.00	4059625349045	539
HG	56094700	413.00	4059625349038	539
HG	56094800	380.00	4059625349021	539
HG	56094990	422.00	4059625349014	539
HG	56095140	422.00	4059625349007	540
HG	56095340	422.00	4059625348994	540
HG	56095670	413.00	4059625348987	540
HG	56095700	413.00	4059625348970	540
HG	56095800	380.00	4059625348963	540
HG	56095990	422.00	4059625348956	540
HG	56096140	422.00	4059625348949	540
HG	56096340	422.00	4059625348932	540
HG	56096670	413.00	4059625348925	540
HG	56096700	413.00	4059625348918	540
HG	56096800	380.00	4059625348901	540
HG	56096990	422.00	4059625348895	540
HG	56097140	477.00	4059625348888	539
HG	56097340	477.00	4059625348871	539
HG	56097670	468.00	4059625348864	539
HG	56097700	468.00	4059625348857	539
HG	56097800	432.00	4059625348840	539
HG	56097990	477.00	4059625348833	539
HG	56098140	477.00	4059625348826	540
HG	56098340	477.00	4059625348819	540
HG	56098670	468.00	4059625348802	540
HG	56098700	468.00	4059625348796	540
HG	56098800	432.00	4059625348789	540
HG	56098990	477.00	4059625348772	540
HG	56099140	477.00	4059625348765	540
HG	56099340	477.00	4059625348758	540
HG	56099670	468.00	4059625348741	540
HG	56099700	468.00	4059625348734	540
HG	56099800	432.00	4059625348727	540
HG	56099990	477.00	4059625348710	540
HG	56100800	350.00	4059625351239	541
HG	56112800	107.00	4059625348697	588
HG	56373000	13.00	4011097125282	597
58				
HG	58112000	89.20	4011097651804	590
HG	58113000	249.70	4011097423913	593
HG	58115180	113.50	4011097433103	592
HG	58116180	159.20	4011097433110	592
HG	58117000	164.80	4011097417479	590
HG	58117140	247.20	4059625003732	590
HG	58117340	247.20	4059625002599	590
HG	58117670	230.70	4059625235683	590
HG	58117700	230.70	4059625235676	590

Code Numbers and Trade Prices

brand	code no.	Euro	EAN	page
HG	58117820	247.20	4011097516615	590
HG	58117990	247.20	4059625004050	590
HG	58123000	277.40	4011097363363	591
HG	58125180	123.60	4011097140223	591
HG	58126180	173.30	4011097140230	591
HG	58127000	179.30	4011097140247	590
HG	58128000	212.70	4011097140353	590
HG	58140180	49.50	4011097233543	596
HG	58141180	76.30	4011097233574	596
HG	58142000	70.40	4011097233598	596
HG	58143000	70.40	4011097232874	597
HG	58150000	83.00	4011097492650	597
HG	58185000	22.30	4011097233581	595
HG	58185140	33.40	4059625243985	595
HG	58185340	33.40	4059625243992	595
HG	58185670	31.20	4059625244203	595
HG	58185700	31.20	4059625244210	595
HG	58185990	33.40	4059625178706	595
HG	58186000	34.10	4011097440347	595
HG	58192000	109.70	4011097412955	593
60				
HG	60056000	58.50	4011097609751	589
HG	60067000	71.50	4011097557694	589
71				
HG	71070000	81.90	4011097738710	490
HG	71071000	76.10	4011097738703	490
HG	71072000	81.90	4011097738697	490
HG	71073000	76.10	4011097738680	490
HG	71074000	158.10	4011097738673	491
HG	71075000	81.90	4011097738666	491
HG	71076000	76.10	4011097738659	491
HG	71077000	81.90	4011097738642	490
HG	71078000	81.90	4011097753812	523
HG	71090000	134.60	4011097738628	493
HG	71091000	128.70	4011097738611	493
HG	71095000	134.60	4011097738604	493
HG	71100000	105.40	4011097738581	491
HG	71101000	99.60	4011097738574	491
HG	71102000	105.40	4011097738567	492
HG	71103000	99.60	4011097738550	492
HG	71104000	105.40	4011097753829	524
HG	71105000	105.40	4011097738543	492
HG	71107000	105.40	4011097738529	491
HG	71120000	70.20	4011097738499	495
HG	71130000	169.70	4011097738482	494
HG	71131000	164.00	4011097738475	494
HG	71133000	210.70	4011097738468	496
HG	71170000	93.30	4011097783475	490
HG	71171000	116.80	4011097783482	491
HG	71200000	111.20	4011097738444	497
HG	71201000	109.00	4059625395318	497
HG	71203000	95.80	4059625076873	497
HG	71204000	87.70	4011097753836	497
HG	71210000	74.10	4059625321461	472
HG	71210670	103.70	4059625326466	472
HG	71211000	87.00	4059625325346	483
HG	71211670	121.80	4059625326459	483
HG	71214000	138.20	4059625325544	473
HG	71215000	100.90	4059625329955	469
HG	71216000	120.80	4059625329962	481
HG	71220000	158.10	4011097738420	495
HG	71221000	99.60	4011097738413	495
HG	71222000	105.40	4011097738406	495
HG	71225000	117.10	4011097769981	494

brand	code no.	Euro	EAN	page
HG	71243000	134.60	4011097768243	499
HG	71251000	109.00	4059625356210	492
HG	71252000	109.00	4059625356180	492
HG	71253000	103.00	4059625356173	492
HG	71254000	109.00	4059625356135	493
HG	71255000	103.00	4059625356128	493
HG	71256000	164.00	4059625356111	496
HG	71257000	169.00	4059625356067	494
HG	71258000	164.00	4059625356036	494
HG	71263000	111.20	4011097768250	504
HG	71280000	130.40	4011097741451	668
HG	71283000	166.10	4059625215531	670
HG	71284000	195.80	4059625215555	670
HG	71285000	166.10	4011097738369	670
HG	71286000	195.80	4011097754024	670
HG	71287000	195.80	4011097754017	670
HG	71290000	128.80	4011097738352	498
HG	71310000	468.20	4011097738338	501
HG	71311000	114.60	4011097738321	501
HG	71312000	125.20	4011097738314	501
HG	71313000	326.00	4011097738307	502
HG	71314000	326.00	4011097738291	503
HG	71315000	125.20	4011097738284	501
HG	71400000	117.10	4011097738260	498
HG	71401000	117.10	4011097738253	498
HG	71402000	160.10	4011097789507	499
HG	71405000	123.00	4011097738246	499
HG	71406000	43.80	4011097738239	500
HG	71407000	193.10	4011097769967	499
HG	71409000	165.30	4059625062463	500
HG	71410000	92.10	4011097738222	429
HG	71420000	75.00	4059625316290	475
HG	71420670	105.00	4059625326442	475
HG	71430000	123.00	4011097738215	498
HG	71440000	98.00	4059625316283	473
HG	71440670	137.20	4059625326428	473
HG	71442000	168.00	4059625325353	475
HG	71442670	235.20	4059625326381	475
HG	71443000	127.70	4059625325391	476
HG	71444000	136.60	4059625325506	476
HG	71446000	136.60	4059625325513	476
HG	71447000	576.00	4059625325612	473
HG	71449000	35.00	4059625325438	474
HG	71449670	49.00	4059625326374	474
HG	71450000	117.00	4059625316269	483
HG	71450670	163.80	4059625326350	483
HG	71452000	201.60	4059625325377	486
HG	71452670	282.20	4059625326312	486
HG	71453000	117.00	4059625316245	483
HG	71454000	98.00	4059625316238	473
HG	71456000	250.00	4059625328583	475
HG	71456670	350.00	4059625330036	475
HG	71457000	688.00	4059625325650	484
HG	71458000	38.00	4059625325322	485
HG	71458670	53.20	4059625326305	485
HG	71459000	250.00	4059625328590	485
HG	71459670	350.00	4059625338872	485
HG	71460000	75.00	4059625316221	485
HG	71460670	105.00	4059625326282	485
HG	71461000	201.60	4059625325360	476
HG	71461670	282.20	4059625330043	476
HG	71462000	241.90	4059625325384	486
HG	71462670	338.70	4059625330050	486
HG	71463000	153.20	4059625325520	487

brand	code no.	Euro	EAN	page
HG	71464000	153.20	4059625325537	487
HG	71466000	98.00	4059625363713	474
HG	71466670	137.20	4059625363706	474
HG	71467000	130.00	4059625363690	474
HG	71467670	182.00	4059625363683	474
HG	71468000	112.70	4059625363676	484
HG	71468670	157.80	4059625363669	484
HG	71469000	149.40	4059625363652	484
HG	71469670	209.20	4059625363645	484
HG	71474000	271.10	4011097778563	428
HG	71474140	406.60	4059625231982	428
HG	71474340	406.60	4059625229583	428
HG	71474670	379.40	4059625231999	428
HG	71474700	379.40	4059625232002	428
HG	71474990	406.60	4059625232019	428
HG	71501000	238.90	4059625353370	471
HG	71502000	217.20	4059625353363	471
HG	71503000	181.00	4059625353356	472
HG	71504000	199.10	4059625353349	472
HG	71550000	67.10	4059625316214	466
HG	71550670	93.90	4059625326268	466
HG	71551000	87.70	4059625316207	466
HG	71551670	121.90	4059625326244	466
HG	71552000	115.00	4059625316191	467
HG	71552670	161.00	4059625326220	467
HG	71553000	170.00	4059625325407	469
HG	71553670	238.00	4059625326190	469
HG	71554000	140.00	4059625325414	469
HG	71557000	77.10	4059625316184	466
HG	71558000	60.10	4059625316177	466
HG	71558670	84.10	4059625326169	466
HG	71559000	97.70	4059625316160	466
HG	71560000	80.00	4059625321454	479
HG	71560670	112.00	4059625326152	479
HG	71561000	105.00	4059625321447	480
HG	71561670	147.00	4059625326138	480
HG	71562000	137.00	4059625321430	481
HG	71562670	191.80	4059625326114	481
HG	71563000	170.00	4059625325476	482
HG	71563670	238.00	4059625326084	482
HG	71564000	167.00	4059625325483	482
HG	71566000	90.00	4059625321423	479
HG	71567000	73.00	4059625325445	479
HG	71567670	102.20	4059625326046	479
HG	71568000	115.00	4059625321416	480
HG	71569000	98.00	4059625325452	480
HG	71569670	137.20	4059625326015	480
HG	71570000	67.10	4059625324974	467
HG	71571000	87.70	4059625324981	468
HG	71572000	115.00	4059625324998	468
HG	71576000	120.00	4059625325421	470
HG	71576670	168.00	4059625325933	470
HG	71578000	130.00	4059625325315	482
HG	71578670	182.00	4059625325919	482
HG	71580000	80.70	4059625316153	466
HG	71580670	113.00	4059625325896	466
HG	71581000	125.00	4059625316146	467
HG	71582000	108.00	4059625316139	467
HG	71582670	151.20	4059625325889	467
HG	71583000	55.70	4059625325551	468
HG	71583670	78.00	4059625325872	468
HG	71584000	67.10	4059625316122	516
HG	71584670	93.90	4059625325865	516
HG	71585000	87.70	4059625316115	517

brand	code no.	Euro	EAN	page
HG	71585670	121.90	4059625325858	517
HG	71587000	395.00	4059625325599	466
HG	71588000	512.00	4059625325605	467
HG	71590000	147.00	4059625321409	481
HG	71591000	130.00	4059625325469	481
HG	71591670	182.00	4059625325834	481
HG	71592000	66.40	4059625325568	481
HG	71592670	93.00	4059625325810	481
HG	71593000	80.00	4059625321393	517
HG	71593670	112.00	4059625325803	517
HG	71594000	105.00	4059625321386	518
HG	71594670	147.00	4059625325797	518
HG	71596000	470.00	4059625325636	479
HG	71597000	617.00	4059625325643	480
HG	71600000	93.70	4011097737799	503
HG	71601000	93.70	4011097737782	503
HG	71604000	35.10	4059625194157	505
HG	71605000	105.40	4011097737775	504
HG	71606000	35.10	4011097737768	505
HG	71607000	105.40	4011097754581	504
HG	71629000	123.80	4011097787749	498
HG	71630000	99.60	4011097737751	503
HG	71640000	77.40	4059625316108	477
HG	71640670	108.40	4059625325780	477
HG	71646000	77.40	4059625310762	477
HG	71647000	455.00	4059625325629	477
HG	71649000	28.00	4059625321379	478
HG	71649670	39.20	4059625338865	478
HG	71650000	92.00	4059625315798	487
HG	71650670	128.80	4059625325759	487
HG	71656000	92.00	4059625405406	487
HG	71657000	541.00	4059625325667	487
HG	71658000	33.00	4059625325339	488
HG	71658670	46.20	4059625338858	488
HG	71666000	131.20	4011097769936	505
HG	71667000	87.70	4059625363638	477
HG	71667670	122.80	4059625363621	477
HG	71668000	100.80	4059625363614	488
HG	71668670	141.10	4059625363607	488
HG	71700000	116.60	4011097770703	423
HG	71701000	116.60	4011097770697	423
HG	71702000	109.20	4011097770680	423
HG	71703000	116.60	4011097770673	423
HG	71704000	109.20	4011097770666	423
HG	71705000	116.60	4011097770659	522
HG	71706000	102.90	4011097770642	425
HG	71707000	225.50	4011097770772	423
HG	71710000	142.30	4011097770765	424
HG	71710140	213.40	4059625232026	424
HG	71710340	213.40	4059625229521	424
HG	71710670	199.10	4059625232033	424
HG	71710700	199.10	4059625232040	424
HG	71710990	213.40	4059625232057	424
HG	71711000	142.30	4011097770758	424
HG	71712000	134.80	4011097770741	424
HG	71712140	202.30	4059625265789	424
HG	71712340	202.30	4059625147054	424
HG	71712670	188.70	4059625265765	424
HG	71712700	188.70	4059625265772	424
HG	71712990	202.30	4059625035573	424
HG	71713000	142.30	4011097770734	424
HG	71713140	213.40	4059625232064	424
HG	71713340	213.40	4059625232071	424
HG	71713670	199.10	4059625232088	424

Code Numbers and Trade Prices

brand	code no.	Euro	EAN	page
HG	71713700	199.10	4059625232095	424
HG	71713990	213.40	4059625232101	424
HG	71714000	134.80	4011097770727	424
HG	71714140	202.30	4059625265833	424
HG	71714340	202.30	4059625265819	424
HG	71714670	188.70	4059625265796	424
HG	71714700	188.70	4059625265802	424
HG	71714990	202.30	4059625265826	424
HG	71715000	142.30	4011097778495	521
HG	71716000	237.80	4011097770710	425
HG	71716140	356.90	4059625232118	425
HG	71716340	356.90	4059625229538	425
HG	71716670	333.00	4059625232125	425
HG	71716700	333.00	4059625232132	425
HG	71716990	356.90	4059625232149	425
HG	71717000	231.70	4011097770826	425
HG	71717140	347.70	4059625265871	425
HG	71717340	347.70	4059625198001	425
HG	71717670	324.50	4059625265840	425
HG	71717700	324.50	4059625265857	425
HG	71717990	347.70	4059625265864	425
HG	71718000	175.00	4059625338841	422
HG	71719000	155.00	4059625338827	422
HG	71720000	142.30	4011097770819	427
HG	71720140	213.40	4059625250457	427
HG	71720340	213.40	4059625250440	427
HG	71720670	199.10	4059625250433	427
HG	71720700	199.10	4059625250426	427
HG	71720990	213.40	4059625250419	427
HG	71721000	142.30	4011097770802	427
HG	71729000	212.10	4011097770796	427
HG	71730000	540.60	4011097782409	429
HG	71731000	386.20	4011097782393	430
HG	71732000	199.70	4011097770789	426
HG	71733000	257.40	4011097770871	426
HG	71733140	386.20	4059625232156	426
HG	71733340	386.20	4059625229545	426
HG	71733670	360.30	4059625232163	426
HG	71733700	360.30	4059625232170	426
HG	71733990	386.20	4059625170472	426
HG	71734000	225.50	4011097778457	426
HG	71734140	338.30	4059625232187	426
HG	71734340	338.30	4059625232194	426
HG	71734670	315.80	4059625232200	426
HG	71734700	315.80	4059625232217	426
HG	71734990	338.30	4059625232224	426
HG	71740000	186.30	4011097770864	427
HG	71740140	279.50	4059625232231	427
HG	71740340	279.50	4059625221754	427
HG	71740670	260.80	4059625232248	427
HG	71740700	260.80	4059625232255	427
HG	71740990	279.50	4059625232262	427
HG	71745000	154.40	4011097770840	428
HG	71745140	231.60	4059625232279	428
HG	71745340	231.60	4059625232286	428
HG	71745670	216.10	4059625232293	428
HG	71745700	216.10	4059625232309	428
HG	71745990	231.60	4059625232316	428
HG	71746000	71.00	4011097770833	428
HG	71747000	245.20	4011097791395	429
HG	71748000	386.20	4011097788807	431
HG	71748140	579.30	4059625232323	431
HG	71748340	579.30	4059625232330	431
HG	71748670	540.70	4059625232347	431

brand	code no.	Euro	EAN	page
HG	71748700	540.70	4059625232354	431
HG	71748990	579.30	4059625232361	431
HG	71750000	193.70	4011097782379	422
HG	71751000	186.30	4011097775791	422
HG	71752000	283.10	4011097782416	423
HG	71753000	276.90	4011097775784	423
HG	71754000	219.60	4011097782355	425
HG	71754140	329.30	4059625246429	425
HG	71754340	329.30	4059625246412	425
HG	71754670	307.40	4059625246443	425
HG	71754700	307.40	4059625246450	425
HG	71754990	329.30	4059625246436	425
HG	71755000	212.10	4011097782348	425
HG	71760000	160.60	4011097770918	431
HG	71760140	241.00	4059625232378	431
HG	71760340	241.00	4059625232385	431
HG	71760670	224.80	4059625232392	431
HG	71760700	224.80	4059625232408	431
HG	71760990	241.00	4059625232415	431
HG	71761000	180.30	4011097770901	431
HG	71764000	51.50	4059625194119	432
HG	71764670	72.00	4059625410523	432
HG	71765000	128.70	4011097778327	432
HG	71765140	193.10	4059625232422	432
HG	71765340	193.10	4059625147061	432
HG	71765670	180.20	4059625232439	432
HG	71765700	180.20	4059625232446	432
HG	71765990	193.10	4059625232453	432
HG	71766000	51.50	4011097770895	432
HG	71768000	128.70	4011097778310	432
HG	71800000	288.60	4059625085127	661
HG	71800800	375.10	4059625085110	661
HG	71801000	255.30	4059625085103	662
HG	71801800	331.90	4059625085097	662
HG	71802000	183.20	4059625085080	662
HG	71802800	238.10	4059625085073	662
HG	71803000	288.60	4059625085066	663
HG	71804000	144.20	4059625085059	663
HG	71805000	133.20	4059625085042	663
HG	71806000	133.20	4059625085035	663
HG	71806800	173.10	4059625085028	663
HG	71807000	166.50	4059625085011	663
HG	71808000	111.00	4059625085004	665
HG	71808800	144.20	4059625084991	665
HG	71809000	111.00	4059625084984	665
HG	71813000	272.00	4059625084939	664
HG	71814000	183.20	4059625098356	664
HG	71814800	238.10	4059625098363	664
HG	71820000	346.40	4059625098370	661
HG	71820800	432.90	4059625098387	661
HG	71821000	313.00	4059625098394	662
HG	71821800	389.60	4059625098400	662
HG	71829000	240.90	4059625098417	664
HG	71829800	295.80	4059625098424	664
HG	71830000	101.30	4011097761268	669
HG	71831000	121.20	4011097766461	669
HG	71832000	115.30	4011097766454	668
HG	71833000	147.70	4011097775487	668
HG	71834000	265.00	4011097766447	669
HG	71835000	148.80	4011097766430	668
HG	71836000	148.80	4011097766423	669
HG	71837000	101.30	4011097766416	669
HG	71839000	115.30	4011097775753	668
HG	71860000	115.30	4059625197103	668

brand	code no.	Euro	EAN	page
HG	71861000	148.80	4059625196755	668
HG	71862000	255.30	4059625198490	662
HG	71864000	133.20	4059625198513	663
HG	71865000	183.20	4059625198520	664
HG	71866000	111.00	4059625198537	665
HG	71870000	150.00	4059625321362	670
HG	71870670	210.00	4059625325698	670
HG	71871000	179.00	4059625321355	671
HG	71871670	250.60	4059625325674	671
HG	71970000	29.40	4011097737737	330
72				
HG	72010000	142.30	4011097770048	434
HG	72011000	142.30	4011097770116	434
HG	72012000	134.80	4011097770109	434
HG	72013000	142.30	4011097770093	434
HG	72014000	134.80	4011097770086	434
HG	72015000	142.30	4011097770079	522
HG	72017000	128.70	4011097770055	437
HG	72018000	134.80	4011097775715	434
HG	72020000	168.00	4011097770161	435
HG	72021000	160.60	4011097770154	435
HG	72022000	168.00	4011097770147	435
HG	72023000	160.60	4011097770130	435
HG	72024000	168.00	4011097770123	522
HG	72025000	160.60	4011097775708	435
HG	72031000	257.40	4011097770246	436
HG	72032000	251.20	4011097770239	436
HG	72040000	193.70	4011097770222	433
HG	72041000	186.30	4011097770215	433
HG	72042000	231.70	4011097770208	433
HG	72043000	225.50	4011097770192	433
HG	72044000	308.90	4011097770185	433
HG	72045000	311.50	4011097770178	433
HG	72105000	283.10	4011097770307	436
HG	72110000	219.60	4011097770291	437
HG	72111000	245.20	4011097770284	437
HG	72113000	451.20	4011097782546	435
HG	72115000	554.10	4011097782522	436
HG	72116000	546.70	4011097782515	436
HG	72200000	168.00	4011097770260	438
HG	72202000	219.60	4011097775494	438
HG	72290000	219.60	4011097770253	438
HG	72291000	271.10	4011097781808	438
HG	72400000	212.10	4011097770383	439
HG	72401000	231.70	4011097770376	439
HG	72405000	174.10	4011097770352	440
HG	72406000	296.70	4011097770345	440
HG	72407000	77.20	4011097770338	440
HG	72410000	109.20	4011097770420	441
HG	72412000	1,618.00	4011097782508	439
HG	72416000	579.70	4011097770314	441
HG	72417000	417.90	4011097770413	442
HG	72418000	579.70	4011097770406	442
HG	72419000	417.90	4011097770390	443
HG	72600000	168.00	4011097770475	444
HG	72601000	180.30	4011097770468	444
HG	72605000	154.40	4011097770444	444
HG	72606000	51.50	4011097770437	444
HG	72800000	321.00	4059625255452	653
HG	72800670	417.30	4059625255445	653
HG	72800800	417.30	4059625255438	653
HG	72801000	374.50	4059625255421	654
HG	72801670	486.90	4059625255414	654
HG	72801800	486.90	4059625255407	654

brand	code no.	Euro	EAN	page
HG	72802000	272.90	4059625255391	654
HG	72802670	355.20	4059625255384	654
HG	72802800	355.20	4059625255377	654
HG	72803000	326.40	4059625255360	655
HG	72803670	424.80	4059625255353	655
HG	72803800	424.80	4059625255346	655
HG	72804000	219.40	4059625255339	655
HG	72804670	285.70	4059625255322	655
HG	72804800	285.70	4059625255315	655
HG	72805000	267.50	4059625277768	655
HG	72805670	347.80	4059625277775	655
HG	72805800	347.80	4059625277782	655
HG	72806000	192.60	4059625255308	656
HG	72806670	250.40	4059625255292	656
HG	72806800	250.40	4059625255285	656
HG	72807000	240.80	4059625277850	656
HG	72807670	312.90	4059625277867	656
HG	72807800	312.90	4059625277874	656
HG	72808000	219.40	4059625255278	656
HG	72808670	285.70	4059625255261	656
HG	72808800	285.70	4059625255254	656
HG	72809000	272.90	4059625255247	657
HG	72809670	355.20	4059625255230	657
HG	72809800	355.20	4059625255223	657
HG	72810000	273.20	4011097772455	651
HG	72810800	355.20	4011097772462	651
HG	72811000	319.70	4011097823638	652
HG	72812000	308.80	4011097772479	651
HG	72813000	392.30	4011097772493	650
HG	72813800	509.80	4011097772707	650
HG	72814000	239.90	4011097823621	650
HG	72814800	311.70	4011097823614	650
HG	72815000	341.90	4011097823607	651
HG	72815800	444.40	4011097823591	651
HG	72816000	273.20	4059625198155	651
HG	72817000	392.30	4059625197981	650
HG	72820000	394.60	4011097772721	649
HG	72820800	513.20	4011097772738	649
HG	72821000	477.90	4011097772752	646
HG	72821800	621.60	4011097772769	646
HG	72822000	424.30	4011097823584	648
HG	72822800	551.60	4011097823577	648
HG	72823000	478.50	4059625255667	645
HG	72823800	622.40	4059625255650	645
HG	72824000	425.00	4059625255643	647
HG	72824800	551.90	4059625255636	647
HG	72825000	394.60	4059625198186	649
HG	72826000	477.90	4059625198209	646
HG	72827000	240.80	4059625277928	657
HG	72827670	312.90	4059625277935	657
HG	72827800	312.90	4059625277942	657
HG	72840000	187.30	4059625255216	657
HG	72840670	244.00	4059625255209	657
HG	72840800	244.00	4059625255193	657
HG	72841000	69.60	4059625293218	689
HG	72841670	90.40	4059625293225	689
HG	72841800	90.40	4059625293232	689
HG	72842000	321.00	4059625269909	653
HG	72842670	417.30	4059625269695	653
HG	72843000	219.40	4059625269688	655
HG	72843670	285.10	4059625269671	655
HG	72844000	192.60	4059625269664	656
HG	72844670	250.40	4059625269657	656
HG	72845000	219.40	4059625269640	656

Code Numbers and Trade Prices

brand	code no.	Euro	EAN	page
HG	72845670	285.10	4059625269633	656
73				
HG	73561000	66.50	4059625131503	553
HG	73800000	496.80	4059625017630	643
HG	73800800	627.00	4059625017623	643
HG	73801000	550.10	4059625017616	642
HG	73801800	696.20	4059625017609	642
HG	73802000	508.30	4059625017593	640
HG	73802800	641.90	4059625017586	640
HG	73803000	561.80	4059625017579	638
HG	73803800	711.30	4059625017562	638
HG	73804000	571.20	4059625017555	636
HG	73804800	742.40	4059625017548	636
HG	73807000	561.80	4059625198292	638
HG	73812000	456.30	4059625017494	644
HG	73812800	575.00	4059625017487	644
HG	73816000	562.60	4059625176221	637
HG	73816800	707.90	4059625176207	637
HG	73817000	510.50	4059625176184	639
HG	73817800	640.40	4059625176177	639
HG	73818000	571.70	4059625176160	636
HG	73818340	857.60	4059625229590	636
HG	73818670	800.30	4059625232514	636
HG	73818800	738.20	4059625176153	636
HG	73819000	509.40	4059625255629	635
HG	73819800	662.30	4059625255612	635
HG	73820000	515.70	4059625255605	637
HG	73820800	670.30	4059625255599	637
HG	73822000	460.10	4059625255582	639
HG	73822800	598.50	4059625255575	639
HG	73823000	496.80	4059625198254	643
HG	73824000	550.10	4059625198230	642
HG	73825000	571.20	4059625198223	636
HG	73828000	456.30	4059625198278	644
HG	73830000	642.00	4059625255568	635
HG	73830670	898.80	4059625255186	635
HG	73830800	834.60	4059625255551	635
HG	73831000	695.50	4059625255179	634
HG	73831670	973.70	4059625255162	634
HG	73831800	909.50	4059625255155	634
HG	73836000	588.50	4059625269442	635
HG	73836670	823.90	4059625278093	635
HG	73836800	770.40	4059625269435	635
HG	73837000	642.00	4059625269428	634
HG	73837670	898.80	4059625278123	634
HG	73837800	834.60	4059625269411	634
HG	73850000	394.00	4059625017456	651
HG	73850800	493.40	4059625017449	651
HG	73851000	443.00	4059625017432	650
HG	73851800	556.80	4059625017425	650
HG	73852000	474.00	4059625017418	649
HG	73852800	597.30	4059625017401	649
HG	73853000	526.10	4059625017395	647
HG	73853800	665.10	4059625017388	647
HG	73860000	406.80	4059625017364	652
HG	73860800	510.00	4059625017357	652
HG	73867000	527.80	4059625176085	646
HG	73867800	663.00	4059625176078	646
HG	73868000	477.20	4059625176061	648
HG	73868800	597.10	4059625176054	648
HG	73876000	443.00	4059625198339	650
HG	73880000	325.40	4059625017210	658
HG	73880800	405.00	4059625017203	658

brand	code no.	Euro	EAN	page
HG	73895000	325.40	4059625198438	658
74				
HG	74500000	291.20	4011097813226	360
HG	74502000	296.90	4011097813202	360
HG	74506000	314.20	4011097813141	360
HG	74507000	319.70	4011097813103	360
HG	74511000	422.60	4011097813066	361
HG	74512000	434.00	4011097813028	361
HG	74514000	405.60	4011097835129	364
HG	74515000	422.60	4011097835112	364
HG	74520000	399.80	4011097812960	366
HG	74522000	405.60	4011097812939	367
HG	74525000	365.50	4011097835105	362
HG	74526000	388.40	4011097835099	362
HG	74530000	1,222.00	4011097835082	365
HG	74532000	1,793.00	4011097835075	368
HG	74540000	376.90	4011097812915	369
HG	74545000	262.80	4011097826028	371
HG	74546000	365.50	4011097826004	371
HG	74548000	308.40	4011097835068	373
HG	74550000	708.10	4011097835051	374
HG	74551000	536.70	4011097835044	375
HG	74552000	708.10	4011097835037	376
HG	74553000	536.70	4011097835020	377
HG	74560000	262.80	4011097812878	378
HG	74565000	245.50	4011097825793	379
HG	74800000	160.00	4059625339749	665
HG	74800670	220.00	4059625339763	665
HG	74800800	210.00	4059625339756	665
HG	74801000	230.00	4059625339770	665
HG	74801670	320.00	4059625339794	665
HG	74801800	300.00	4059625339787	665
HG	74802000	115.00	4059625340103	666
HG	74802670	160.00	4059625340127	666
HG	74802800	150.00	4059625340110	666
HG	74803000	180.00	4059625340134	666
HG	74803670	240.00	4059625340158	666
HG	74803800	230.00	4059625340141	666
HG	74804000	250.00	4059625340165	667
HG	74804670	340.00	4059625340189	667
HG	74804800	320.00	4059625340172	667
HG	74805000	155.00	4059625340196	667
HG	74806000	140.00	4059625340202	666
HG	74807000	220.00	4059625340219	667
HG	74808000	220.00	4059625340226	667
HG	74810000	160.00	4059625340233	665
HG	74811000	115.00	4059625340240	666
HG	74813000	115.00	4059625340264	666
75				
HG	75010000	145.00	4059625335246	412
HG	75010670	203.00	4059625335208	412
HG	75010700	203.00	4059625335161	412
HG	75012000	138.00	4059625335109	412
HG	75012670	193.20	4059625335086	412
HG	75012700	193.20	4059625335062	412
HG	75013000	133.00	4059625335048	414
HG	75013670	186.20	4059625335031	414
HG	75013700	186.20	4059625335024	414
HG	75020000	165.00	4059625334980	412
HG	75020670	231.00	4059625334942	412
HG	75020700	231.00	4059625334904	412
HG	75022000	158.00	4059625334843	412
HG	75022670	221.20	4059625334829	412
HG	75022700	221.20	4059625334805	412

brand	code no.	Euro	EAN	page
HG	75023000	165.00	4059625399835	413
HG	75023670	231.00	4059625399828	413
HG	75023700	231.00	4059625399811	413
HG	75024000	158.00	4059625399804	413
HG	75024670	221.20	4059625399699	413
HG	75024700	221.20	4059625399682	413
HG	75030000	245.00	4059625334751	413
HG	75030670	343.00	4059625335727	413
HG	75030700	343.00	4059625335697	413
HG	75032000	238.00	4059625335659	413
HG	75032670	333.20	4059625335642	413
HG	75032700	333.20	4059625335635	413
HG	75033000	250.00	4059625322710	414
HG	75033670	350.00	4059625337387	414
HG	75033700	350.00	4059625337356	414
HG	75040000	254.00	4059625335598	413
HG	75040670	355.60	4059625335567	413
HG	75040700	355.60	4059625335536	413
HG	75042000	247.00	4059625335499	413
HG	75042670	345.80	4059625335468	413
HG	75042700	345.80	4059625335437	413
HG	75050000	227.00	4059625337318	414
HG	75050670	317.80	4059625337295	414
HG	75050700	317.80	4059625337271	414
HG	75200000	210.00	4059625335369	415
HG	75200670	294.00	4059625335345	415
HG	75200700	294.00	4059625335321	415
HG	75210000	247.50	4059625395240	412
HG	75410000	120.00	4059625322727	417
HG	75410670	168.00	4059625337219	417
HG	75410700	168.00	4059625337196	417
HG	75415000	180.00	4059625358504	417
HG	75415670	252.00	4059625358511	417
HG	75415700	252.00	4059625358528	417
HG	75416000	280.00	4059625358535	417
HG	75416670	392.00	4059625358542	417
HG	75416700	392.00	4059625358559	417
HG	75420000	230.00	4059625335291	416
HG	75420670	322.00	4059625335260	416
HG	75420700	322.00	4059625336199	416
HG	75444000	570.00	4059625322703	418
HG	75444670	798.00	4059625337080	418
HG	75444700	798.00	4059625337073	418
HG	75445000	1,350.00	4059625322697	416
HG	75445670	1,890.00	4059625337035	416
HG	75445700	1,890.00	4059625336991	416
HG	75615000	160.00	4059625358566	419
HG	75615670	224.00	4059625358573	419
HG	75615700	224.00	4059625358580	419
HG	75620000	180.00	4059625336151	418
HG	75620670	252.00	4059625336137	418
HG	75620700	252.00	4059625336113	418
76				
HG	76010000	171.00	4059625336083	402
HG	76010670	239.40	4059625334430	402
HG	76010700	239.40	4059625334447	402
HG	76013000	156.00	4059625335932	404
HG	76013670	218.40	4059625335925	404
HG	76013700	218.40	4059625335918	404
HG	76020000	190.00	4059625335871	402
HG	76020670	266.00	4059625334423	402
HG	76020700	266.00	4059625334416	402
HG	76023000	195.00	4059625335758	402
HG	76023670	273.00	4059625334409	402

brand	code no.	Euro	EAN	page
HG	76023700	273.00	4059625334393	402
HG	76024000	200.00	4059625334461	513
HG	76024670	280.00	4059625334386	513
HG	76024700	280.00	4059625334379	513
HG	76033000	277.50	4059625338124	404
HG	76033670	388.50	4059625338094	404
HG	76033700	388.50	4059625338063	404
HG	76034000	290.00	4059625338025	405
HG	76034670	406.00	4059625337998	405
HG	76034700	406.00	4059625337967	405
HG	76050000	266.00	4059625337929	405
HG	76050670	372.40	4059625337899	405
HG	76050700	372.40	4059625337868	405
HG	76051000	239.40	4059625337820	405
HG	76051670	335.20	4059625337813	405
HG	76051700	335.20	4059625337806	405
HG	76060000	265.00	4059625336564	403
HG	76060670	371.00	4059625336557	403
HG	76060700	371.00	4059625336540	403
HG	76063000	315.00	4059625336533	403
HG	76063670	441.00	4059625336496	403
HG	76063700	441.00	4059625336441	403
HG	76070000	280.00	4059625334454	403
HG	76070670	392.00	4059625334362	403
HG	76070700	392.00	4059625334355	403
HG	76200000	228.00	4059625336823	406
HG	76200670	319.20	4059625336816	406
HG	76200700	319.20	4059625336809	406
HG	76210000	260.00	4059625395233	402
HG	76210670	364.00	4059625395226	402
HG	76220000	360.00	4059625395219	404
HG	76220670	504.00	4059625395202	404
HG	76410000	160.00	4059625337738	408
HG	76410670	224.00	4059625337714	408
HG	76410700	224.00	4059625337691	408
HG	76415000	185.00	4059625357637	407
HG	76415670	259.00	4059625357644	407
HG	76415700	259.00	4059625357651	407
HG	76416000	285.00	4059625357668	407
HG	76416670	399.00	4059625357675	407
HG	76416700	399.00	4059625357682	407
HG	76420000	260.00	4059625336793	407
HG	76420670	364.00	4059625336762	407
HG	76420700	364.00	4059625336731	407
HG	76444000	690.00	4059625337592	408
HG	76444670	966.00	4059625337585	408
HG	76444700	966.00	4059625337578	408
HG	76445000	1,500.00	4059625322734	406
HG	76445670	2,100.00	4059625337530	406
HG	76445700	2,100.00	4059625337493	406
HG	76615000	165.00	4059625357606	409
HG	76615670	231.00	4059625357613	409
HG	76615700	231.00	4059625357620	409
HG	76620000	210.00	4059625336694	409
HG	76620670	294.00	4059625336670	409
HG	76620700	294.00	4059625336656	409
HG	76800000	575.00	4059625391082	630
HG	76800670	805.00	4059625391105	630
HG	76800800	747.50	4059625391099	630
HG	76801000	525.00	4059625391112	630
HG	76801670	735.00	4059625391136	630
HG	76801800	682.50	4059625391129	630
HG	76802000	555.00	4059625391143	631
HG	76802670	775.00	4059625391167	631

Code Numbers and Trade Prices

brand	code no.	Euro	EAN	page
HG	76802800	721.50	4059625391150	631
HG	76803000	450.00	4059625391174	632
HG	76803670	630.00	4059625391198	632
HG	76803800	585.00	4059625391181	632
HG	76804000	500.00	4059625391235	632
HG	76804670	700.00	4059625391259	632
HG	76804800	650.00	4059625391242	632
HG	76814000	74.00	4059625377734	632
HG	76815000	80.00	4059625377727	633
HG	76818000	101.90	4059625391419	631
HG	76826000	500.00	4059625391204	631
HG	76826670	700.00	4059625391228	631
HG	76826800	650.00	4059625391211	631
HG	76827000	115.00	4059625377710	633
HG	76828000	185.00	4059625377703	633
HG	76829000	190.00	4059625377390	633
HG	76830000	190.00	4059625377383	634
92				
HG	92017000	35.00	4011097143477	696
HG	92018000	14.40	4011097166285	696
HG	92019000	4.10	4011097153872	697
HG	92027000	22.10	4011097138312	696
HG	92107000	14.40	4011097132921	695
HG	92109000	28.20	4011097166940	695
HG	92109450	35.00	4011097166971	695
HG	92504000	44.90	4011097766089	408
HG	92571450	25.20	4011097780931	316
HG	92571610	25.20	4011097781136	316
HG	92572450	25.20	4011097780948	316
HG	92572610	25.20	4011097781143	316
HG	92573450	25.20	4011097780955	316
HG	92573610	25.20	4011097781204	316
HG	92574450	25.20	4011097780979	316
HG	92574610	25.20	4011097781167	316
HG	92575450	25.20	4011097780986	316
HG	92575610	25.20	4011097781174	316
HG	92576450	25.20	4011097780993	316
HG	92576610	25.20	4011097781181	316
HG	92577450	25.20	4011097781105	316
HG	92577610	25.20	4011097781198	316
HG	92578450	25.20	4011097780962	316
HG	92578610	25.20	4011097781150	316
HG	92579450	25.20	4011097780924	315
HG	92579610	25.20	4011097781112	315
HG	92601000	127.30	4011097133249	703
HG	92605000	28.20	4011097133287	703
HG	92620000	22.10	4011097189451	709
HG	92620450	35.00	4011097133447	709
HG	92631000	196.30	4011097133546	703
HG	92730000	44.90	4011097222776	699
93				
HG	93286000	28.20	4059625136188	548
HG	93500000	13.00	4059625222478	336
HG	93571670	9.90	4059625270134	324
HG	93571700	9.90	4059625270127	324
HG	93571880	6.60	4059625141892	324
HG	93572670	9.90	4059625270110	325
HG	93572700	9.90	4059625270103	325
HG	93572880	6.60	4059625142608	325
HG	93573670	9.90	4059625270097	324
HG	93573700	9.90	4059625270080	324
HG	93573880	6.60	4059625142615	324
HG	93574670	9.90	4059625270073	325
HG	93574700	9.90	4059625270066	325

brand	code no.	Euro	EAN	page
HG	93574880	6.60	4059625142622	325
HG	93575670	9.90	4059625270059	325
HG	93575700	9.90	4059625270042	325
HG	93575880	6.60	4059625142639	325
HG	93576670	9.90	4059625270035	325
HG	93576700	9.90	4059625270028	325
HG	93576880	6.60	4059625142646	325
HG	93577670	9.90	4059625270011	325
HG	93577700	9.90	4059625270004	325
HG	93577880	6.60	4059625142653	325
HG	93578670	9.90	4059625269992	325
HG	93578700	9.90	4059625269985	325
HG	93578880	6.60	4059625142660	325
HG	93579670	9.90	4059625269978	324
HG	93579700	9.90	4059625269961	324
HG	93579880	6.60	4059625142677	324
HG	93913000	17.80	4059625365069	422
94				
AX	94004000	127.30	4011097200224	699
AX	94005000	17.60	4011097228907	701
HG	94008000	28.20	4011097326849	703
HG	94009000	28.20	4011097326894	702
HG	94033000	6.60	4011097399256	700
HG	94051000	10.90	4011097210315	696
HG	94053000	14.40	4011097204314	695
HG	94055000	14.40	4011097259536	696
HG	94063000	6.60	4011097256412	708
HG	94074000	10.90	4011097242606	708
HG	94076000	22.10	4011097262291	708
HG	94077000	28.20	4011097345024	702
HG	94078000	10.90	4011097399218	708
HG	94129000	67.70	4011097177106	710
HG	94130000	14.40	4011097232423	707
HG	94135000	8.90	4011097213071	707
HG	94139000	63.70	4011097178752	597
HG	94139140	118.40	4011097949062	597
HG	94139340	118.40	4011097949048	597
HG	94139670	118.40	4059625308943	597
HG	94139700	118.40	4059625304327	597
HG	94139990	95.70	4011097949208	597
HG	94140000	35.00	4011097203799	709
HG	94142000	22.10	4011097183800	702
HG	94148000	55.40	4011097177120	710
HG	94149000	22.10	4011097178745	703
HG	94156000	14.40	4011097184111	700
AX	94183000	28.20	4011097241098	702
AX	94184000	4.10	4011097233246	708
HG	94246000	2.50	4011097134888	698
HG	94268000	6.60	4059625358948	555
AX	94272000	55.40	4011097135168	706
HG	94282000	98.10	4011097239040	703
HG	94850000	17.60	4011097232638	700
95				
HG	95014000	44.90	4011097404332	702
HG	95039000	4.10	4011097326832	708
HG	95048000	55.40	4011097263748	710
AX	95052000	78.90	4011097238715	700
AX	95053000	22.10	4011097362571	700
HG	95064000	14.40	4011097363813	695
HG	95065520	55.40	4011097296050	693
HG	95065530	55.40	4011097296067	693
HG	95065840	78.90	4011097296036	693
HG	95065880	55.40	4011097296043	693
HG	95239000	10.90	4011097611686	237

brand	code no.	Euro	EAN	page
HG	95960000	28.20	4011097696621	231
96				
HG	96006000	2.50	4011097256955	710
HG	96016000	22.10	4011097400204	709
HG	96026000	17.60	4011097136011	711
HG	96026450	28.20	4011097136042	711
HG	96026880	22.10	4011097136073	711
HG	96027000	17.60	4011097684505	711
HG	96027800	28.20	4011097234953	711
HG	96083000	22.10	4011097136264	706
HG	96100000	4.10	4011097136547	709
HG	96153000	22.10	4011097136745	711
HG	96170000	55.40	4011097136844	693
HG	96177880	14.40	4011097158242	695
HG	96179000	8.90	4011097176468	697
HG	96184000	8.20	4011097150512	153
HG	96186000	8.70	4011097161754	696
HG	96188000	4.10	4011097176475	695
HG	96189000	4.10	4011097176482	695
HG	96190000	55.40	4011097176499	693
HG	96190450	67.70	4011097178172	693
HG	96190480	67.70	4011097178165	693
HG	96190840	98.10	4011097178202	693
HG	96190880	67.70	4011097363707	693
HG	96191000	17.60	4011097176505	696
HG	96192000	6.60	4011097249759	694
HG	96193000	4.10	4011097461069	695
HG	96194000	6.60	4011097326207	695
HG	96195000	98.10	4011097284743	693
HG	96195840	196.30	4011097284750	693
HG	96200000	44.90	4011097137100	710
HG	96272000	17.60	4011097414799	695
HG	96324000	17.60	4011097399966	709
HG	96339000	55.40	4011097363295	699
HG	96370000	48.60	4011097345000	331
HG	96387000	55.60	4011097361093	707
HG	96392000	22.10	4011097405704	711
HG	96396000	30.20	4011097367583	707
AX	96441000	127.30	4011097432717	365
AX	96467000	14.40	4011097409405	707
HG	96507000	28.20	4011097603285	708
HG	96529000	14.40	4011097391427	700
HG	96615000	35.80	4011097391502	337
HG	96618000	22.10	4011097441245	706
HG	96657000	8.90	4011097460284	709
HG	96657800	17.60	4011097497372	709
HG	96708000	6.60	4011097436104	697
HG	96919000	55.40	4011097492360	706
HG	96920000	78.90	4011097477930	706
97				
HG	97116000	44.90	4011097475714	696
HG	97231000	14.40	4011097481876	706
HG	97336000	67.70	4011097478609	693
HG	97450000	8.70	4011097487304	151
AX	97462000	28.20	4011097491059	701
HG	97592000	17.60	4011097505954	703
98				
HG	98003000	2.50	4011097137568	710
HG	98058000	2.50	4011097137711	697
HG	98066000	2.50	4011097397344	710
HG	98069000	2.50	4011097137766	710
HG	98556000	22.10	4011097481883	697
AX	98610000	28.20	4011097528601	701
HG	98681000	14.40	4011097545714	696

brand	code no.	Euro	EAN	page
HG	98804000	22.10	4011097568744	699
HG	98806000	4.10	4011097570822	711
HG	98993000	8.20	4011097589657	148

Hand showers



Rainfinity

page 96



Raindance Select E

page 96



Raindance Select S

page 97



Pulsify Select S

page 98



Pulsify S

page 99



Croma Select E

page 100



Croma Select S

page 101



Croma 100

page 102



Crometta

page 103



Crometta 85

page 103



Vernis Blend

page 104



Jocolino

page 105



DogShower

page 106



hansgrohe hand showers

Product ranges at a glance

	Rainfinity		Raindance Select E		Raindance Select S	
						
	Hand shower 130 3jet	Baton hand shower 100 1jet	Hand shower 150 3jet	Hand shower 120 3jet	Hand shower 150 3jet	Hand shower 120 3jet
Finish	-000, -140, -340 -670, -700, -990	-000, -140, -340 -670, -700, -990	-000, -400	-000, -140, -340, -400, -670, -700, -990	-000, -400	-000, -140, -340, -400, -670, -700, -990
Standard	14 l/min	13,8 l/min	16,4 l/min	14,4 l/min	16,4 l/min	15 l/min
EcoSmart 8-9 l/min	■	■	■	■	■	■
Green 6-7 l/min						
Select	■		■	■	■	■
QuickClean	■	■	■	■	■	■
XXL Performance	■		■	■	■	■
AirPower			■	■	■	■
PowderRain	■	■				

page 96

page 96

page 97

	Croma Select S			Croma 100		
						
	Hand shower Multi	Hand shower Vario	Hand shower 1jet	Hand shower Multi	Hand shower Vario	Hand shower 1jet
Finish	-400	-400	-400	-000	-000	-000
Standard	16 l/min	14,7 l/min	16 l/min	19 l/min	18 l/min	16 l/min
EcoSmart 8-9 l/min	■	■	■	■	■	■
Green 6-7 l/min						
Select	■	■				
QuickClean	■	■	■	■	■	■
XXL Performance	■	■	■	■	■	■
AirPower						
PowderRain						

page 101

page 102

Pulsify S

Croma Select E

						
Hand shower 120 3jet PowderRain	Hand shower 105 3jet Relaxation	Hand shower 105 3jet Activation	Hand shower 105 1jet	Hand shower Multi	Hand shower Vario	Hand shower 1jet
-000, -140, -340, -400, -670, -700, -990	-000, -670, -700	-000, -670, -700	-000, -670, -700	-400	-400	-400
11 l/min	11,4 l/min	11,5 l/min	13,5 l/min	16 l/min	14,7 l/min	16 l/min
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■

page 97

page 98

page 100

Crometta

**Vernis
Blend**

Jocolino

**Dog-
Shower**

				
Hand shower Vario	Hand shower 1jet	Hand shower Vario	Children hand shower 2jet	Dog shower 150 3jet Select
-400	-400	-000, -670	-210, -570, -640	-540, -560, -670, -700
13,8 l/min	14 l/min	15,2 l/min	11 l/min	7,6 l/min
■	■	■	■	■
■	■	■	■	■
■	■	■	■	■
■	■	■	■	■
■	■	■	■	■

page 103


page 104

page 105

page 106

Hand showers

Rainfinity



Rainfinity Hand shower 130 3jet


- shower head size: 132 mm
- spray type: PowderRain, Intense PowderRain, MonoRain
- convenient diversion via Select button
- spray disc surface: graphite
- maximum flow rate at 3 bar: 14 l/ min
- minimum flow pressure: 1,1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G ½
- connection dimension: DN15
- suitable for continous flow water heaters

Water saving EcoSmart version:

- Rainfinity Hand shower 130 3jet EcoSmart



finish	code no.	Euro
Chrome	26864000	102.90
Brushed Bronze	26864140	154.40
Brushed Black	26864340	154.40
Chrome		
Matt Black	26864670	133.90
Matt White	26864700	133.90
Polished Gold Optic	26864990	154.40



Rainfinity Baton hand shower 100 1jet

- shower head size: 100 x 38 mm
- spray type: PowderRain
- spray disc surface: graphite
- maximum flow rate at 3 bar: 13,8 l/ min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G ½
- connection dimension: DN15
- suitable for continous flow water heaters

Water saving EcoSmart version:


- Rainfinity Baton hand shower 100 1jet EcoSmart



Chrome	26866000	86.70
Brushed Bronze	26866140	130.00
Brushed Black	26866340	130.00
Chrome		
Matt Black	26866670	112.80
Matt White	26866700	112.80
Polished Gold Optic	26866990	130.00



Raindance Select E



Raindance Select E Hand shower 150 3jet

- shower head size: 150 mm
- spray type: RainAir, CaresseAir, Mix
- convenient diversion via Select button
- easy cleanable plastic spray disc
- maximum flow rate at 3 bar: 16,4 l/ min
- minimum flow pressure: 1,5 bar
- hand shower with 2-shell construction
- with internal water conduction
- rinseable screen seal
- connection thread G ½
- connection dimension: DN15
- suitable for continous flow water heaters
- hand shower can be used with sliders that are infinitely adjustable in the incline. The hand shower should not be used for sliders with two predefined positions.

Water saving EcoSmart version:

- Raindance Select E Hand shower 150 3jet EcoSmart 9 l/ min




Chrome	26550000	118.20
White/Chrome	26550400	118.20



Chrome	26551000	118.20
White/Chrome	26551400	118.20

Measurements within scale drawings are in mm.



Raindance Select E Hand shower 120 3jet

- shower head size: 120 mm
- spray type: RainAir, Rain, Whirl
- convenient diversion via Select button
- easy cleanable plastic spray disc
- maximum flow rate at 3 bar: 14,4 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

finish	code no.	Euro
Chrome	26520000	92.40
Brushed Bronze	26520140	138.70
Brushed Black	26520340	138.70
Chrome		
White/Chrome	26520400	92.40
Matt Black	26520670	129.50
Matt White	26520700	129.50
Polished Gold Optic	26520990	138.70




Water saving EcoSmart version:

- Raindance Select E Hand shower 120 3jet EcoSmart 9 l/min

Chrome	26521000	92.40
White/Chrome	26521400	92.40

Raindance Select S



Raindance Select S Hand shower 150 3jet

- shower head size: 150 mm
- spray type: RainAir, CaresseAir, Mix
- convenient diversion via Select button
- easy cleanable plastic spray disc
- maximum flow rate at 3 bar: 16,4 l/min
- minimum flow pressure: 1,5 bar
- hand shower with 2-shell construction
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters
- hand shower can be used with sliders that are infinitely adjustable in the incline. The hand shower should not be used for sliders with two predefined positions.


Chrome	28587000	118.20
White/Chrome	28587400	118.20



Water saving EcoSmart version:

- Raindance Select S Hand shower 150 3jet EcoSmart 9 l/min

Chrome	28588000	118.20
White/Chrome	28588400	118.20



Raindance Select S Hand shower 120 3jet PowderRain

- shower head size: 125 mm
- spray type: PowderRain, Rain, Whirl
- convenient diversion via Select button
- easy cleanable plastic spray disc
- maximum flow rate at 3 bar: 11 l/min
- minimum flow pressure: 1,2 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

Chrome	26014000	94.30
Brushed Bronze	26014140	141.40
Brushed Black	26014340	141.40
Chrome		
Matt Black	26014670	132.00
Matt White	26014700	132.00
Polished Gold Optic	26014990	141.40




Water saving EcoSmart version:

- Raindance Select S Hand shower 120 3jet PowderRain EcoSmart
- Raindance Select S Hand shower 120 3jet PowderRain Green

Chrome	26515000	94.30
Chrome	26516000	94.30

Hand showers



finish	code no.	Euro
Chrome	26530000	92.40
Brushed Bronze	26530140	138.70
Brushed Black	26530340	138.70
Chrome		
White/Chrome	26530400	92.40
Matt Black	26530670	129.50
Matt White	26530700	129.50
Polished Gold Optic	26530990	138.70

Select

AirPower

Quick Clean

XXL Performance

Water saving EcoSmart version:

· Raindance Select S Hand shower 120 3jet EcoSmart 9 l/min	Chrome	26531000	92.40
	Brushed Bronze	26531140	138.70
	Brushed Black	26531340	138.70
	Chrome		
	White/Chrome	26531400	92.40
	Matt Black	26531670	129.50
	Matt White	26531700	129.50
	Polished Gold Optic	26531990	138.70

Raindance Classic




· Raindance Classic Hand shower 100 3jet	Chrome	28548000	157.00
	Chrome/Gold Optic	28548090	196.50

AirPower

Quick Clean

XXL Performance

Pulsify Select S



· Pulsify Select S Hand shower 105 3jet Activation	Chrome	24100000	35.00
	Matt Black	24100670	45.50
	Matt White	24100700	45.50

· shower head size: 105 mm			
· spray type: PowderRain, IntenseRain, MonoRain			
· convenient diversion via Select button			
· spray disc surface: graphite			
· maximum flow rate at 3 bar: 11,5 l/min			
· minimum flow pressure: 0,08 MPa (hydrodynamic pressure)			
· with internal water conduction			
· rinseable screen insert			
· connection thread G 1/2			
· connection dimension: DN15			

Select

Quick Clean


XXL Performance

Water saving EcoSmart version:

· Pulsify Select S Hand shower 105 3jet Activation EcoSmart	Chrome	24101000	35.00
	Matt Black	24101670	45.50
	Matt White	24101700	45.50

Alternative products:

· Pulsify Select S Hand shower 105 3jet Relaxation	Chrome	24110000	35.00
	Matt Black	24110670	45.50
	Matt White	24110700	45.50
· Pulsify S Hand shower 105 1jet	Chrome	24120000	26.50
	Matt Black	24120670	34.50
	Matt White	24120700	34.50



Pulsify Select S Hand shower 105 3jet Relaxation

- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, Massage spray
- convenient diversion via Select button
- spray disc surface: graphite
- maximum flow rate at 3 bar: 11,4 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen insert
- connection thread G 1/2
- connection dimension: DN15

finish	code no.	Euro
Chrome	24110000	35.00
Matt Black	24110670	45.50
Matt White	24110700	45.50



NEW

Water saving EcoSmart version:

- Pulsify Select S Hand shower 105 3jet Relaxation EcoSmart

Chrome	24111000	35.00
Matt Black	24111670	45.50
Matt White	24111700	45.50

Alternative products:

NEW

- Pulsify Select S Hand shower 105 3jet Activation


Chrome	24100000	35.00
Matt Black	24100670	45.50
Matt White	24100700	45.50

NEW

- Pulsify S Hand shower 105 1jet

Chrome	24120000	26.50
Matt Black	24120670	34.50
Matt White	24120700	34.50

Pulsify S



Pulsify S Hand shower 105 1jet

- shower head size: 105 mm
- spray type: PowderRain
- spray disc surface: graphite
- maximum flow rate at 3 bar: 13,5 l/min
- minimum flow pressure: 0,6 bar
- with internal water conduction
- rinseable screen insert
- connection thread G 1/2
- connection dimension: DN15

Chrome	24120000	26.50
Matt Black	24120670	34.50
Matt White	24120700	34.50



NEW

Water saving EcoSmart version:

- Pulsify S Hand shower 105 1jet Green

Chrome	24121000	26.50
Matt Black	24121670	34.50
Matt White	24121700	34.50

Alternative products:

NEW

- Pulsify Select S Hand shower 105 3jet Activation


Chrome	24100000	35.00
Matt Black	24100670	45.50
Matt White	24100700	45.50

NEW

- Pulsify Select S Hand shower 105 3jet Relaxation

Chrome	24110000	35.00
Matt Black	24110670	45.50
Matt White	24110700	45.50

Croma Select E



Croma Select E Hand shower Multi

- shower head size: 110 mm
- spray type: SoftRain, IntenseRain, Massage spray
- convenient diversion via Select button
- easy cleanable plastic spray disc, spray disc surface: white
- maximum flow rate at 3 bar: 16 l/ min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters


finish	code no.	Euro
White/Chrome	26810400	65.90



Water saving EcoSmart version:

- **Croma Select E** Hand shower Multi EcoSmart 9 l/ min

White/Chrome	26811400	65.90
--------------	----------	-------



Croma Select E Hand shower Vario

- shower head size: 110 mm
- spray type: Rain, IntenseRain, TurboRain
- convenient diversion via Select button
- easy cleanable plastic spray disc, spray disc surface: white
- maximum flow rate at 3 bar: 14,7 l/ min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters

White/Chrome	26812400	50.30
--------------	----------	-------




Water saving EcoSmart version:

- **Croma Select E** Hand shower Vario EcoSmart 9 l/ min

White/Chrome	26813400	50.30
--------------	----------	-------



Croma E



Croma E Hand shower 1jet

- shower head size: 110 mm
- spray type: Rain
- easy cleanable plastic spray disc, spray disc surface: white
- maximum flow rate at 3 bar: 16 l/ min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters

Brushed Bronze	26814140	56.80
Brushed Black	26814340	56.80
Chrome		
White/Chrome	26814400	37.80
Matt Black	26814670	52.90
Matt White	26814700	52.90
Polished Gold Optic	26814990	56.80



Water saving EcoSmart version:


- **Croma E** Hand shower 1jet EcoSmart 9 l/ min

Brushed Bronze	26815140	56.80
Brushed Black	26815340	56.80
Chrome		
White/Chrome	26815400	37.80
Matt Black	26815670	52.90
Matt White	26815700	52.90
Polished Gold Optic	26815990	56.80
White/Chrome	26816400	37.80

- **Croma E** Hand shower 1jet EcoSmart 7 l/ min



Croma Select S



Croma Select S Hand shower Multi

- shower head size: 110 mm
- spray type: SoftRain, IntenseRain, Massage spray
- convenient diversion via Select button
- easy cleanable plastic spray disc, spray disc surface: white
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

finish	code no.	Euro
White/Chrome	26800400	65.90




Water saving EcoSmart version:



- Croma Select S Hand shower Multi EcoSmart 9 l/min

White/Chrome	26801400	65.90
--------------	----------	-------



Croma Select S Hand shower Vario

- shower head size: 110 mm
- spray type: Rain, IntenseRain, TurboRain
- convenient diversion via Select button
- easy cleanable plastic spray disc, spray disc surface: white
- maximum flow rate at 3 bar: 14,7 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

White/Chrome	26802400	50.30
--------------	----------	-------




Water saving EcoSmart version:



- Croma Select S Hand shower Vario EcoSmart 9 l/min

White/Chrome	26803400	50.30
--------------	----------	-------

Croma S



Croma S Hand shower 1jet

- shower head size: 110 mm
- spray type: Rain
- easy cleanable plastic spray disc, spray disc surface: white
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 0,08 MPa (hydrodynamic pressure)
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters

White/Chrome	26804400	37.80
--------------	----------	-------



Water saving EcoSmart version:



- Croma S Hand shower 1jet EcoSmart 9 l/min

White/Chrome	26805400	37.80
--------------	----------	-------




- Croma S Hand shower 1jet EcoSmart 7 l/min

White/Chrome	26806400	37.80
--------------	----------	-------

Hand showers

Croma 100



Croma 100 Hand shower Multi

- shower head size: 100 mm
- spray type: Rain, MonoRain, Massage spray
- spray type adjustment by turning spray disc
- grey spray disc
- maximum flow rate at 3 bar: 19 l/min
- minimum flow pressure: 1,2 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters

finish

Chrome

code no.

28536000

Euro

67.70




Water saving EcoSmart version:

- **Croma 100** Hand shower Multi EcoSmart Chrome 9 l/min

28538000

72.60



Croma 100 Hand shower Vario

- shower head size: 100 mm
- spray type: Rain, normal spray, Shampoo spray, Massage spray
- spray type adjustment by turning spray disc
- grey spray disc
- maximum flow rate at 3 bar: 18 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters

Chrome

28535000

38.10




Water saving EcoSmart version:

- **Croma 100** Hand shower Vario Chrome EcoSmart 9 l/min

28537000

43.20



Croma 100 Hand shower 1jet

- shower head size: 100 mm
- spray type: Rain
- grey spray disc
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters

Chrome

28580000

31.10




Water saving EcoSmart version:

- **Croma 100** Hand shower Mono Chrome EcoSmart 9 l/min

28583000

36.30

Croma 100 Classic



Croma 100 Classic Hand shower Multi

- shower head size: 114 mm
- spray type: Rain, MonoRain, Massage spray
- spray type adjustment by turning spray disc
- grey spray disc
- maximum flow rate at 3 bar: 19 l/min
- minimum flow pressure: 1,2 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters


Chrome

28539000

82.50



Crometta



Crometta Hand shower Vario

- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- easy cleanable plastic spray disc
- maximum flow rate at 3 bar: 13,8 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters


finish	code no.	Euro
White/Chrome	26330400	21.20



Water saving EcoSmart version:

- **Crometta** Hand shower Vario EcoSmart 9 l/min
- **Crometta** Hand shower Vario Green 6 l/min

White/Chrome	26332400	23.40
White/Chrome	26336400	23.40



Crometta Hand shower 1jet

- shower head size: 100 mm
- spray type: Rain
- easy cleanable plastic spray disc
- maximum flow rate at 3 bar: 14 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters

White/Chrome	26331400	18.80
--------------	----------	-------




Water saving EcoSmart version:

- **Crometta** Hand shower 1jet EcoSmart 9 l/min
- **Crometta** Hand shower 1jet Green 6 l/min

White/Chrome	26333400	21.20
White/Chrome	26334400	21.20

Crometta 85




Crometta 85 Hand shower Multi

- shower head size: 85 mm
- spray type: normal spray, Massage spray, MonoRain
- spray type adjustment by turning spray disc
- grey spray disc
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- with internal water conduction
- rinseable screen seal
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters




Chrome	28563000	40.30
--------	----------	-------






Hand showers

		finish	code no.	Euro
	Crometta 85 Hand shower Vario	Chrome	28562000	22.90
	· shower head size: 85 mm · spray type: normal spray, Vario spray · spray type adjustment by turning spray disc · grey spray disc · maximum flow rate at 3 bar: 17 l/ min · minimum flow pressure: 1 bar · rinseable screen seal · connection thread G ½ · connection dimension: DN15 · suitable for continous flow water heaters			
	Crometta 85 Hand shower Mono	Chrome	28585000	18.80
	· shower head size: 85 mm · spray type: normal spray · grey spray disc · maximum flow rate at 3 bar: 16 l/ min · minimum flow pressure: 1 bar · with internal water conduction · rinseable screen seal · connection thread G ½ · connection dimension: DN15 · suitable for continous flow water heaters			
	Water saving EcoSmart version:			
	· Crometta 85 Hand shower Mono Green	Chrome	28561000	29.70
	Vernis Blend Hand shower Vario	Chrome Matt Black	26270000 26270670	19.50 27.30
	· shower head size: 100 mm · spray type: Rain, IntenseRain · spray type adjustment by turning spray disc · easy cleanable plastic spray disc · maximum flow rate at 3 bar: 15,2 l/ min · minimum flow pressure: 1 bar · with internal water conduction · rinseable screen seal · connection thread G ½ · connection dimension: DN15 · suitable for continous flow water heaters			 
	Water saving EcoSmart version:			
	· Vernis Blend Hand shower Vario EcoSmart · Vernis Blend Hand shower Vario Green	Chrome Matt Black Chrome	26340000 26340670 26090000	19.50 27.30 19.50

Measurements within scale drawings are in mm.


		finish	code no.	Euro
NEW 12x 		Vernis Blend Hand shower Vario project pack (12 pcs.) · shower head size: 100 mm · spray type: Rain, IntenseRain · spray type adjustment by turning spray disc · easy cleanable plastic spray disc · maximum flow rate at 3 bar: 15,2 l/ min · minimum flow pressure: 1 bar · with internal water conduction · rinseable screen seal · connection thread G 1/2 · connection dimension: DN15 · suitable for continous flow water heaters · packaging unit: 12 pieces		
		Chrome	26085000	229.00
			 	
Consisting of: · Vernis Blend Hand shower Vario (# 26270000)				
NEW 		Jocolino Children hand shower crocodile 2jet · spray type: Rain, MonoRain · switch spray type by turning the shower head · maximum flow rate at 3 bar: 11 l/ min · flow rate Mono spray (at 3 bar): 9,1 l/ min · flow rate Rain spray (at 3 bar): 11 l/ min · ergonomic handle perfect for smaller hands · googly eyes that interact with the kid · limescale residues on the jets are removed by the rotation when changing spray modes · with internal water conduction · rinseable screen seal · connection thread G 1/2		
			28788570	50.00
				
Optional parts: · Quick-coupling set				
		Black	28346000	12.20
NEW 		Jocolino Children hand shower lion 2jet · spray type: Rain, MonoRain · switch spray type by turning the shower head · maximum flow rate at 3 bar: 11 l/ min · flow rate Mono spray (at 3 bar): 9,1 l/ min · flow rate Rain spray (at 3 bar): 11 l/ min · ergonomic handle perfect for smaller hands · googly eyes that interact with the kid · limescale residues on the jets are removed by the rotation when changing spray modes · with internal water conduction · rinseable screen seal · connection thread G 1/2		
			28760210	50.00
				
Optional parts: · Quick-coupling set				
		Black	28346000	12.20

Hand showers

		finish	code no.	Euro	
NEW  		Jocolino Children hand shower zebra 2jet · spray type: Rain, MonoRain · switch spray type by turning the shower head · maximum flow rate at 3 bar: 11 l/ min · flow rate Mono spray (at 3 bar): 9,1 l/ min · flow rate Rain spray (at 3 bar): 11 l/ min · ergonomic handle perfect for smaller hands · googly eyes that interact with the kid · limescale residues on the jets are removed by the rotation when changing spray modes · with internal water conduction · rinseable screen seal · connection thread G ½	28787640	50.00	
			Quick Clean 		
		Optional parts: · Quick-coupling set	Black	28346000	12.20
DogShower					
 		DogShower Dogs hand shower 150 3jet Select · shower head size: 150 x 63 mm · spray type: fur spray, leg spray, paw spray · spray type alternation: convenient diversion via Select button · maximum flow rate at 3 bar: 7,6 l/ min · minimum function point for proper function in l/ min: 5,7 l/ min · operating pressure: min. 0.2 MPa/ max. 0.6 MPa · minimum flow pressure: 1 bar · elongated, brush-like nozzles (1,5 cm) for thorough cleaning with massage effect · ergonomic design · Water Boost: boost function to increase waterflow when needed · connection dimension: DN15 · rinseable screen seal	Sky Blue Pink Matt Black Matt White	26640540 26640560 26640670 26640700	87.00 87.00 87.00 87.00
			Select  Water Boost  EcoSmart 		
		Optional parts: · Quick-coupling set	Black	28346000	12.20
 		Quick-coupling set · enables quick and easy changing of hand showers · material: plastic · connection dimension DN15	Black	28346000	12.20

Measurements within scale drawings are in mm.

Bidette



Bidette hand shower 1jet
with shower holder and pressure
shower hose 125 cm

- consists of: bidette hand shower, shower holder, chrome-colored shower hose
- maximum flow rate at 3 bar: 6 l/ min
- minimum flow pressure: 1 bar
- with non-return valve
- we recommend using this product with a shut-off valve in the line
- Shower holder of plastic

Consisting of:

- Shower holder Porter S (# 28331000)

Alternative sizes:

- Bidette hand shower 1jet with shower holder and pressure shower hose 160 cm

finish

Chrome

code no.

32129000

Euro


86.40



Chrome

32128000

88.30



Bidette hand shower 1jet
with shower holder and pressure
resistant shower hose 125 cm

- consists of: bidette hand shower, shower holder, chrome-colored shower hose
- maximum flow rate at 3 bar: 6 l/ min
- with non-return valve
- we recommend using this product with a shut-off valve in the line
- additional comment: surface shower hose chrome

Consisting of:

- Shower holder (# 28321000)

Alternative sizes:

- Bidette hand shower 1jet with shower holder and pressure resistant shower hose 160 cm

White/Chrome

32127000

49.20



White/Chrome

32122000

51.90

Shower sets / Shower bars / Shower holder



Shower sets

page 110



Shower sets with
thermostatic mixer
for exposed installation

page 140



Wall bars

page 147



Shower holder sets

page 154



Shower holder

page 163




Fixfit wall outlets

page 164



Rainfinity shower sets



Rainfinity Shower set 130 3jet with shower bar 90 cm and shelf

- consists of: hand shower, shower bar, shelf, shower hose, slider
- shower head size: 130 mm
- spray type: PowderRain, Intense PowderRain, MonoRain
- convenient diversion via Select button
- shelf made of safety glass
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 14 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- wall bar type: flat aluminium profile with safety glass finish
- 41 mm width of shower bar
- profile stand pipe: square
- finish: chrome

Consisting of:

- **Rainfinity** Hand shower 130 3jet (# 26864000)
- **Isiflex** Shower hose 160 cm (# 28276000)
- **Casetta** Soap dish/ shelf E (# 26511000)

Alternative sizes:

- **Rainfinity** Shower set 130 3jet with shower bar 150 cm and shelves

Water saving EcoSmart version:

- **Rainfinity** Shower set 130 3jet EcoSmart with shower bar 90 cm and soap dish

finish

code no.

Euro

Chrome

27671000

374.00



Chrome


27673000

482.30

Chrome

27672000

374.00



Rainfinity Shower set 130 3jet with shower bar 150 cm and shelves

- consists of: hand shower, shower bar, shower hose, slider, shelves
- shower head size: 130 mm
- spray type: PowderRain, Intense PowderRain, MonoRain
- convenient diversion via Select button
- shelf made of safety glass
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 14 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- wall bar type: flat aluminium profile with safety glass finish
- 41 mm width of shower bar
- profile stand pipe: square
- finish: chrome

Consisting of:

- **Rainfinity** Hand shower 130 3jet (# 26864000)
- **Isiflex** Shower hose 160 cm (# 28276000)
- **Casetta** Soap dish/ shelf E (# 26511000)

Alternative sizes:

- **Rainfinity** Shower set 130 3jet with shower bar 90 cm and shelf

Water saving EcoSmart version:

- **Rainfinity** Shower set 130 3jet EcoSmart with shower bar 150 cm and soap dishes

finish

code no.

Euro

Chrome

27673000

482.30



Chrome

27671000


374.00

Chrome

27674000

482.30

Raindance Select E shower sets



Raindance Select E Shower set
150 3jet with shower bar 90 cm
and soap dish

- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 150 mm
- spray type: RainAir, CaresseAir, Mix
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 16,4 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- Raindance Select E Hand shower 150 3jet (# 26550000)
- Unica Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000)
- Casetta Soap dish E (# 26519000)

Alternative sizes:

- Raindance Select E Shower set 150 3jet with shower bar 65 cm and soap dish

Optional parts:

- Wall bar spacer

finish

code no.

Euro

Chrome

27857000

244.10



Chrome


27856000

236.20

Chrome

97450000

8.70



Raindance Select E Shower set
120 3jet with shower bar 90 cm
and soap dish

- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 120 mm
- spray type: RainAir, Rain, Whirl
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 14,4 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- Raindance Select E Hand shower 120 3jet (# 26520XXX)
- Unica Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000)
- Casetta Soap dish E (# 26519000)

Alternative sizes:

- Raindance Select E Shower set 120 3jet with shower bar 65 cm and soap dish

Water saving EcoSmart version:

- Raindance Select E Shower set 120 3jet EcoSmart 9 l/min with shower bar 90 cm and soap dish

Optional parts:

- Wall bar spacer

Chrome

26621000

199.10

White/Chrome

26621400

199.10



Chrome

26620000

192.60

White/Chrome

26620400

192.60

Chrome

26623000

199.10

White/Chrome

26623400


199.10

Chrome

97450000

8.70

Measurements within scale drawings are in mm.



Raindance Select E Shower set 120 3jet with shower bar 65 cm and soap dish

- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 120 mm
- spray type: Rain, RainAir, Whirl
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 14,4 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

finish	code no.	Euro
Chrome	26620000	192.60
White/Chrome	26620400	192.60

Select

AirPower

Quick Clean

XXL Performance

Consisting of:

- **Raindance Select E** Hand shower 120 3jet (# 26520XXX)
- **Unica** Shower bar S Puro 65 cm with Isiflex shower hose 160 cm (# 28632000)
- **Casetta** Soap dish E (# 26519000)

Alternative sizes:

· Raindance Select E Shower set 120 3jet with shower bar 90 cm and soap dish	Chrome	26621000	199.10
	White/Chrome	26621400	199.10



Water saving EcoSmart version:

· Raindance Select E Shower set 120 3jet EcoSmart 9 l/ min with shower bar 65 cm and soap dish	Chrome	26622000	192.60
	White/Chrome	26622400	192.60

Optional parts:

· Wall bar spacer	Chrome	97450000	8.70
-------------------	--------	----------	------

Raindance Select S shower sets



Raindance Select S Shower set 150 3jet with shower bar 90 cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 150 mm
- spray type: RainAir, CaresseAir, Mix
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 16,4 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- 23 mm width of shower bar
- profile stand pipe: square

Chrome	26626000	358.10
White/Chrome	26626400	358.10

Select

AirPower

Quick Clean


XXL Performance


Consisting of:


- **Raindance Select S** Hand shower 150 3jet (# 28587XXX)
- **Unica** Shower bar Raindance 90 cm with Isiflex shower hose 160 cm (# 27636000)

Optional parts:

· Raindance Corner fitting set		28694000	35.00
· Raindance Wall bar spacer	Chrome	98993000	8.20

		Raindance Select S Shower set 150 3jet with shower bar 90 cm and soap dish		Chrome	27803000	242.60
		White/Chrome		27803400	242.60	
		   				
		· consists of: hand shower, shower bar, shower hose, slider, soap dish · shower head size: 150 mm · spray type: RainAir, CaresseAir, Mix · convenient diversion via Select button · 90° position adjustable hand shower holder, pivots left and right, up and down · maximum flow rate at 3 bar: 16 l/min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round				
		Consisting of:				
		· Raindance Select S Hand shower 150 3jet (# 28587XXX) · Unica Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000) · Casetta Soap dish S Puro (# 28679000)				
		Alternative sizes:				
		· Raindance Select S Shower set 150 3jet with shower bar 65 cm and soap dish		Chrome	27802000	235.20
		Optional parts:				
		· Wall bar spacer		Chrome	97450000	8.70

		Raindance Select S Shower set 120 3jet PowderRain with shower bar 90 cm		Chrome	27667000	203.10
		  				
		· consists of: hand shower, shower bar, shower hose, slider, soap dish · shower head size: 125 mm · spray type: PowderRain, Rain, Whirl · convenient diversion via Select button · 90° position adjustable hand shower holder, pivots left and right, up and down · maximum flow rate at 3 bar: 11 l/min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round				
		Consisting of:				
		· Raindance Select S Hand shower 120 3jet PowderRain (# 26014000) · Unica Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000) · Casetta Soap dish S Puro (# 28679000)				
		Alternative sizes:				
		· Raindance Select S Shower set 120 3jet PowderRain with shower bar 65 cm		Chrome	27654000	196.60
		Optional parts:				
		· Wall bar spacer		Chrome	97450000	8.70



- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 125 mm
- spray type: Rain, RainAir, Whirl
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

- **Raindance Select S** Hand shower 120 3jet (# 26530XXX)
- **Unica** Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000)
- **Casetta** Soap dish S Puro (# 28679000)


• **Raindance Select S** Shower set 120
3jet with shower bar 65 cm and soap dish



Raindance Select S Shower set 120
3jet EcoSmart 9 l/min with shower bar
90 cm and soap dish

- Wall bar spacer

finish	code no.	Euro
Chrome	26631000	199.10
White/Chrome	26631400	199.10
 Select  AirPower  Quick Clean  XXL Performance		
Chrome	26630000	192.60
White/Chrome	26630400	192.60
Chrome	26633000	199.10
Chrome	97450000	8.70



- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 125 mm
- spray type: Rain, RainAir, Whirl
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

- **Raindance Select S** Hand shower 120 3jet (# 26530XXX)
- **Unica** Shower bar S Puro 65 cm with Isifix shower hose 160 cm (# 28632000)
- **Casetta** Soap dish S Puro (# 28679000)

• **Raindance Select S** Shower set 120
3jet with shower bar 90 cm and soap dish




Raindance Select S Shower set 120
3jet EcoSmart 9 l/min with shower bar
65 cm and soap dish

- Wall bar spacer

Chrome	26630000	192.60
White/Chrome	26630400	192.60
Select AirPower Quick Clean XXL Performance		
Chrome	26631000	199.10
White/Chrome	26631400	199.10
Chrome	26632000	192.60
Chrome	97450000	8.70

Raindance E shower sets



Raindance Select S Shower set 120 3jet with shower bar 150 cm and soap dishes

- consists of: hand shower, shower bar, shower hose, slider, soap dishes
- shower head size: 125 mm
- spray type: Rain, RainAir, Whirl
- convenient diversion via Select button
- shelf made of safety glass
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- wall bar type: flat aluminium profile with safety glass finish
- 41 mm width of shower bar
- profile stand pipe: square

Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530000)
- **Unica** Shower bar E 150 cm with Isiflex shower hose 160 cm and shelves (# 27645000)
- **Casetta** Soap dish/ shelf E (# 26511000)

Alternative sizes:

- **Raindance Select S** Shower set 120 3jet with shower bar 90 cm and soap dish

finish	code no.	Euro
Chrome	27646000	491.20
		
		



Raindance Select S Shower set 120 3jet with shower bar 90 cm and soap dish

- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 125 mm
- spray type: Rain, RainAir, Whirl
- convenient diversion via Select button
- shelf made of safety glass
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- wall bar type: flat aluminium profile with safety glass finish
- 41 mm width of shower bar
- profile stand pipe: square
- finish: chrome or white

finish	code no.	Euro
Chrome	27648000	376.90
White/Chrome	27648400	376.90
		
		

Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530XXX)
- **Unica** Shower bar E 90 cm with Isiflex shower hose 160 cm (# 27640XXX)
- **Casetta** Soap dish/ shelf E (# 26511XXX)


Alternative sizes:

- **Raindance Select S** Shower set 120 3jet with shower bar 150 cm and soap dishes


Water saving EcoSmart version:

- **Raindance Select S** Shower set 120 3jet EcoSmart 9 l/min with shower bar 90 cm and soap dish

Chrome	27646000	491.20
Chrome	27649000	376.90



Unica Comfort shower sets



Raindance Select S Shower set 120 3jet with shower bar 110 cm left

- consists of: hand shower, shower bar, storage basket, shower hose, slider
- shower head size: 125 mm
- spray type: RainAir, Rain, Whirl
- convenient diversion via Select button
- shelf made of plastic, finish white
- shelf can be removed for cleaning
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of metal
- wallbar could be also used as grab bar - load capacity of 200 kg
- stand pipe length: 1100 mm
- shower bar diameter: 25 mm
- profile stand pipe: round
- shower holder can be removed
- metal hand shower holder

Consisting of:

- Raindance Select S Hand shower 120 3jet (# 26530000)
- Unica Shower bar Comfort 110 cm left (# 26403400)
- Isiflex Shower hose 160 cm (# 28276000)

Alternative sizes:

- Raindance Select S Shower set 120 3jet with shower bar 110 cm right

Optional parts:

- Unica Foot support Comfort

finish	code no.	Euro	
Chrome	26324000	412.60	
			

Chrome	26326000	412.60
Chrome	26329000	153.30



Raindance Select S Shower set 120 3jet with shower bar 110 cm right

- consists of: hand shower, shower bar, storage basket, shower hose, slider
- shower head size: 125 mm
- spray type: RainAir, Rain, Whirl
- convenient diversion via Select button
- shelf made of plastic, finish white
- shelf can be removed for cleaning
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 15 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of metal
- wallbar could be also used as grab bar - load capacity of 200 kg
- stand pipe length: 1100 mm
- shower bar diameter: 25 mm
- profile stand pipe: round
- shower holder can be removed
- metal hand shower holder

Consisting of:

- **Unica** Shower bar Comfort 110 cm right (# 26404400)
- **Raindance Select S** Hand shower 120 3jet (# 26530000)
- **Isiflex** Shower hose 160 cm (# 28276000)


Alternative sizes:

- **Raindance Select S** Shower set 120 3jet with shower bar 110 cm left


Optional parts:

- **Unica** Foot support Comfort

finish	code no.	Euro
Chrome	26326000	412.60
		
		



Chrome	26324000	412.60
Chrome	26329000	153.30



Raindance Select S Shower set 120 3jet with shower bar 65 cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 125 mm
- spray type: Rain, RainAir, Whirl
- convenient diversion via Select button
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of metal
- wallbar could be also used as grab bar - load capacity of 200 kg
- stand pipe length: 700 mm
- shower bar diameter: 25 mm
- profile stand pipe: round
- metal hand shower holder

Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530000)
- **Unica** Shower bar Comfort 65 cm (# 26401000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Raindance Select S** Shower set 120 3jet with shower bar 90 cm
- **Raindance Select S** Shower set 120 3jet EcoSmart 9 l/min with shower bar 90 cm

Optional parts:

- **Unica** Grab handle Comfort with shelf and shower holder
- **Unica** Foot support Comfort


finish	code no.	Euro	
Chrome	26320000	282.90	
			



Chrome	26322000	294.70
White/Chrome	26322400	294.70
Chrome	26323000	294.70
White/Chrome	26328400	149.40
Chrome	26329000	153.30

Pulsify Select S shower sets

NEW



NEW

NEW

NEW



NEW

Pulsify Select S Shower set
105 3jet Relaxation with shower bar 65 cm

- consists of: hand shower, slider, shower bar, shower hose
- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, Massage spray
- convenient diversion via Select button
- maximum flow rate at 3 bar: 11,4 l/min
- minimum flow pressure: 1 bar
- wall supports of plastic
- stand pipe length: 669 mm
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 625 mm
- height-adjustable slider with locking push-button slider

Consisting of:

- **Pulsify Select S** Hand shower 105 3jet Relaxation (# 24110XXX)
- **Unica** Shower bar Pulsify S 65 cm with push slider and Isiflex shower hose 160 cm (# 24400000)

Alternative sizes:

- **Pulsify Select S** Shower set 105 3jet Relaxation with shower bar 90 cm


finish	code no.	Euro
Chrome	24160000	95.00
Matt Black	24160670	133.00
Matt White	24160700	133.00

Water saving EcoSmart version:

- **Pulsify Select S** Shower set 105 3jet Relaxation EcoSmart with shower bar 65 cm

Chrome	24161000	95.00
Matt Black	24161670	133.00
Matt White	24161700	133.00

NEW



NEW

NEW

NEW



NEW

Pulsify Select S Shower set
105 3jet Relaxation with shower bar 90 cm

- consists of: hand shower, slider, shower bar, shower hose
- shower head size: 105 mm
- spray type: PowderRain, IntenseRain, Massage spray
- convenient diversion via Select button
- maximum flow rate at 3 bar: 11,4 l/min
- minimum flow pressure: 1 bar
- wall supports of plastic
- stand pipe length: 959 mm
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 915 mm
- height-adjustable slider with locking push-button slider

Consisting of:

- **Pulsify Select S** Hand shower 105 3jet Relaxation (# 24110XXX)
- **Unica** Shower bar Pulsify S 90 cm with push slider and Isiflex shower hose 160 cm (# 24401000)

Alternative sizes:

- **Pulsify Select S** Shower set 105 3jet Relaxation with shower bar 65 cm

Chrome	24170000	110.00
Matt Black	24170670	154.00
Matt White	24170700	154.00




Water saving EcoSmart version:

- **Pulsify Select S** Shower set 105 3jet Relaxation EcoSmart with shower bar 90 cm

Chrome	24171000	110.00
Matt Black	24171670	154.00
Matt White	24171700	154.00

Croma Select E shower sets



Croma Select E Shower set
Multi with shower bar 90 cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: SoftRain, IntenseRain, Massage spray
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 16 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma Select E** Hand shower Multi (# 26810400)
- **Unica** Shower bar Croma 90 cm (# 26506000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Croma Select E** Shower set Multi with shower bar 65 cm

Water saving EcoSmart version:

- **Croma Select E** Shower set Multi EcoSmart 9 l/ min with shower bar 90 cm

Optional parts:

- Wall bar spacer

finish


code no.

Euro

White/Chrome

26590400

133.80



Croma Select E Shower set
Multi with shower bar 65 cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: SoftRain, IntenseRain, Massage spray
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 16 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma Select E** Hand shower Multi (# 26810400)
- **Unica** Shower bar Croma 65 cm (# 26505000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Croma Select E** Shower set Multi with shower bar 90 cm

Water saving EcoSmart version:

- **Croma Select E** Shower set Multi EcoSmart 9 l/ min with shower bar 65 cm

Optional parts:


- Wall bar spacer

White/Chrome

26580400

127.50





Croma Select E Shower set
Vario with shower bar 90 cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: TurboRain, IntenseRain, Rain
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 14,7 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma Select E** Hand shower Vario (# 26812400)
- **Unica** Shower bar Croma 90 cm (# 26506000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Croma Select E** Shower set Vario with shower bar 65 cm

Water saving EcoSmart version:




- **Croma Select E** Shower set Vario EcoSmart 9 l/ min with shower bar 90 cm

Optional parts:

- Wall bar spacer

finish	code no.	Euro
White/Chrome	26592400	118.20
		

White/Chrome	26582400	111.70
White/Chrome	26593400	118.20
Chrome	97450000	8.70



Croma Select E Shower set Vario with shower bar 65 cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: TurboRain, IntenseRain, Rain
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 14,7 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma Select E** Hand shower Vario (# 26812400)
- **Unica** Shower bar Croma 65 cm (# 26505000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Croma Select E** Shower set Vario with shower bar 90 cm

Water saving EcoSmart version:

- **Croma Select E** Shower set Vario EcoSmart 9 l/min with shower bar 65 cm

Alternative products:

- **Croma Select E** Shower set Vario with shower bar 65 cm and soap dish

Optional parts:

- Wall bar spacer

finish code no. Euro

White/Chrome 26582400 111.70





White/Chrome 26592400 118.20

White/Chrome 26583400 111.70


White/Chrome 26586400 118.20

Chrome 97450000 8.70

		finish	code no.	Euro
 	Croma Select E Shower set 1jet with shower bar 90 cm	White/Chrome	26594400	105.60
	· consists of: hand shower, shower bar, shower hose, slider · shower head size: 110 mm · spray type: Rain · hand shower holder inclination angle can be adjusted by 45° · maximum flow rate at 3 bar: 16 l/ min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round		 	
	Consisting of: · Croma E Hand shower 1jet (# 26814400) · Unica Shower bar Croma 90 cm with Isiflex shower hose 160 cm (# 26504000)			
	Alternative sizes: · Croma Select E Shower set 1jet with shower bar 65 cm	White/Chrome	26584400	99.30
 	Water saving EcoSmart version: · Croma Select E Shower set 1jet EcoSmart 9 l/ min with shower bar 90 cm	White/Chrome	26595400	105.60
	Optional parts: · Wall bar spacer	Chrome	97450000	8.70
	Croma Select E Shower set 1jet with shower bar 65 cm	White/Chrome	26584400	99.30
	· consists of: hand shower, shower bar, shower hose, slider · shower head size: 110 mm · spray type: Rain · hand shower holder inclination angle can be adjusted by 45° · maximum flow rate at 3 bar: 16 l/ min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round		 	
	Consisting of: · Croma E Hand shower 1jet (# 26814400) · Unica Shower bar Croma 65 cm with Isiflex shower hose 160 cm (# 26503000)			
	Alternative sizes: · Croma Select E Shower set 1jet with shower bar 90 cm	White/Chrome	26594400	105.60
	Water saving EcoSmart version: · Croma Select E Shower set 1jet EcoSmart 9 l/ min with shower bar 65 cm	White/Chrome	26585400	99.30
	Optional parts: · Wall bar spacer	Chrome	97450000	8.70

Measurements within scale drawings are in mm.

Technical specifications and units of measure are subject to change.



Cromia Select E Shower set
Vario with shower bar 65 cm
and soap dish

- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 110 mm
- spray type: TurboRain, IntenseRain, Rain
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 14,7 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Cromia Select E** Hand shower Vario (# 26812400)
- **Unica** Shower bar Cromia 65 cm with Isiflex shower hose 160 cm (# 26503000)
- **Casetta** Soap dish E (# 26519000)

Alternative products:

- **Cromia Select E** Shower set Vario with shower bar 65 cm

Optional parts:

- Wall bar spacer

finish

code no.

Euro

White/Chrome

26586400

118.20



White/Chrome

26582400


111.70

Chrome

97450000

8.70

Cromia Select S shower sets



Cromia Select S Shower set
Multi with shower bar 90 cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: SoftRain, IntenseRain, Massage spray
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Cromia Select S** Hand shower Multi (# 26800400)
- **Unica** Shower bar Cromia 90 cm with Isiflex shower hose 160 cm (# 26504000)

Alternative sizes:

- **Cromia Select S** Shower set Multi with shower bar 65 cm

Water saving EcoSmart version:

- **Cromia Select S** Shower set Multi EcoSmart 9 l/min with shower bar 90 cm

Optional parts:

- Wall bar spacer

White/Chrome

26570400

133.80



White/Chrome

26560400

127.50

White/Chrome



26571400


133.80

Chrome

97450000

8.70

		finish	code no.	Euro
 	Croma Select S Shower set Multi with shower bar 65 cm · consists of: hand shower, shower bar, shower hose, slider · shower head size: 110 mm · spray type: SoftRain, IntenseRain, Massage spray · convenient diversion via Select button · hand shower holder inclination angle can be adjusted by 45° · maximum flow rate at 3 bar: 16 l/ min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round	White/Chrome	26560400	127.50
	Consisting of: · Croma Select S Hand shower Multi (# 26800400) · Unica Shower bar Croma 65 cm with Isiflex shower hose 160 cm (# 26503000)		  	
	Alternative sizes: · Croma Select S Shower set Multi with shower bar 90 cm	White/Chrome	26570400	133.80
	 Water saving EcoSmart version: · Croma Select S Shower set Multi EcoSmart 9 l/ min with shower bar 65 cm	White/Chrome	26561400	127.50
	Optional parts: · Wall bar spacer	Chrome	97450000	8.70
 	Croma Select S Shower set Vario with shower bar 90 cm · consists of: hand shower, shower bar, shower hose, slider · shower head size: 110 mm · spray type: Rain, TurboRain, IntenseRain · convenient diversion via Select button · hand shower holder inclination angle can be adjusted by 45° · maximum flow rate at 3 bar: 14,7 l/ min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round	White/Chrome	26572400	118.20
	Consisting of: · Croma Select S Hand shower Vario (# 26802400) · Unica Shower bar Croma 90 cm with Isiflex shower hose 160 cm (# 26504000)		  	
	Alternative sizes: · Croma Select S Shower set Vario with shower bar 65 cm	White/Chrome	26562400	111.70
	 Water saving EcoSmart version: · Croma Select S Shower set Vario EcoSmart 9 l/ min with shower bar 90 cm	White/Chrome	26573400	118.20
	Optional parts: · Wall bar spacer	Chrome	97450000	8.70



Cromia Select S Shower set Vario with shower bar 65 cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: Rain, IntenseRain, TurboRain
- convenient diversion via Select button
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Cromia Select S** Hand shower Vario (# 26802400)
- **Unica** Shower bar Cromia 65 cm with Isiflex shower hose 160 cm (# 26503000)

Alternative sizes:

- **Cromia Select S** Shower set Vario with shower bar 90 cm

Water saving EcoSmart version:

- **Cromia Select S** Shower set Vario EcoSmart 9 l/min with shower bar 65 cm

Alternative products:

- **Cromia Select S** Shower set Vario with shower bar 65 cm and soap dish

Optional parts:

- Wall bar spacer

finish


code no.

Euro

White/Chrome

26562400

111.70



Cromia Select S Shower set 1jet with shower bar 90 cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 110 mm
- spray type: Rain
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Cromia S** Hand shower 1jet (# 26804400)
- **Unica** Shower bar Cromia 90 cm with Isiflex shower hose 160 cm (# 26504000)

Alternative sizes:

- **Cromia Select S** Shower set 1jet with shower bar 65 cm

Water saving EcoSmart version:

- **Cromia Select S** Shower set 1jet EcoSmart 9 l/min with shower bar 90 cm

Optional parts:



- Wall bar spacer

White/Chrome


26574400

105.60



		finish	code no.	Euro
 	Croma Select S Shower set 1jet with shower bar 65 cm · consists of: hand shower, shower bar, shower hose, slider · shower head size: 110 mm · spray type: Rain · hand shower holder inclination angle can be adjusted by 45° · maximum flow rate at 3 bar: 16 l/ min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round	White/Chrome	26564400	99.30
	Consisting of: · Croma S Hand shower 1jet (# 26804400) · Unica Shower bar Croma 65 cm with Isiflex shower hose 160 cm (# 26503000)		 	
	Alternative sizes: · Croma Select S Shower set 1jet with shower bar 90 cm	White/Chrome	26574400	105.60
	 Water saving EcoSmart version: · Croma Select S Shower set 1jet EcoSmart 9 l/ min with shower bar 65 cm	White/Chrome	26565400	99.30
 	Croma Select S Shower set Vario with shower bar 65 cm and soap dish · consists of: hand shower, shower bar, shower hose, slider, soap dish · shower head size: 110 mm · spray type: Rain, TurboRain, IntenseRain · convenient diversion via Select button · hand shower holder inclination angle can be adjusted by 45° · maximum flow rate at 3 bar: 14,7 l/ min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round	White/Chrome	26566400	118.20
	Consisting of: · Croma Select S Hand shower Vario (# 26802400) · Unica Shower bar Croma 65 cm with Isiflex shower hose 160 cm (# 26503000) · Casetta Soap dish C (# 28678000)		  	
	Alternative products: · Croma Select S Shower set Vario with shower bar 65 cm	White/Chrome	26562400	111.70
	Optional parts: · Wall bar spacer	Chrome	97450000	8.70

Croma 100 shower sets



Croma 100 Shower set Multi with shower bar 90 cm and soap dish

- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 100 mm
- spray type: Rain, MonoRain, Massage spray
- spray type adjustment by turning spray disc
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 19 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma 100** Hand shower Multi (# 28536000)
- **Unica** Shower bar C 90 cm with Isiflex shower hose 160 cm (# 27610000)
- **Casetta** Soap dish C (# 28678000)

Optional parts:

- Wall bar spacer

finish


Chrome

code no.

27774000

Euro

144.00



Croma 100 Shower set Vario with shower bar 90 cm and soap dish

- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 100 mm
- spray type: Rain, Shampoo spray, normal spray, Massage spray
- spray type adjustment by turning spray disc
- 90° position adjustable hand shower holder, pivots left and right, up and down
- maximum flow rate at 3 bar: 18 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Croma 100** Hand shower Vario (# 28535000)
- **Unica** Shower bar C 90 cm with Isiflex shower hose 160 cm (# 27610000)
- **Casetta** Soap dish C (# 28678000)

Alternative sizes:

- **Croma 100** Shower set Vario with shower bar 65 cm and soap dish

Water saving EcoSmart version:

- **Croma 100** Shower set Vario EcoSmart 9 l/min with shower bar 90 cm and soap dish



Optional parts:



- Wall bar spacer



Chrome


27771000

115.40



		finish	code no.	Euro
 	Croma 100 Shower set Vario with shower bar 65 cm and soap dish	Chrome	27772000	106.40
	· consists of: hand shower, shower bar, shower hose, slider, soap dish · shower head size: 100 mm · spray type: Rain, Shampoo spray, normal spray, Massage spray · spray type adjustment by turning spray disc · 90° position adjustable hand shower holder, pivots left and right, up and down · maximum flow rate at 3 bar: 18 l/min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round		 	
	Consisting of: · Croma 100 Hand shower Vario (# 28535000) · Unica Shower bar C 65 cm with Isiflex shower hose 160 cm (# 27611000) · Casetta Soap dish C (# 28678000)			
	Alternative sizes: · Croma 100 Shower set Vario with shower bar 90 cm and soap dish	Chrome	27771000	115.40
	 Water saving EcoSmart version: · Croma 100 Shower set Vario EcoSmart 9 l/min with shower bar 65 cm and soap dish	Chrome	27776000	116.30
	Optional parts: · Wall bar spacer	Chrome	97450000	8.70
 	Croma 100 Shower set Mono with shower bar 90 cm and soap dish	Chrome	27724000	100.20
	· consists of: hand shower, shower bar, shower hose, slider, soap dish · shower head size: 100 mm · spray type: Rain · 90° position adjustable hand shower holder, pivots left and right, up and down · maximum flow rate at 3 bar: 16 l/min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round		 	
	Consisting of: · Croma 100 Hand shower 1jet (# 28580000) · Unica Shower bar C 90 cm with Isiflex shower hose 160 cm (# 27610000) · Casetta Soap dish C (# 28678000)			
	Alternative sizes: · Croma 100 Shower set Mono with shower bar 65 cm and soap dish	Chrome	27717000	92.20
	Optional parts: · Wall bar spacer	Chrome	97450000	8.70

		finish	code no.	Euro
 	Croma 100 Shower set Mono with shower bar 65 cm and soap dish · consists of: hand shower, shower bar, shower hose, slider, soap dish · shower head size: 100 mm · spray type: Rain · 90° position adjustable hand shower holder, pivots left and right, up and down · maximum flow rate at 3 bar: 16 l/min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round	Chrome	27717000	92.20
	Consisting of: · Croma 100 Hand shower 1jet (# 28580000) · Unica Shower bar C 65 cm with Isiflex shower hose 160 cm (# 27611000) · Casetta Soap dish C (# 28678000)			
	Alternative sizes: · Croma 100 Shower set Mono with shower bar 90 cm and soap dish	Chrome	27724000	100.20
	Optional parts: · Wall bar spacer	Chrome	97450000	8.70
Crometta shower sets				
 	Crometta Shower set Vario with shower bar 90 cm · consists of: hand shower, shower bar, shower hose, slider · shower head size: 100 mm · spray type: Rain, IntenseRain · spray type adjustment by turning spray disc · hand shower holder inclination angle can be adjusted by 45° · maximum flow rate at 3 bar: 13,8 l/min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round · drilling distance 915 mm	White/Chrome	26536400	57.70
	Consisting of: · Crometta Hand shower Vario (# 26330400) · Unica Shower bar Croma 90 cm (# 26506000) · Isiflex Shower hose 160 cm (# 28276000)			
	Alternative sizes: · Crometta Shower set Vario with shower bar 65 cm	White/Chrome	26532400	51.60
	 Water saving EcoSmart version: · Crometta Shower set Vario EcoSmart 9 l/min with shower bar 90 cm	White/Chrome	26538400	59.80
	Optional parts: · Wall bar spacer	Chrome	97450000	8.70



**Crometta Shower set Vario
with shower bar 65 cm**

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 13,8 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 625 mm

Consisting of:

- **Crometta** Hand shower Vario (# 26330400)
- **Unica** Shower bar Croma 65 cm (# 26505000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Crometta** Shower set Vario with shower bar 90 cm

Water saving EcoSmart version:



- **Crometta** Shower set Vario EcoSmart 9 l/ min with shower bar 65 cm



- **Crometta** Shower set Vario Green 6 l/ min with shower bar 65 cm


Alternative products:

- **Crometta** Shower set Vario with shower bar 65 cm and soap dish

Optional parts:

- Wall bar spacer

finish	code no.	Euro
White/Chrome	26532400	51.60
Quick Clean XXL Performance		
White/Chrome	26536400	57.70
White/Chrome	26534400	54.10
White/Chrome	26555400	54.10
White/Chrome	26553400	57.70
Chrome	97450000	8.70



Crometta Shower set Vario
with shower bar 65 cm
and soap dish

- consists of: hand shower, shower bar, shower hose, slider, soap dish
- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 13,8 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Crometta** Hand shower Vario (# 26330400)
- **Unica** Shower bar Cromia 65 cm (# 26505000)
- **Isiflex** Shower hose 160 cm (# 28276000)
- **Casetta** Soap dish C (# 28678000)

Alternative products:


- **Crometta** Shower set Vario with shower bar 65 cm

Optional parts:

- Wall bar spacer

finish code no. Euro

White/Chrome 26553400 57.70



Crometta Shower set 1jet
with shower bar 90 cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 100 mm
- spray type: Rain
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 14 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of plastic
- shower bar diameter: 22 mm
- profile stand pipe: round

Consisting of:

- **Crometta** Hand shower 1jet (# 26331400)
- **Unica** Shower bar Cromia 90 cm (# 26506000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Crometta** Shower set 1jet with shower bar 65 cm

Water saving EcoSmart version:

- **Crometta** Shower set 1jet EcoSmart 9 l/ min with shower bar 90 cm

Optional parts:

- Wall bar spacer



White/Chrome 26537400 55.20





White/Chrome 26533400 49.30

White/Chrome 26539400 57.70

Chrome 97450000 8.70


		finish	code no.	Euro
 	Crometta Shower set 1jet with shower bar 65 cm · consists of: hand shower, shower bar, shower hose, slider · shower head size: 100 mm · spray type: Rain · hand shower holder inclination angle can be adjusted by 45° · maximum flow rate at 3 bar: 14 l/min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round	White/Chrome	26533400	49.30
	Consisting of: · Crometta Hand shower 1jet (# 26331400) · Unica Shower bar Croma 65 cm (# 26505000) · Isiflex Shower hose 160 cm (# 28276000)			
	Alternative sizes: · Crometta Shower set 1jet with shower bar 90 cm	White/Chrome	26537400	55.20
	 Water saving EcoSmart version: · Crometta Shower set 1jet EcoSmart 9 l/min with shower bar 65 cm	White/Chrome	26535400	51.60
	 · Crometta Shower set 1jet Green 6 l/min with shower bar 65 cm	White/Chrome	26554400	51.60
	Optional parts: · Wall bar spacer	Chrome	97450000	8.70
Crometta 85 shower sets				
 	Crometta 85 Shower set Multi with shower bar 90 cm · consists of: hand shower, shower bar, shower hose, slider · shower head size: 85 mm · spray type: Massage spray, MonoRain, normal spray · spray type adjustment by turning spray disc · 90° position adjustable hand shower holder, pivots left and right, up and down · maximum flow rate at 3 bar: 16 l/min · minimum flow pressure: 1 bar · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round	Chrome	27766000	80.50
	Consisting of: · Crometta 85 Hand shower Multi (# 28563000) · Unica Shower bar Crometta 90 cm with Metaflex shower hose 160 cm (# 27614000)			
	Alternative sizes: · Crometta 85 Shower set Multi with shower bar 65 cm	Chrome	27767000	76.80
	Optional parts: · Casetta Soap dish C · Wall bar spacer	Chrome Chrome	28678000 97450000	15.70 8.70

		finish	code no.	Euro
		Crometta 85 Shower set Vario with shower bar 90 cm		
		· consists of: hand shower, shower bar, shower hose, slider · shower head size: 85 mm · spray type: normal spray, Vario spray · spray type adjustment by turning spray disc · 90° position adjustable hand shower holder, pivots left and right, up and down · maximum flow rate at 3 bar: 17 l/min · minimum flow pressure: 1 bar · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round		
		Consisting of: · Crometta 85 Hand shower Vario (# 28562000) · Unica Shower bar Crometta 90 cm with Metaflex shower hose 160 cm (# 27614000)		
		Alternative sizes: · Crometta 85 Shower set Vario with shower bar 65 cm		
		Crometta 85 Shower set Vario with shower bar 65 cm and soap dish		
		· consists of: hand shower, shower bar, shower hose, slider, soap dish · shower head size: 85 mm · spray type: normal spray, Vario spray · spray type adjustment by turning spray disc · 90° position adjustable hand shower holder, pivots left and right, up and down · maximum flow rate at 3 bar: 17 l/min · minimum flow pressure: 1 bar · wall mounting: screw fastening · wall supports of plastic · shower bar diameter: 22 mm · profile stand pipe: round		
		Consisting of: · Crometta 85 Hand shower Vario (# 28562000) · Unica Shower bar Crometta 65 cm with Metaflex shower hose 160 cm (# 27615000) · Casetta Soap dish S (# 28684000)		
		Optional parts: · Wall bar spacer		
		Chrome	27762000	65.00
		Chrome	27763000	61.20
		Chrome	28678000	15.70
		Chrome	97450000	8.70
		Chrome	27764000	67.80
		Chrome	97450000	8.70

Vernis Blend shower sets

NEW





max. 268
*max. 284
44
*22
669
*718
625
22
*47
Ø 22
*26275670

Vernis Blend Shower set Vario with shower bar Crometta 65 cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 15,2 l/ min
- minimum flow pressure: 1 bar
- wall supports of plastic
- stand pipe length: 669 mm
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 625 mm

Consisting of:

- **Unica** Shower bar Crometta 65 cm with Metaflex shower hose 160 cm (# 27615000)
- **Vernis Blend** Hand shower Vario (# 26270000)



NEW

Water saving EcoSmart version:

· **Vernis Blend** Shower set Vario EcoSmart with shower bar Crometta 65 cm

Alternative products:


· **Vernis Blend** Shower set Vario with shower bar 65 cm

finish	code no.	Euro
Chrome	26275000	47.90



NEW





max. 290
22
718
625
47
Ø 22

Vernis Blend Shower set Vario with shower bar 65 cm

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 15,2 l/ min
- minimum flow pressure: 1 bar
- wall supports of plastic
- stand pipe length: 718 mm
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 625 mm

Consisting of:

- **Unica** Shower bar S Puro 65 cm with Isiflex shower hose 160 cm (# 28632670)
- **Vernis Blend** Hand shower Vario (# 26270670)



NEW

Water saving EcoSmart version:


· **Vernis Blend** Shower set Vario EcoSmart with shower bar S Puro 65 cm

Alternative products:

· **Vernis Blend** Shower set Vario with shower bar Crometta 65 cm

Matt Black	26422670	67.10
------------	----------	-------





NEW

Vernis Blend Shower set Vario
with shower bar 65 cm project
pack (6 pieces)

- consists of: hand shower, shower bar, shower hose, slider
- shower head size: 100 mm
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 15,2 l/min
- minimum flow pressure: 1 bar
- wall supports of plastic
- stand pipe length: 669 mm
- shower bar diameter: 22 mm
- profile stand pipe: round
- drilling distance 625 mm
- packaging unit: 6 pieces


Consisting of:

- **Vernis Blend** Shower set Vario with shower bar Crometta 65 cm (# 26275000)

finish	code no.	Euro
Chrome	26371000	282.00



Raindance Select S shower sets with thermostatic mixer for exposed installation



Raindance Select S Shower system for exposed installation 150 with Ecostat Select thermostat and shower bar 90 cm

- consists of: hand shower, shower thermostat, shower bar, slider, soap dish, shower hose
- shower head size: 150 mm
- convenient diversion via Select button
- spray type hand shower: RainAir, CaresseAir, Mix
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down
- in case of installation on existing G 3/4 connections, adaptor # 02026000 must be used
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer

Consisting of:

- **Ecostat Select** Shower thermostat for exposed installation (# 13161XXX)
- **Raindance Select S** Hand shower 150 3jet (# 28587XXX)
- **Unica** Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000)
- **Casetta** Soap dish S Puro (# 28679000)

Alternative sizes:

- **Raindance Select S** Shower system for exposed installation 150 with Ecostat Select thermostat and shower bar 65 cm

Optional parts:

- S-connections adapter G 3/4 for renovation

finish	code no.	Euro
Chrome	27037000	559.00
White/Chrome	27037400	559.00
		
		

Chrome	27036000	551.20
White/Chrome	27036400	551.20
Chrome	02026000	32.20

Pulsify Select S shower sets with thermostatic mixer for exposed installation

finish

code no.

Euro

NEW



red dot winner 2021

Pulsify Select S Shower system
105 3jet Relaxation with hand
shower, thermostat, shower bar
65 cm, slider and shower hose

Chrome

24260000

430.00



available from
April 2022

- consists of: hand shower, shower thermostat, shower bar, slider, shower hose
- shower head size: 105 mm
- convenient diversion via Select button
- spray type hand shower: PowderRain, IntenseRain, Massage spray
- maximum flow rate at 3 bar: 11,4 l/min
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer

Consisting of:

- NEW · **Pulsify Select S** Hand shower 105 3jet Relaxation (# 24110000)
- NEW · **ShowerTablet Select** Shower thermostat 400 for exposed installation (# 24360000)
- NEW · **Unica** Shower bar Pulsify S 65 cm with push slider and Isiflex shower hose 160 cm (# 24400000)

Alternative sizes:


- NEW · **Pulsify Select S** Shower system 105 3jet Relaxation with hand shower, thermostat, shower bar 90 cm, slider and shower hose

Chrome

24270000

445.00

Croma Select E shower sets with thermostatic mixer for exposed installation



Croma Select E Shower system
for exposed installation Vario
with Ecostat Comfort thermostat
and shower bar 90 cm

White/Chrome

27082400

295.20



- consists of: hand shower, shower thermostat, shower bar, slider, shower hose
- shower head size: 110 mm
- convenient diversion via Select button
- spray type hand shower: Rain, TurboRain, IntenseRain
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- hand shower holder inclination angle can be adjusted by 45°

Consisting of:

- **Ecostat** Shower thermostat Comfort for exposed installation (# 13116000)
- **Croma Select E** Hand shower Vario (# 26812400)
- **Unica** Shower bar Croma 90 cm (# 26506000)
- **Isiflex** Shower hose 160 cm (# 28276000)



Alternative sizes:


- **Croma Select E** Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm


White/Chrome

27081400

289.10

Croma Select S shower sets with thermostatic mixer for exposed installation			finish	code no.	Euro
	Croma Select S Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm		White/Chrome	27014400	295.20
	· consists of: hand shower, shower thermostat, shower bar, slider, shower hose · shower head size: 110 mm · convenient diversion via Select button · spray type hand shower: Rain, IntenseRain, TurboRain · maximum flow rate at 3 bar: 15 l/min · minimum flow pressure: 1 bar · profile stand pipe: round · shower bar diameter: 22 mm · pivot connector prevent hose from tangling · hand shower holder inclination angle can be adjusted by 45°		 		
	Consisting of: · Croma Select S Hand shower Vario (# 26802400) · Unica Shower bar Croma 90 cm with Isiflex shower hose 160 cm (# 26504000) · Ecostat Shower thermostat Comfort for exposed installation (# 13116000)				
	Alternative sizes: · Croma Select S Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm				
	Croma Select S Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 72 cm		White/Chrome	27833400	248.40
	· consists of: hand shower, shower thermostat, shower bar, slider, shower hose · shower head size: 110 mm · convenient diversion via Select button · spray type hand shower: Rain, IntenseRain, TurboRain · maximum flow rate at 3 bar: 14,7 l/min · minimum flow pressure: 1,2 bar · profile stand pipe: round · shower bar diameter: 22 mm · variable drilling hole distance: 400 - 660 mm · pivot connector prevent hose from tangling · 90° position adjustable hand shower holder, pivots left and right, up and down · wall supports of plastic		 		
	Consisting of: · Croma Select S Hand shower Vario (# 26802400) · Ecostat Shower thermostat 1001 CL for exposed installation (# 13211000) · Unica Shower bar Varia 72 cm (# 27355000) · Isiflex Shower hose 160 cm (# 28276000)				

Croma 100 shower sets with thermostatic mixer for exposed installation		finish	code no.	Euro
	Croma 100 Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm	Chrome	27035000	334.20
	· consists of: hand shower, shower thermostat, shower bar, slider, soap dish, shower hose · shower head size: 100 mm · spray type adjustment by turning spray disc · spray type hand shower: normal spray, Rain, Massage spray, Shampoo spray · maximum flow rate at 3 bar: 18 l/min · minimum flow pressure: 1 bar · profile stand pipe: round · shower bar diameter: 22 mm · pivot connector prevent hose from tangling · 90° position adjustable hand shower holder, pivots left and right, up and down			
	Consisting of: · Croma 100 Hand shower Vario (# 28535000) · Unica Shower bar C 90 cm with Isiflex shower hose 160 cm (#) · Ecostat Shower thermostat Comfort for exposed installation (# 13116000) · Casetta Soap dish C (# 28678000)			
	Alternative sizes: · Croma 100 Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm	Chrome	27034000	327.10
	Water saving EcoSmart version: · Croma 100 Shower system for exposed installation Vario EcoSmart 9 l/min with Ecostat Comfort thermostat and shower bar 90 cm	Chrome	27033000	340.00
	Optional parts: · Wall bar spacer	Chrome	97450000	8.70



Croma 100 Shower system
for exposed installation Vario
with Ecostat Comfort thermostat
and shower bar 65 cm

- consists of: hand shower, shower thermostat, shower bar, slider, soap dish, shower hose
- shower head size: 100 mm
- spray type adjustment by turning spray disc
- spray type hand shower: normal spray, Rain, Massage spray, Shampoo spray
- maximum flow rate at 3 bar: 18 l/min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down

Consisting of:

- **Ecostat** Shower thermostat Comfort for exposed installation (# 13116000)
- **Croma 100** Hand shower Vario (# 28535000)
- **Unica** Shower bar C 65 cm with Isiflex shower hose 160 cm (# 27611000)
- **Casetta** Soap dish C (# 28678000)

Alternative sizes:

- **Croma 100** Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm



Water saving EcoSmart version:

- **Croma 100** Shower system for exposed installation Vario EcoSmart 9 l/min with Ecostat Comfort thermostat and shower bar 65 cm




finish	code no.	Euro
Chrome	27034000	327.10



	finish	code no.	Euro	
	Croma 100 Shower system for exposed installation Multi with Ecostat Comfort thermostat and shower bar 90 cm	Chrome	27085000	357.90
	· consists of: hand shower, shower thermostat, shower bar, slider, soap dish, shower hose · spray type overhead shower: Rain, MonoRain, Massage spray · spray type adjustment by turning spray disc · maximum flow rate at 3 bar: 17 l/min · minimum flow pressure: 1 bar · profile stand pipe: round · shower bar diameter: 22 mm · pivot connector prevent hose from tangling · 90° position adjustable hand shower holder, pivots left and right, up and down			
	Consisting of: · Ecostat Shower thermostat Comfort for exposed installation (# 13116000) · Croma 100 Hand shower Multi (# 28536000) · Unica Shower bar C 90 cm with Isiflex shower hose 160 cm (# 27610000) · Casetta Soap dish C (# 28678000)			
	Alternative sizes: · Croma 100 Shower system for exposed installation Multi with Ecostat Comfort thermostat and shower bar 65 cm			
	Chrome	27086000	333.80	
	Crometta Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 90 cm	White/Chrome	27813400	227.40
	· consists of: hand shower, shower thermostat, shower bar, slider, shower hose · spray type overhead shower: Rain, IntenseRain · spray type adjustment by turning spray disc · maximum flow rate at 3 bar: 14 l/min · minimum flow pressure: 1 bar · profile stand pipe: round · shower bar diameter: 22 mm · pivot connector prevent hose from tangling · 90° position adjustable hand shower holder, pivots left and right, up and down			
	Consisting of: · Crometta Hand shower Vario (# 26330400) · Ecostat Shower thermostat 1001 CL for exposed installation (# 13211000) · Unica Shower bar Croma 90 cm (# 26506000) · Isiflex Shower hose 160 cm (# 28276000)			
	Alternative sizes: · Crometta Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 65 cm			
	White/Chrome	27812400	218.00	

Measurements within scale drawings are in mm.

Unica'E wall bars



Unica Shower bar E 150 cm
with Isiflex shower hose 160 cm
and shelves

- consists of: shower bar, shower hose, slider, shelves
- pivot connector prevent hose from tangling
- hose nut: for shower hoses with conical nut on both sides
- 90° position adjustable hand shower holder, pivots left and right, up and down
- shelf made of safety glass
- wall bar type: flat aluminium profile with safety glass finish
- profile stand pipe: flat
- bar width: 41 mm
- metal hand shower holder
- self-locking hand shower holder
- slider steplessly adjustable
- wall supports of plastic
- surface shower bar: chrome, white or black

Consisting of:

- **Isiflex** Shower hose 160 cm (# 28276000)
- **Casetta** Soap dish/ shelf E (# 26511000)

Alternative sizes:

- **Unica** Shower bar E 90 cm with Isiflex shower hose 160 cm

finish	code no.	Euro
Chrome	27645000	434.00

Chrome	27640000	319.70
White/Chrome	27640400	319.70

Optional parts:

- **Casetta** Soap dish/ shelf E

Chrome	26511000	68.50
--------	----------	-------

Modern style wall bars



Unica Shower bar Raindance
90 cm with Isiflex shower hose
160 cm

- consists of: shower bar, shower hose, slider
- wall bar type: flat and slim aluminium profile
- profile stand pipe: square
- bar width: 45 mm
- metal hand shower holder
- self-locking hand shower holder
- slider steplessly adjustable

Consisting of:

- **Isiflex** Shower hose 160 cm (# 28276000)

Optional parts:

- **Raindance** Corner fitting set
- **Casetta** Soap dishes Raindance
- **Raindance** Wall bar spacer


Chrome	27636000	286.60
--------	----------	--------




Chrome	28694000	35.00
Chrome	28698000	79.00
Chrome	98993000	8.20

Raindance Corner fitting set



- material: plastic




	28694000	35.00
--	----------	-------





		finish	code no.	Euro
 	Raindance Wall bar spacer	Chrome	98993000	8.20
	· also usable as an extension · material: plastic			
 	Unica Shower bar Pulsify S 65 cm with push slider and Isiflex shower hose 160 cm	Chrome	24400000	70.00
	· consists of: shower bar, slider, shower hose · hand shower holder inclination angle can be adjusted by 45° · profile stand pipe: round · shower bar diameter: 22 mm · height-adjustable slider with locking push-button slider · hand shower holder with locking mechanism · slider steplessly adjustable · wall supports of plastic			
	Consisting of: · Isiflex Shower hose 160 cm (# 28276000)			
 	Unica Shower bar Croma 90 cm with Isiflex shower hose 160 cm	Chrome	26504000	74.20
	· consists of: shower bar, shower hose, slider · hand shower holder inclination angle can be adjusted by 45° · profile stand pipe: round · shower bar diameter: 22 mm · hand shower holder with locking mechanism · hand shower holder inclination angle adjustable in 2 steps · wall supports of plastic			
	Consisting of: · Isiflex Shower hose 160 cm (# 28276000)			
	Alternative sizes: · Unica Shower bar Croma 65 cm with Isiflex shower hose 160 cm	Chrome	26503000	67.90
	Alternative products: · Unica Shower bar Croma 90 cm	Chrome	26506000	55.20
	Optional parts: · Wall bar spacer	Chrome	97450000	8.70

Measurements within scale drawings are in mm.


		finish	code no.	Euro
	Unica Shower bar Croma 65 cm with Isiflex shower hose 160 cm · consists of: shower bar, shower hose, slider · hand shower holder inclination angle can be adjusted by 45° · profile stand pipe: round · shower bar diameter: 22 mm · hand shower holder with locking mechanism · hand shower holder inclination angle adjustable in 2 steps · wall supports of plastic	Chrome	26503000	67.90
	Consisting of: · Isiflex Shower hose 160 cm (# 28276000)			
	Alternative sizes: · Unica Shower bar Croma 90 cm with Isiflex shower hose 160 cm	Chrome	26504000	74.20
	Alternative products: · Unica Shower bar Croma 65 cm	Chrome	26505000	49.00
	Optional parts: · Wall bar spacer	Chrome	97450000	8.70
	Unica Shower bar S Puro 90 cm with Isiflex shower hose 160 cm · consists of: shower bar, shower hose, slider · profile stand pipe: round · shower bar diameter: 22 mm · metal hand shower holder · hand shower holder with locking mechanism · slider steplessly adjustable · inclination angle adjustable via raster	Chrome Brushed Bronze Brushed Black Chrome Matt Black Matt White Brushed Nickel Polished Gold Optic	28631000 28631140 28631340 28631670 28631700 28631820 28631990	129.00 193.60 193.60 180.60 180.60 193.60 193.60
	Consisting of: · Isiflex Shower hose 160 cm (# 28276XXX)			
	Alternative sizes: · Unica Shower bar S Puro 65 cm with Isiflex shower hose 160 cm	Chrome Brushed Bronze Brushed Black Chrome Matt Black Matt White Polished Gold Optic	28632000 28632140 28632340 28632670 28632700 28632990	120.50 180.80 180.80 168.60 168.60 180.80
	Optional parts: · Casetta Soap dish S Puro · Casetta Soap dishes Unica 88 · Wall bar spacer	Chrome Transparent Chrome	28679000 28675000 97450000	38.60 28.20 8.70

		finish	code no.	Euro	
		Unica Shower bar S Puro Reno 72 cm			
		Chrome	28662000	120.90	
		· consists of: shower bar, slider · profile stand pipe: round · shower bar diameter: 22 mm · variable drilling hole distance: 400 - 670 mm · hand shower holder with locking mechanism · slider steplessly adjustable · inclination angle adjustable via raster · wall supports of plastic · variable wall support			
		Alternative sizes:			
		· Unica Shower bar S Puro Reno 105 cm	Chrome	28663000	127.30
		Unica Shower bar Reno 72 cm			
		Chrome	27704000	73.30	
		· consists of: shower bar, slider · profile stand pipe: round · shower bar diameter: 22 mm · variable drilling hole distance: 400 - 670 mm · hand shower holder with locking mechanism · hand shower holder inclination angle adjustable in 2 steps · wall supports of plastic · variable wall support			
		Unica Shower bar C 90 cm with Isiflex shower hose 160 cm			
		Chrome	27610000	86.70	
		· consists of: shower bar, shower hose, slider · profile stand pipe: round · shower bar diameter: 22 mm · translucent plastic shower slide · hand shower holder with locking mechanism · slider steplessly adjustable · inclination angle adjustable via raster			
		Consisting of:			
		· Isiflex Shower hose 160 cm (# 28276000)			
		Alternative sizes:			
		· Unica Shower bar C 65 cm with Isiflex shower hose 160 cm	Chrome	27611000	77.30
		Optional parts:			
		· Casetta Soap dish C	Chrome	28678000	15.70
		· Wall bar spacer	Chrome	97450000	8.70

Measurements within scale drawings are in mm.

		finish	code no.	Euro
	Unica Shower bar Crometta 90 cm with Metaflex shower hose 160 cm · consists of: shower bar, shower hose, slider · profile stand pipe: round · shower bar diameter: 22 mm · hand shower holder with locking mechanism · hand shower holder inclination angle adjustable in 2 steps	Chrome	27614000	59.80
	Consisting of: · Metaflex Shower hose 160 cm (# 28266000)			
	Alternative sizes: · Unica Shower bar Crometta 65 cm with Metaflex shower hose 160 cm	Chrome	27615000	56.50
	Alternative products: · Unica Shower bar Crometta 90 cm	Chrome	27609000	53.70
	Unica Shower bar Varia 105 cm · consists of: shower bar, slider · profile stand pipe: round · shower bar diameter: 22 mm · variable drilling hole distance: 400 mm - 970 mm · hand shower holder inclination angle adjustable in 2 steps · wall supports of plastic · variable wall support	Chrome	27356000	61.90
	Alternative sizes: · Unica Shower bar Varia 72 cm	Chrome	27355000	55.90
	Wall bar spacer · material: plastic	Chrome	97450000	8.70

Unica Comfort wall bars



Unica Shower bar Comfort
110 cm left

- consists of: shower bar, storage basket, slider
- infinitely height-adjustable
- shower holder can be removed
- 90° position adjustable hand shower holder, pivots left and right, up and down
- shelf made of plastic, finish white, shelf can be removed for cleaning
- profile stand pipe: round
- shower bar diameter: 25 mm
- metal hand shower holder
- wall supports of metal

Alternative products:

- Unica Shower bar Comfort 110 cm right


Optional parts:

- Unica Foot support Comfort

finish	code no.	Euro
White/Chrome	26403400	318.20

White/Chrome	26404400	318.20
--------------	----------	--------

Chrome	26329000	153.30
--------	----------	--------



Unica Shower bar Comfort
110 cm right

- consists of: shower bar, storage basket, slider
- infinitely height-adjustable
- shower holder can be removed
- 90° position adjustable hand shower holder, pivots left and right, up and down
- shelf can be removed for cleaning
- profile stand pipe: round
- shower bar diameter: 25 mm
- metal hand shower holder
- hand shower holder with locking mechanism
- wall supports of metal

Alternative products:

- Unica Shower bar Comfort 110 cm left


Optional parts:

- Unica Foot support Comfort

White/Chrome	26404400	318.20
--------------	----------	--------

White/Chrome	26403400	318.20
--------------	----------	--------

Chrome	26329000	153.30
--------	----------	--------



Unica Shower bar Comfort
90 cm

- consists of: shower bar, slider
- infinitely height-adjustable
- 90° position adjustable hand shower holder, pivots left and right, up and down
- profile stand pipe: round
- shower bar diameter: 25 mm
- metal hand shower holder
- wall supports of metal

Alternative sizes:

- Unica Shower bar Comfort 65 cm

Optional parts:

- Unica Grab handle Comfort with shelf and shower holder
- Unica Foot support Comfort


Chrome	26402000	200.30
--------	----------	--------

Chrome	26401000	188.60
--------	----------	--------

White/Chrome	26328400	149.40
--------------	----------	--------

Chrome	26329000	153.30
--------	----------	--------

Classic style wall bars



Unica Shower bar Classic
65 cm with Sensoflex shower
hose 160 cm

- consists of: shower bar, shower hose, slider
- profile stand pipe: round
- shower bar diameter: 22 mm
- metal hand shower holder
- hand shower holder with locking mechanism
- slider steplessly adjustable
- inclination angle adjustable via raster

Consisting of:
· **Sensoflex** Metal shower hose 160 cm
(# 28136000)

Optional parts:
· **Casetta** Soap dish C

finish	code no.	Euro
Chrome	27617000	173.60
Brushed Nickel	27617820	260.50


Chrome	28678000	15.70
--------	----------	-------



Wall bar spacer for Unica wall
bar S

- material: plastic


Chrome	96184000	8.20
--------	----------	------



Casetta Soap dish C

- with mounting material
- for shower bars with Ø 22 mm


Chrome	28678000	15.70
--------	----------	-------



Casetta Soap dish E

- with mounting material
- for shower bars with Ø 18 / 22 / 25 mm

Chrome	26519000	19.90
--------	----------	-------




Casetta Soap dish S Puro

- for shower bars with Ø 22 mm

Chrome	28679000	38.60
--------	----------	-------

Rainfinity shower holder sets



Rainfinity Shower holder set
130 3jet with shower hose
125 cm

- consists of: hand shower, shower holder, shower hose
- shower head size: 130 mm
- spray type: PowderRain, Intense PowderRain, MonoRain
- convenient diversion via Select button
- maximum flow rate at 3 bar: 14 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of metal


Consisting of:

- **Rainfinity** Hand shower 130 3jet (# 26864XXX)
- **Isiflex** Shower hose 125 cm (# 28272XXX)
- Shower holder Porter E (# 28387XXX)

Alternative sizes:

- **Rainfinity** Shower holder set 130 3jet with shower hose 160 cm

finish	code no.	Euro
Chrome	26852000	165.90
Matt White	26852700	215.60
		
		



Rainfinity Shower holder set
100 1jet with shower hose
125 cm

- consists of: baton hand shower, shower holder, shower hose
- shower head size: 100 x 38 mm
- spray type: PowderRain
- maximum flow rate at 3 bar: 13,8 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- wall mounting: screw fastening
- wall supports of metal

Consisting of:


- **Rainfinity** Baton hand shower 100 1jet (# 26866XXX)
- **Isiflex** Shower hose 125 cm (# 28272XXX)
- Shower holder Porter E (# 28387XXX)

Alternative sizes:

- **Rainfinity** Shower holder set 100 1jet with shower hose 160 cm

finish	code no.	Euro
Chrome	26857000	149.60
Matt White	26857700	194.40
		

Raindance Select E shower holder sets



Raindance Select E Shower holder set 120 3jet with shower hose 160 cm

- consists of: hand shower, shower holder, shower hose
- shower head size: 120 mm
- spray type: RainAir, Rain, Whirl
- convenient diversion via Select button
- maximum flow rate at 3 bar: 14,4 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic

Consisting of:


- **Raindance Select E** Hand shower 120 3jet (# 26520XXX)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Alternative sizes:

- **Raindance Select E** Shower holder set 120 3jet with shower hose 125 cm

finish	code no.	Euro
Chrome	26720000	126.70
White/Chrome	26720400	126.70
		
		

Raindance Select S shower holder sets



Raindance Select S Shower holder set 120 3jet PowderRain with shower hose 125 cm

- consists of: hand shower, shower holder, shower hose
- shower head size: 125 mm
- spray type: PowderRain, Rain, Whirl
- convenient diversion via Select button
- maximum flow rate at 3 bar: 11 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic

Consisting of:


- **Raindance Select S** Hand shower 120 3jet PowderRain (# 26014000)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 125 cm (# 28272000)

Alternative sizes:

- **Raindance Select S** Shower holder set 120 3jet PowderRain with shower hose 160 cm

Chrome	27669000	127.70
		

Chrome	27668000	129.90
--------	----------	--------



NEW

NEW

NEW

Pulsify S Shower holder set 105 1jet with shower hose 125 cm

- consists of: hand shower, shower holder, shower hose
- shower head size: 105 mm
- spray type: PowderRain
- maximum flow rate at 3 bar: 13,5 l/ min
- minimum flow pressure: 1 bar
- wall supports of plastic

Consisting of:

- **Pulsify S** Hand shower 105 1jet (# 24120XXX)
- Shower holder Porter S (# 28331XXX)
- **Isiflex** Shower hose 125 cm (# 28272XXX)


Alternative products:

- **Pulsify Select S** Shower holder set 105 3jet Relaxation with shower hose 125 cm
- **Pulsify Select S** Shower holder set 105 3jet Relaxation with shower hose 160 cm

finish	code no.	Euro
Chrome	24301000	49.00
Matt Black	24301670	63.70
Matt White	24301700	63.70



Croma Select E shower holder sets



Croma Select E Shower holder set Vario with shower hose 125 cm

- consists of: hand shower, shower holder, shower hose
- shower head size: 110 mm
- spray type: Rain, IntenseRain, TurboRain
- convenient diversion via Select button
- maximum flow rate at 3 bar: 15 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic

Consisting of:




- **Croma Select E** Hand shower Vario (# 26812400)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 125 cm (# 28272000)

Alternative sizes:


- **Croma Select E** Shower holder set Vario with shower hose 160 cm

White/Chrome	26425400	75.40
--------------	----------	-------



		finish	code no.	Euro
 	Croma Select E Shower holder set 1jet with shower hose 125 cm	White/Chrome	26424400	63.10
	· consists of: hand shower, shower holder, shower hose · shower head size: 110 mm · spray type: Rain · maximum flow rate at 3 bar: 16 l/min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · Shower holder of plastic	 		
	Consisting of: · Croma E Hand shower 1jet (# 26814400) · Shower holder Porter S (# 28331000) · Isiflex Shower hose 125 cm (# 28272000)			
Alternative sizes:				
	· Croma Select E Shower holder set 1jet with shower hose 160 cm	White/Chrome	26412400	66.50
Croma Select S shower holder sets				
 	Croma Select S Shower holder set Vario with shower hose 125 cm	White/Chrome	26421400	75.40
	· consists of: hand shower, shower holder, shower hose · shower head size: 110 mm · spray type: Rain, IntenseRain, TurboRain · convenient diversion via Select button · maximum flow rate at 3 bar: 15 l/min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · Shower holder of plastic	  		
	Consisting of: · Croma Select S Hand shower Vario (# 26802400) · Shower holder Porter S (# 28331000) · Isiflex Shower hose 125 cm (# 28272000)			
Alternative sizes:				
	· Croma Select S Shower holder set Vario with shower hose 160 cm	White/Chrome	26411400	79.30
 	Croma Select S Shower holder set 1jet with shower hose 125 cm	White/Chrome	26420400	63.10
	· consists of: hand shower, shower holder, shower hose · shower head size: 110 mm · spray type: Rain · maximum flow rate at 3 bar: 16 l/min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · Shower holder of plastic	 		
	Consisting of: · Croma S Hand shower 1jet (# 26804400) · Shower holder Porter S (# 28331000) · Isiflex Shower hose 125 cm (# 28272000)			
Alternative sizes:				
	· Croma Select S Shower holder set 1jet with shower hose 160 cm	White/Chrome	26410400	66.50

Croma 100 shower holder sets



Croma 100 Shower holder set Multi with shower hose 125 cm

- consists of: hand shower, shower holder, shower hose
- shower head size: 100 mm
- spray type: MonoRain, Massage spray, Rain
- spray type adjustment by turning spray disc
- maximum flow rate at 3 bar: 19 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic


Consisting of:

- **Croma 100** Hand shower Multi (# 28536000)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 125 cm (# 28272000)

Alternative sizes:

- **Croma 100** Shower holder set Multi with shower hose 160 cm

finish	code no.	Euro
Chrome	27593000	93.70



Croma 100 Shower holder set Vario with shower hose 125 cm

- consists of: hand shower, shower holder, shower hose
- shower head size: 100 mm
- spray type: Rain, normal spray, Shampoo spray, Massage spray
- spray type adjustment by turning spray disc
- maximum flow rate at 3 bar: 18 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling
- Shower holder of plastic

Consisting of:


- **Croma 100** Hand shower Vario (# 28535000)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 125 cm (# 28272000)



Alternative sizes:


- **Croma 100** Shower holder set Vario with shower hose 160 cm


Chrome	27592000	67.40
--------	----------	-------





		finish	code no.	Euro
 	Croma 100 Shower holder set Mono with shower hose 125 cm · consists of: hand shower, shower holder, shower hose · shower head size: 100 mm · spray type: Rain · maximum flow rate at 3 bar: 16 l/min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · Shower holder of plastic	Chrome	27574000	58.60
	Consisting of: · Croma 100 Hand shower 1jet (# 28580000) · Shower holder Porter S (# 28331000) · Isiflex Shower hose 125 cm (# 28272000)		 	
	Alternative sizes: · Croma 100 Shower holder set Mono with shower hose 160 cm	Chrome	27575000	60.40
Crometta shower holder sets				
 	Crometta Shower holder set Vario with shower hose 125 cm · consists of: hand shower, shower holder, shower hose · shower head size: 100 mm · spray type: Rain, IntenseRain · spray type adjustment by turning spray disc · maximum flow rate at 3 bar: 13,8 l/min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · Shower holder of plastic	White/Chrome	26691400	37.00
	Consisting of: · Crometta Hand shower Vario (# 26330400) · Shower holder Porter S (# 28331000) · Isiflex Shower hose 125 cm (# 28272000)		 	
	Alternative sizes: · Crometta Shower holder set Vario with shower hose 160 cm	White/Chrome	26692400	39.60
	 Water saving EcoSmart version: · Crometta Shower holder set Vario EcoSmart 9 l/min with shower hose 125 cm	White/Chrome	26693400	39.60
	 · Crometta Shower holder set Vario EcoSmart 9 l/min with shower hose 160 cm	White/Chrome	26694400	41.90


		finish	code no.	Euro
 	Crometta Shower holder set 1jet with shower hose 125 cm · consists of: hand shower, shower holder, shower hose · shower head size: 100 mm · spray type: Rain · maximum flow rate at 3 bar: 14 l/min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling · Shower holder of plastic	White/Chrome	26690400	34.80
	Consisting of: · Crometta Hand shower 1jet (# 26331400) · Shower holder Porter S (# 28331000) · Isiflex Shower hose 125 cm (# 28272000)		 	
	Alternative sizes: · Crometta Shower holder set 1jet with shower hose 160 cm	White/Chrome	26567400	37.00
	 · Crometta Shower holder set 1jet EcoSmart 9 l/min with shower hose 160 cm	White/Chrome	26569400	39.60
	Water saving EcoSmart version: · Crometta Shower holder set 1jet EcoSmart 9 l/min with shower hose 125 cm	White/Chrome	26568400	37.00
	 · Crometta Shower holder set 1jet EcoSmart 9 l/min with shower hose 160 cm	White/Chrome	26569400	39.60
Crometta 85 shower holder sets				
 	Crometta 85 Shower holder set Vario with shower hose 125 cm · consists of: hand shower, shower holder, shower hose · shower head size: 85 mm · spray type: Vario spray, normal spray · spray type adjustment by turning spray disc · maximum flow rate at 3 bar: 17 l/min · minimum flow pressure: 1 bar · Shower holder of plastic	Chrome	27558000	37.40
	Consisting of: · Crometta 85 Hand shower Vario (# 28562000) · Shower holder Porter C (# 27521000) · Metaflex Shower hose 125 cm (# 28262000)			
	Alternative sizes: · Crometta 85 Shower holder set Vario with shower hose 160 cm	Chrome	27559000	39.60

		finish	code no.	Euro
		White/Chrome	32127000	49.20
		 		
		Bidette hand shower 1jet with shower holder and pressure resistant shower hose 125 cm		
		· consists of: bidette hand shower, shower holder, chrome-colored shower hose · maximum flow rate at 3 bar: 6 l/ min · with non-return valve · we recommend using this product with a shut-off valve in the line · additional comment: surface shower hose chrome		
		Consisting of:		
		· Shower holder (# 28321000)		
		Alternative sizes:		
	· Bidette hand shower 1jet with shower holder and pressure resistant shower hose 160 cm	White/Chrome	32122000	51.90





Modern style shower holder				
				
  				
		Shower holder Porter E		
		· fixed holding position · for hoses with conical nut · metal		
		Chrome	28387000	48.80
		Brushed Bronze	28387140	73.20
		Brushed Black	28387340	73.20
		Chrome		
		Matt Black	28387670	68.30
		Matt White	28387700	68.30
		Polished Gold Optic	28387990	73.20

				
		Shower holder Porter C		
		· fixed holding position · for hoses with conical nut · plastic		
		Chrome	27521000	19.10






				
				
		Shower holder Porter S		
		· fixed holding position · for hoses with conical nut · plastic		
		Chrome	28331000	25.40
		Brushed Bronze	28331140	38.10
		Brushed Black	28331340	38.10
		Chrome		
		Matt Black	28331670	35.60
		Matt White	28331700	35.60
		Stainless Steel Optic	28331800	38.10
		Polished Gold Optic	28331990	38.10






				
		Shower holder		
		· fixed holding position · for hoses with conical nut · plastic		
		Chrome	28321000	21.30

Shower sets / Shower bars / Shower holder





		finish	code no.	Euro
 	Shower holder Porter Reno · fixed holding position · for hoses with conical nut · metal	Chrome	28335000	36.70
 	Shower holder Porter Vario · shower holder inclination angle can be adjusted continously · for hoses with conical nut · metal	Chrome	28328000	36.70
Classic style shower holder				
 	Shower holder porter classic · fixed holding position · for hoses with conical nut · plastic	Chrome	28324000	29.70
Modern style Fixfit Porter wall outlets				
 	Rainfinity Wall outlet Porter 500 with shower holder and shower shelf left · metal connection angle · 500 mm storage shelf · integrated support function · non-return valve · connection type: DN15 · hose nut: for shower hoses with conical nut on both sides · shelf made of safety glass · surface of the shelf at colour variant -000 = mirror glass, at colour variant -700 = graphite colour, satined	Chrome Matt White	26843000 26843700	357.70 465.00
	Alternative products: · Rainfinity Wall outlet Porter 500 with shower holder and shower shelf right	Chrome Matt White	26858000 26858700	357.70 465.00

Measurements within scale drawings are in mm.

		finish	code no.	Euro
  	Rainfinity Wall outlet Porter 500 with shower holder and shower shelf right · metal connection angle · 500 mm storage shelf · integrated support function · plastic connection angle with metal ball joint · non-return valve · connection type: DN15 · hose nut: for shower hoses with conical nut on both sides · shelf made of safety glass · surface of the shelf at colour variant -000 = mirror glass, at colour variant -700 = graphite colour, satined	Chrome Matt White	26858000 26858700	357.70 465.00
 	FixFit Wall outlet E with shower holder · consists of: wall connector, escutcheon · fixed holding position · for hoses with conical nut · with non-return valve · metal housing with internal water supply made of plastic	Chrome	26485000	85.00
 	FixFit Wall outlet S with shower holder · consists of: wall connector, escutcheon · fixed holding position · for hoses with conical nut · with non-return valve · metal housing with internal water supply made of plastic	Chrome	26487000	85.00
 	FixFit Wall outlet square with shower holder · consists of: wall connector, escutcheon · fixed holding position · for hoses with conical nut · with non-return valve · metal housing with internal water supply made of plastic	Chrome	26486000	85.00
  	FixFit Wall outlet Porter 300 with shower holder and shower shelf · metal connection angle · 300 mm storage shelf · integrated support function on both sides · non-return valve · connection type: G 1/2 · flexible positioning, adjustment to left or right by 77.5 mm · hose nut: for shower hoses with conical nut on both sides · safety glass in white and chrom	Chrome White/Chrome	26456000 26456400	160.60 160.60

Modern style Fixfit wall outlets		finish	code no.	Euro
 	FixFit Wall outlet E with non-return valve and pivot joint · shower hose connection with ball joint · plastic connection angle with metal ball joint · non-return valve	Chrome	27505000	31.50
 	FixFit Wall outlet E without non-return valve · metal connection angle · connection type: G 1/2 · hose nut: for shower hoses with conical nut on both sides · material cover: plastic	Chrome Brushed Bronze Brushed Black Chrome Matt Black Matt White Polished Gold Optic	27454000 27454140 27454340 27454670 27454700 27454990	27.30 41.00 41.00 38.20 38.20 41.00
	Alternative products: · FixFit Wall outlet E with non-return valve	Chrome	27458000	52.80
 	FixFit Wall outlet E stop with non-return valve and shut-off valve · with integrated shut-off valve in metal · with ceramic valve · non-return valve · 90° shut-off unit -> 1/4 turn · free flow 30 l/min at 3 bar · Adapter from G 1/2 to G 3/4 connection	Chrome	27452000	89.50
 	FixFit Wall outlet S with non-return valve and pivot joint · shower hose connection with ball joint · plastic connection angle with metal ball joint · non-return valve	Chrome	27506000	35.80
 	FixFit Wall outlet S without non-return valve · metal connection angle	Chrome	27453000	32.70
	Alternative products: · FixFit Wall outlet S with non-return valve · FixFit Wall outlet S with non-return valve and synthetic connection angle	Chrome Chrome Brushed Bronze Brushed Black Chrome Matt Black Matt White Polished Gold Optic	27456000 26453000 26453140 26453340 26453670 26453700 26453990	58.90 27.00 40.50 40.50 37.80 37.80 40.50

Measurements within scale drawings are in mm.

		finish	code no.	Euro
 	FixFit Wall outlet Square with non-return valve · plastic connection angle · non-return valve	Chrome	26455000	27.00
		Brushed Bronze	26455140	40.50
 	FixFit Wall outlet with non-return valve and pivot joint · shower hose connection with ball joint · plastic connection angle with metal ball joint · non-return valve · connection type: G 1/2 · hose nut: for shower hoses with conical nut on both sides	Chrome	27414000	42.90
 	FixFit Wall outlet with non-return valve · plastic connection angle · non-return valve	Chrome	26457000	27.00
		Brushed Bronze	26457140	40.50
 	AXOR Montreux Wall outlet with non-return valve · metal connection angle · non-return valve	Brushed Black	26457340	40.50
		Chrome		
 	Thread connection · reduction from DN20 to DN15	Matt Black	26457670	37.80
		Matt White	26457700	37.80
		Polished Gold Optic	26457990	40.50
Classic style Fixfit wall outlet				
AXOR Montreux Wall outlet with non-return valve		Chrome	16884000	41.40
		Brushed Nickel	16884820	62.10

Shower hoses and accessories



Sensoflex
metal shower hoses

page 170



Isiflex
shower hoses

page 170



Comfortflex
shower hoses

page 171




Metaflex
shower hoses

page 171



Shower hoses and accessories

Sensoflex metal shower hoses



Sensoflex Metal shower hose 125 cm

- metal shower hose
- with plastic coating, easy to clean
- shower hose length: 1.25 m
- pivot connector prevent hose from tangling
- kink-protected


Alternative sizes:

- **Sensoflex** Metal shower hose 160 cm
- **Sensoflex** Metal shower hose 200 cm

finish	code no.	Euro
Chrome	28132000	38.50

Chrome	28136000	40.30
Chrome	28134000	42.30

Isiflex shower hoses



Isiflex Shower hose 125 cm

- high-quality shower hose
- with plastic coating, easy to clean
- shower hose length: 1.25 m
- pivot connector prevent hose from tangling
- kink-protected

Alternative sizes:

- **Isiflex** Shower hose 160 cm
- **Isiflex** Shower hose 200 cm

Chrome	28272000	24.80
Brushed Bronze	28272140	37.10
Brushed Black	28272340	37.10

Chrome		
White	28272450	31.10
Matt Black	28272670	31.10
Matt White	28272700	31.10
Polished Gold Optic	28272990	37.10

Chrome	28276000	26.80
Brushed Bronze	28276140	40.20
Brushed Black	28276340	40.20

Chrome		
White	28276450	33.50
Matt Black	28276670	37.50
Matt White	28276700	37.50
Polished Gold Optic	28276990	40.20
Chrome	28274000	28.40

Isiflex Shower hose 125 cm with volume control


- high-quality shower hose with metal effect and volume control
- with plastic coating, easy to clean
- shower hose length: 1.25 m
- pivot connector prevent hose from tangling
- kink-protected
- adjustable flow rate between 6 l/ min and 16 l/ min

Alternative sizes:


- **Isiflex** Shower hose 160 cm with volume control

Chrome	28249000	46.10
--------	----------	-------

Chrome	28248000	48.20
--------	----------	-------



Comfortflex shower hoses




Comfortflex Shower hose 125 cm

- high-quality shower hose with metal effect
- with plastic coating, easy to clean
- shower hose length: 1.25 m
- pivot connector prevent hose from tangling
- kink-protected

Alternative sizes:

· Comfortflex Shower hose 160 cm	Chrome	28168000	18.20
· Comfortflex Shower hose 200 cm	Chrome	28169000	22.90

Metaflex shower hoses




Metaflex Shower hose 125 cm

- plastic shower hose with coil winding
- with plastic coating, easy to clean
- shower hose length: 1.25 m
- without pivot joints
- kink-protected

Alternative sizes:

· Metaflex Shower hose 160 cm	Chrome	28266000	14.70
· Metaflex Shower hose 200 cm	Chrome	28264000	19.60

Accessories



Hose duct

- material: transparent plastic



Thread connection

- reduction from DN20 to DN15

Overhead showers



Rainmaker Select

page 176



Rainfinity

page 181



Raindance Rainmaker

page 187



Raindance Select S

page 190



Raindance E

page 193



Raindance S

page 197



Pulsify S

page 202



Croma Select E

page 204



Croma Select S

page 205



Croma E

page 206



Croma

page 207



Crometta E

page 210



Crometta S

page 211



Vernis Blend

page 213



Vernis Shape

page 214




hansgrohe overhead showers

Product ranges at a glance

	Rainmaker Select				Rainfinity		
							
	Overhead showers 460 3jet	Overhead showers 460 2jet	Overhead showers 460 1jet	Overhead showers 580 3jet	Overhead showers 360 3jet	Overhead showers 360 1jet	Overhead showers 250 3jet
Finish	-400, -600	-400, -600	-400, -600	-400, -600	-000, -140, -340 -670, -700, -990	-000, -140, -340 -670, -700, -990	-000, -140, -340 -670, -700, -990
Wall connection	■	■	■	■	■	■	■
Ceiling connector	■	■	■		■	■	■
Standard	18 l/min	18 l/min	19 l/min	20 l/min	28,1 l/min	21 l/min	20 l/min
EcoSmart 8-9 l/min	■	■	■	■			■
Green							
LowPressure							
Select							
QuickClean	■	■	■	■	■	■	■
XXL Performance	■	■	■	■	■	■	■
AirPower							
PowderRain					■	■	■

page 176

page 181

	Raindance S	Pulsify S			Croma Select E	Croma Select S	Croma E
							
	Overhead showers 240 1jet PowderRain	Overhead showers 260 2jet	Overhead showers 260 1jet	Overhead showers 105 1jet	Overhead showers 180 2jet	Overhead showers 180 2jet	Overhead showers 280 1jet
Finish	-000, -670, -700	-000, -670, -700	-000, -670, -700	-000, -670, -700	-000, -400	-000, -400	-000
Wall connection	■	■	■	■	■	■	■
Ceiling connector	■				■	■	■
Standard	18 l/min	11,3 l/min	12,3 l/min	11,7 l/min	17 l/min	17 l/min	18,3 l/min
EcoSmart 8-9 l/min		■	■		■	■	■
Green				■			
LowPressure							
Select					■	■	
QuickClean	■	■	■	■	■	■	■
XXL Performance	■	■	■	■	■	■	■
AirPower							■
PowderRain	■	■	■	■			

page 197

page 202


page 204

page 205

page 206

	Raindance Rainmaker	Raindance Rainfall	Raindance Select S		Raindance E		Raindance S
							
Overhead showers 250 1jet	Overhead showers 600 3jet	Overhead showers 180 2jet	Overhead showers 300 2jet	Overhead showers 240 2jet	Overhead showers 300 1jet	Overhead showers 360 1jet	Overhead showers 300 1jet
-000, -140, -340 -670, -700, -990	-000	-000, -400	-000, -400	-000, -400	-000, -140, -340 -670, -700, -990	-000	-000
■		■	■	■	■	■	■
■	■		■	■	■	■	■
19 l/min	25 l/min	24 l/min	17 l/min	17 l/min	17 l/min	16,5 l/min	18 l/min
■				■	■		
			■	■			
■	■	■	■	■	■	■	■
■	■	■	■	■	■	■	■
■	■	■	■	■	■	■	■
■							
page 181	page 187	page 189	page 190		page 193		page 197
Croma		Croma 100	Crometta E	Crometta S	Crometta 85	Vernis Blend	Vernis Shape
							
Overhead showers 280 1jet	Overhead showers 220 1jet	Overhead showers Multi	Overhead showers 240 1jet	Overhead showers 240 1jet	Overhead showers Multi	Overhead showers 200 1jet	Overhead showers 230 1jet
-000, -140, -340 -670, -700, -990	-000	-000	-000	-000	-000	-000, -670	-000, -670
■	■	■	■	■	■	■	■
■	■		■	■		■	■
15,6 l/min	19 l/min	20 l/min	18 l/min	18 l/min	15 l/min	12,4 l/min	12,4 l/min
■	■		■	■		■	■
						■	■
			■	■		■	■
■	■	■	■	■	■	■	■
■	■	■	■	■		■	■
■	■						
page 207		page 209	page 210	page 211	page 212	page 213	page 214

Rainmaker Select



Rainmaker Select Overhead shower 580 3jet

- consists of: overhead shower, wall connector
- shower head size: 586 x 258 mm
- spray type: Rain, RainFlow, MonoRain
- material spray disc: plexiglas
- easy cleanable spray disc in glass optics
- maximum flow rate at 3 bar: 20 l/ min
- flow rate Rain spray (at 3 bar): 17 l/ min
- flow rate RainFlow spray (at 3 bar): 17 l/ min
- flow rate Mono spray (at 3 bar): 20 l/ min
- minimum flow pressure: 1,7 bar
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- spray disc removable for cleaning
- installation: wall-mounted - for installation on iBox
- connection dimension: DN15/DN20
- not included: basic set

Water saving EcoSmart version:

- Rainmaker Select Overhead shower 580 3jet EcoSmart 9 l/ min

Required parts:

- Basic set iBox universal

Optional parts:

- ShowerSelect Glass Valve for concealed installation for 3 functions
- ShowerSelect Glass Thermostat HighFlow for concealed installation for 1 function and additional outlet

finish


code no.

Euro

White/Chrome
Black/Chrome

24001400
24001600

2,696.60
2,696.60



Basic set iBox universal

01800180

137.30

- suitable for all shower, bath tub and thermostat finish sets for concealed installation
- connection thread Rp 3/4
- rotationally-symmetric installation
- sound-decoupled installation
- connection dimension: DN20

Alternative products:

- Basic set iBox universal with shut-off unit

01850180


178.40

Optional parts:

- Extension iBox universal basic set 2.5 cm
- Fastening rail set for iBox universal
- Assembly aid for iBox universal

13595000
96615000
93500000

50.40
35.80
13.00



Rainmaker Select Overhead shower 460 3jet with shower arm

- consists of: overhead shower, shower arm, escutcheon
- shower head size: 466 x 300 mm
- spray type: Rain, RainStream, MonoRain
- material spray disc: plexiglas
- easy cleanable spray disc in glass optics
- shower arm length 461 mm
- maximum flow rate at 3 bar: 18 l/min
- flow rate Rain spray (at 3 bar): 18 l/min
- flow rate RainStream spray (at 3 bar): 15 l/min
- flow rate Mono spray (at 3 bar): 18 l/min
- minimum flow pressure: 1,5 bar
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- spray disc removable for cleaning
- overhead shower removable for cleaning
- installation: wall-mounted - for installation on iBox
- connection dimension: DN15
- not included: basic set

finish	code no.	Euro
White/Chrome	24007400	2,451.60
Black/Chrome	24007600	2,451.60



Water saving EcoSmart version:



- **Rainmaker Select** Overhead shower 460 3jet EcoSmart 9 l/min with shower arm

White/Chrome	24017400	2,451.60
--------------	----------	----------

Required parts:



- Basic set iBox universal


01800180	137.30
----------	--------

Optional parts:

- **ShowerSelect Glass** Valve for concealed installation for 3 functions
- **ShowerSelect Glass** Thermostat HighFlow for concealed installation for 1 function and additional outlet

White/Chrome	15736400	516.00
White/Chrome	15735400	710.20

		finish	code no.	Euro
 	Rainmaker Select Overhead shower 460 3jet with ceiling connector	White/Chrome Black/Chrome	24006400 24006600	2,328.80 2,328.80
	· consists of: overhead shower, ceiling connector, escutcheon · shower head size: 466 x 300 mm · spray type: Rain, RainStream, MonoRain · ball-joint: overhead shower angle adjustable · material spray disc: plexiglas · easy cleanable spray disc in glass optics · brass ceiling connector · ceiling connection length: 100 mm · maximum flow rate at 3 bar: 23 l/min · flow rate Rain spray (at 3 bar): 17 l/min · flow rate RainStream spray (at 3 bar): 22 l/min · flow rate Mono spray (at 3 bar): 23 l/min · minimum flow pressure: 1,5 bar · the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets · spray disc removable for cleaning · overhead shower removable for cleaning · installation: ceiling · connection dimension: DN15 · not included: basic set	 		
 	Water saving EcoSmart version:			
	· Rainmaker Select Overhead shower 460 3jet EcoSmart 9 l/min with ceiling connector	White/Chrome	24016400	2,328.80
	Required parts:			
	· Rainmaker Select Basic set for overhead shower with ceiling connector		24010180	245.20
	Optional parts:			
	· ShowerSelect Glass Valve for concealed installation for 3 functions	White/Chrome	15736400	516.00
	· ShowerSelect Glass Thermostat HighFlow for concealed installation for 1 function and additional outlet	White/Chrome	15735400	710.20
	Rainmaker Select Basic set for overhead shower with ceiling connector		24010180	245.20
	· includes polystyrene sheathing as a placeholder during installation			
	Optional parts:			
	· Rainmaker Select Overhead shower 460 1jet EcoSmart 9 l/min with ceiling connector	White/Chrome	24012400	1,593.60
	· Rainmaker Select Overhead shower 460 1jet with ceiling connector	White/Chrome Black/Chrome	24002400 24002600	1,593.60 1,593.60
	· Rainmaker Select Overhead shower 460 2jet EcoSmart 9 l/min with ceiling connector	White/Chrome	24014400	2,083.90
	· Rainmaker Select Overhead shower 460 2jet with ceiling connector	White/Chrome Black/Chrome	24004400 24004600	2,083.90 2,083.90
	· Rainmaker Select Overhead shower 460 3jet with ceiling connector	White/Chrome Black/Chrome	24006400 24006600	2,328.80 2,328.80
	· Rainmaker Select Overhead shower 460 3jet EcoSmart 9 l/min with ceiling connector	White/Chrome	24016400	2,328.80



Rainmaker Select Overhead shower 460 2jet with shower arm

- consists of: overhead shower, shower arm, escutcheon
- shower head size: 466 x 300 mm
- spray type: Rain, RainStream
- material spray disc: plexiglas
- easy cleanable spray disc in glass optics
- shower arm length 461 mm
- maximum flow rate at 3 bar: 18 l/ min
- flow rate Rain spray (at 3 bar): 18 l/ min
- flow rate RainStream spray (at 3 bar): 15 l/ min
- minimum flow pressure: 1,5 bar
- the 2 spray zones must be controlled via 2 valves or a diverter valve with 2 outlets
- spray disc removable for cleaning
- overhead shower removable for cleaning
- installation: wall-mounted - for installation on iBox
- connection dimension: DN15
- not included: basic set

finish	code no.	Euro
White/Chrome	24005400	2,206.30
Black/Chrome	24005600	2,206.30



Water saving EcoSmart version:

- **Rainmaker Select** Overhead shower 460 2jet EcoSmart 9 l/ min with shower arm

White/Chrome	24015400	2,206.30
--------------	----------	----------

Required parts:




- Basic set iBox universal

01800180	137.30
----------	--------


Optional parts:


- **ShowerSelect Glass** Valve for concealed installation for 3 functions
- **ShowerSelect Glass** Thermostat HighFlow for concealed installation


White/Chrome	15736400	516.00
White/Chrome	15734400	516.00

	finish	code no.	Euro
	White/Chrome	24004400	2,083.90
	Black/Chrome	24004600	2,083.90
Quick Clean XXL Performance Rainmaker Select Overhead shower 460 2jet with ceiling connector · consists of: overhead shower, ceiling connector, escutcheon · shower head size: 466 x 300 mm · spray type: Rain, RainStream · material spray disc: plexiglas · easy cleanable spray disc in glass optics · brass ceiling connector · ceiling connection length: 100 mm · maximum flow rate at 3 bar: 21 l/ min · flow rate Rain spray (at 3 bar): 21 l/ min · flow rate RainStream spray (at 3 bar): 18 l/ min · minimum flow pressure: 1,5 bar · the 2 spray zones must be controlled via 2 valves or a diverter valve with 2 outlets · spray disc removable for cleaning · overhead shower removable for cleaning · installation: ceiling · connection dimension: DN15 · not included: basic set			
	Water saving EcoSmart version: · Rainmaker Select Overhead shower 460 2jet EcoSmart 9 l/ min with ceiling connector		
	Required parts: · Rainmaker Select Basic set for overhead shower with ceiling connector		
	Optional parts: · ShowerSelect Glass Valve for concealed installation for 3 functions · ShowerSelect Glass Thermostat HighFlow for concealed installation		
	White/Chrome	24003400	1,716.10
	Black/Chrome	24003600	1,716.10
Quick Clean XXL Performance Rainmaker Select Overhead shower 460 1jet with shower arm · consists of: overhead shower, shower arm, escutcheon · shower head size: 466 x 270 mm · spray type: Rain · material spray disc: plexiglas · easy cleanable spray disc in glass optics · shower arm length 462 mm · maximum flow rate at 3 bar: 19 l/ min · flow rate Rain spray (at 3 bar): 19 l/ min · minimum flow pressure: 1,5 bar · spray disc removable for cleaning · overhead shower removable for cleaning · installation: wall · connection thread G 1/2 · connection dimension: DN15			
	Water saving EcoSmart version: · Rainmaker Select Overhead shower 460 1jet EcoSmart 9 l/ min with shower arm		
	Optional parts: · ShowerSelect Glass Thermostat for concealed installation for 2 functions · ShowerTablet Select Thermostat 700 universal for exposed installation for 2 functions		

Measurements within scale drawings are in mm.

	finish	code no.	Euro
 	Rainmaker Select Overhead shower 460 1jet with ceiling connector	White/Chrome 24002400	1,593.60
	Black/Chrome 24002600	1,593.60	
			
	· consists of: overhead shower, ceiling connector, escutcheon · shower head size: 466 x 270 mm · spray type: Rain · material spray disc: plexiglas · easy cleanable spray disc in glass optics · brass ceiling connector · ceiling connection length: 100 mm · maximum flow rate at 3 bar: 21 l/min · flow rate Rain spray (at 3 bar): 21 l/min · minimum flow pressure: 1,5 bar · spray disc removable for cleaning · overhead shower removable for cleaning · installation: ceiling · connection dimension: DN15 · not included: basic set		
	Water saving EcoSmart version:		
	Rainmaker Select Overhead shower 460 1jet EcoSmart 9 l/min with ceiling connector	White/Chrome 24012400	1,593.60
	Required parts:		
	· Rainmaker Select Basic set for overhead shower with ceiling connector	24010180	245.20
	Optional parts:		
	· ShowerSelect Glass Thermostat for concealed installation for 2 functions	White/Chrome 15738400	776.90
	· ShowerTablet Select Thermostat 700 universal for exposed installation for 2 functions	White/Chrome 13184400	1,225.80

Rainfinity	Rainfinity Overhead shower 250 1jet with wall connector	Chrome 26226000	748.00
		Matt White 26226700	972.20
 	· consists of: overhead shower, wall connector · shower head size: 250 mm · spray type: PowderRain · projection 273 mm · middle spray disc: 151 mm · material spray disc: aluminium · spray disc surface: graphite · shower head vertically inclinable by 10-30° · maximum flow rate at 3 bar: 19 l/min · flow rate PowderRain spray (at 3 bar): 19 l/min · minimum flow pressure: 1,4 bar · overhead shower removable for cleaning · installation: wall · connection thread G 1/2 · connection dimension: DN15		
	Alternative sizes:		
	· Rainfinity Overhead shower 360 1jet with wall connector	Chrome 26230000	856.30
		Brushed Bronze 26230140	1,284.50
		Brushed Black 26230340	1,284.50
		Chrome 26230670	1,113.20
		Matt Black 26230700	1,113.20
		Matt White 26230700	1,113.20
		Polished Gold Optic 26230990	1,284.50
	Water saving EcoSmart version:		
	Rainfinity Overhead shower 250 1jet EcoSmart with wall connector	Chrome 26227000	748.00
		Matt White 26227700	972.20



Rainfinity Overhead shower
250 1jet

- shower head size: 250 mm
- spray type: PowderRain
- ball-joint: overhead shower angle (2 x 5°) adjustable
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- maximum flow rate at 3 bar: 16 l/min
- flow rate PowderRain spray (at 3 bar): 16 l/min
- minimum flow pressure: 1 bar
- overhead shower removable for cleaning
- installation: ceiling or wall
- connection thread G ½
- connection dimension: DN15

finish	code no.	Euro
Chrome	26228000	628.60
Brushed Bronze	26228140	943.00
Brushed Black	26228340	943.00
Chrome		
Matt Black	26228670	817.20
Matt White	26228700	817.20
Polished Gold Optic	26228990	943.00



Required parts (choose one)

· Shower arm square 39 cm	Chrome	27694000	195.00
	Brushed Bronze	27694140	292.70
	Brushed Black	27694340	292.70
	Chrome		
	Matt Black	27694670	273.10
	Matt White	27694700	273.10
	Polished Gold Optic	27694990	292.70
· Ceiling connector S 10 cm	Chrome	27393000	59.10
	Brushed Bronze	27393140	88.60
	Brushed Black	27393340	88.60
	Chrome		
	Matt Black	27393670	82.70
	Matt White	27393700	82.70
	Polished Gold Optic	27393990	88.60
· Ceiling connector S 30 cm	Chrome	27389000	84.10
	Brushed Bronze	27389140	126.60
	Brushed Black	27389340	126.60
	Chrome		
	Matt Black	27389670	118.30
	Matt White	27389700	118.30
	Polished Gold Optic	27389990	126.60


Alternative sizes:

· Rainfinity Overhead shower 360 1jet	Chrome	26231000	736.90
	Brushed Bronze	26231140	1,105.50
	Brushed Black	26231340	1,105.50
	Chrome		
	Matt Black	26231670	958.20
	Matt White	26231700	958.20
	Polished Gold Optic	26231990	1,105.50

Water saving EcoSmart version:



· Rainfinity Overhead shower 250 1jet EcoSmart	Chrome	26229000	628.60
	Brushed Bronze	26229140	943.00
	Brushed Black	26229340	943.00
	Chrome		
	Matt Black	26229670	817.20
	Matt White	26229700	817.20
	Polished Gold Optic	26229990	943.00



Rainfinity Overhead shower
360 1jet with wall connector

- consists of: overhead shower, wall connector
- shower head size: 360 mm
- spray type: PowderRain
- projection 381 mm
- middle spray disc: 205 mm
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- shower head vertically inclinable by 10-30°
- maximum flow rate at 3 bar: 21 l/min
- flow rate PowderRain spray (at 3 bar): 21 l/min
- minimum flow pressure: 2 bar
- overhead shower removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15


Alternative sizes:

- **Rainfinity** Overhead shower 250 ljet with wall connector

finish	code no.	Euro
Chrome	26230000	856.30
Brushed Bronze	26230140	1,284.50
Brushed Black	26230340	1,284.50
Chrome		
Matt Black	26230670	1,113.20
Matt White	26230700	1,113.20
Polished Gold Optic	26230990	1,284.50



Chrome	26226000	748.00
Matt White	26226700	972.20



Rainfinity Overhead shower
360 1jet

- shower head size: 360 mm
- spray type: PowderRain
- ball-joint: overhead shower angle (2 x 5°) adjustable
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- maximum flow rate at 3 bar: 20,3 l/ min
- flow rate PowderRain spray (at 3 bar): 20,3 l/ min
- overhead shower removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

finish	code no.	Euro
Chrome	26231000	736.90
Brushed Bronze	26231140	1,105.50
Brushed Black	26231340	1,105.50
Chrome		
Matt Black	26231670	958.20
Matt White	26231700	958.20
Polished Gold Optic	26231990	1,105.50




Required parts (choose one)

· Shower arm square 39 cm	Chrome	27694000	195.00
	Brushed Bronze	27694140	292.70
	Brushed Black	27694340	292.70
	Chrome		
	Matt Black	27694670	273.10
	Matt White	27694700	273.10
	Polished Gold Optic	27694990	292.70
· Ceiling connector S 10 cm	Chrome	27393000	59.10
	Brushed Bronze	27393140	88.60
	Brushed Black	27393340	88.60
	Chrome		
	Matt Black	27393670	82.70
	Matt White	27393700	82.70
	Polished Gold Optic	27393990	88.60
· Ceiling connector S 30 cm	Chrome	27389000	84.10
	Brushed Bronze	27389140	126.60
	Brushed Black	27389340	126.60
	Chrome		
	Matt Black	27389670	118.30
	Matt White	27389700	118.30
	Polished Gold Optic	27389990	126.60

Alternative sizes:

· Rainfinity Overhead shower 250 1jet	Chrome	26228000	628.60
	Brushed Bronze	26228140	943.00
	Brushed Black	26228340	943.00
	Chrome		
	Matt Black	26228670	817.20
	Matt White	26228700	817.20
	Polished Gold Optic	26228990	943.00



Rainfinity Overhead shower
250 3jet with wall connector

- consists of: overhead shower, wall connector
- shower head size: 250 mm
- spray type: PowderRain, Intense PowderRain, RainStream
- projection 273 mm
- middle spray disc: 151 mm
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- shower head vertically inclinable by 10-30°
- maximum flow rate at 3 bar: 20 l/min
- flow rate PowderRain spray (at 3 bar): 20 l/min
- flow rate Intense PowderRain (at 3 bar): 18 l/min
- flow rate RainStream spray (at 3 bar): 16 l/min
- minimum flow pressure: 1,7 bar
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- overhead shower removable for cleaning
- installation: wall-mounted - for installation on iBox

Alternative sizes:

- **Rainfinity** Overhead shower 360 3jet with wall connector

finish	code no.	Euro
Chrome	26232000	1,073.10
Matt White	26232700	1,394.90



Chrome	26234000	1,181.40
Brushed Bronze	26234140	1,772.10
Brushed Black	26234340	1,772.10
Chrome		
Matt Black	26234670	1,535.80
Matt White	26234700	1,535.80
Polished Gold Optic	26234990	1,772.10

Water saving EcoSmart version:




- **Rainfinity** Overhead shower 250 3jet EcoSmart with wall connector

Chrome	26233000	1,073.10
Matt White	26233700	1,394.90

Required parts:

- Basic set iBox universal

01800180	137.30
----------	--------



Rainfinity Overhead shower 360 3jet with wall connector

- consists of: overhead shower, wall connector
- shower head size: 360 mm
- spray type: PowderRain, Intense PowderRain, RainStream
- projection 381 mm
- middle spray disc: 205 mm
- frame: metal
- material spray disc: aluminium
- spray disc surface: graphite
- shower head vertically inclinable by 10-30°
- maximum flow rate at 3 bar: 28,1 l/min
- flow rate PowderRain spray (at 3 bar): 20 l/min
- flow rate Intense PowderRain (at 3 bar): 18 l/min
- flow rate RainStream spray (at 3 bar): 16 l/min
- minimum flow pressure: 1,7 bar
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- overhead shower removable for cleaning
- installation: wall-mounted - for installation on iBox
- connection dimension: DN15

Alternative sizes:

- **Rainfinity Overhead shower 250 3jet with wall connector**

finish	code no.	Euro
Chrome	26234000	1,181.40
Brushed Bronze	26234140	1,772.10
Brushed Black	26234340	1,772.10
Chrome		
Matt Black	26234670	1,535.80
Matt White	26234700	1,535.80
Polished Gold Optic	26234990	1,772.10





Required parts:

- Basic set iBox universal

Chrome	26232000	1,073.10
Matt White	26232700	1,394.90
	01800180	137.30

Raindance Rainmaker



Raindance Rainmaker
Overhead shower 680/460
3jet with lighting

- shower head size: 680 x 460 mm
- spray type: RainAir, Whirl, RainAir XL
- material spray disc: metal
- maximum flow rate at 3 bar: 28,1 l/min
- flow rate RainAir spray (at 3 bar): 20 l/min
- flow rate RainAir XL (at 3 bar): 28,1 l/min
- flow rate WhirlAir spray (at 3 bar): 22 l/min
- minimum flow pressure: 3 bar
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- installation: ceiling mounted
- connection thread G 1/2
- connection dimension: DN20
- with integrated lighting
- illuminant: LED
- power supply: 12 V - DC
- transformer power supply for concealed installation 12 V, 18 W
- input voltage: 100 - 240 V AC / 50 / 60 Hz
- output voltage: 12 V - DC
- colour temperature: 2700 K
- TÜV certified
- not included: basic set

Alternative products:

- **Raindance Rainmaker** Overhead shower 680/460 3jet without lighting

Required parts:

- **Raindance Rainmaker** Basic set for overhead shower 680/460 3jet

Optional parts:

- **ShowerSelect** Thermostat HighFlow for concealed installation for 1 function and additional outlet
- **ShowerSelect** Valve for concealed installation for 3 functions

finish	code no.	Euro
Chrome	28418000	5,177.00




Chrome	28417000	4,341.40
--------	----------	----------

	28414180	135.50
--	----------	--------

Chrome	15761000	574.50
--------	----------	--------

Chrome	15764000	415.00
--------	----------	--------



Raindance Rainmaker
Basic set for overhead shower
680/460 3jet

- connection dimension: G 1/2




Optional parts:

- **Raindance Rainmaker** Overhead shower 680/460 3jet with lighting
- **Raindance Rainmaker** Overhead shower 680/460 3jet without lighting

	28414180	135.50
--	----------	--------



Chrome	28418000	5,177.00
--------	----------	----------

Chrome	28417000	4,341.40
--------	----------	----------

	finish	code no.	Euro
	Chrome	26117000	5,177.70
	  		
	Raindance Rainmaker Overhead shower 600 3jet with lighting		
	· shower head size: 600 mm · spray type: RainAir, Whirl, RainAir XL · material spray disc: metal · maximum flow rate at 3 bar: 25 l/ min · flow rate RainAir spray (at 3 bar): 20,5 l/ min · flow rate RainAir XL (at 3 bar): 25 l/ min · flow rate WhirlAir spray (at 3 bar): 20,5 l/ min · minimum flow pressure: 3 bar · the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets · installation: ceiling mounted · connection thread G ½ · connection dimension: DN20 · with integrated lighting · illuminant: LED · power supply: 12 V - DC · transformer power supply for concealed installation 12 V, 18 W · input voltage: 100 - 240 V AC / 50 / 60 Hz · output voltage: 12 V - DC · colour temperature: 2700 K · TÜV certified · not included: basic set		
	Chrome	26115000	4,341.50
	Alternative products: Raindance Rainmaker Overhead shower 600 3jet without lighting		
	Required parts: Raindance Rainmaker Basic set for overhead shower 600 3jet		
	Optional parts: ShowerSelect S Valve for concealed installation for 3 functions ShowerSelect S Thermostat HighFlow for concealed installation for 1 function and additional outlet		
	Chrome	28412180	122.20
	Raindance Rainmaker Basic set for overhead shower 600 3jet		
	Chrome	26117000	5,177.70
	Chrome	26115000	4,341.50

Measurements within scale drawings are in mm.

Raindance Rainfall



Raindance Rainfall Overhead shower 180 2jet

- consists of: overhead shower, wall connector
- shower head size: 180 mm
- spray type: RainAir, wide flood jet
- material spray disc: metal
- spray disc surface in two variants: chrome or white
- maximum flow rate at 3 bar: 24 l/min
- flow rate RainAir spray (at 3 bar): 17 l/min
- flow rate RainFlow spray (at 3 bar): 24 l/min
- minimum flow pressure: 2 bar
- the 2 spray zones must be controlled via 2 valves or a diverter valve with 2 outlets
- installation: wall-mounted - for installation on iBox
- connection dimension: DN15
- not included: basic set

finish

code no.

Euro

Chrome
White/Chrome

28433000
28433400

1,386.30
1,386.30



Required parts:

- Basic set iBox universal

01800180

137.30

Optional parts:

- **ShowerSelect** Thermostat HighFlow for concealed installation
- **ShowerSelect** Valve for concealed installation for 3 functions

Chrome


15760000

415.00

Chrome

15764000

415.00



Raindance Rainfall Overhead shower 150 1jet stream

- shower head size: 153 mm
- spray type: Stream
- ball-joint: overhead shower angle adjustable
- maximum flow rate at 3 bar: 18 l/min
- flow rate RainStream spray (at 3 bar): 18 l/min
- minimum flow pressure: 1,7 bar
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

Chrome

26443000

272.50




Optional parts:

- **ShowerSelect** Thermostat for concealed installation for 1 function

Chrome

15762000

574.50



Raindance Rainfall Overhead shower 150 1jet

- shower head size: 153 mm
- spray type: RainFlow
- ball-joint: overhead shower angle adjustable
- maximum flow rate at 3 bar: 18 l/min
- flow rate RainFlow spray (at 3 bar): 18 l/min
- minimum flow pressure: 1,7 bar
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

Chrome

26442000

272.50



Optional parts:

- **ShowerSelect** Thermostat for concealed installation for 1 function


Chrome

15762000

574.50

Overhead showers

Raindance 260 x 260 mm overhead shower for concealed installation



Raindance Overhead shower 260/260 1jet

- shower head size: 260 x 260 mm
- spray type: RainAir
- material spray disc: metal
- maximum flow rate at 3 bar: 15 l/ min
- flow rate RainAir spray (at 3 bar): 15 l/ min
- minimum flow pressure: 1,7 bar
- spray disc removable for cleaning
- installation: flush with the ceiling
- connection thread G ½
- connection dimension: DN15
- not included: basic set



Water saving EcoSmart version:

- Raindance Overhead shower 260/260 1jet EcoSmart 9 l/ min


Required parts:

- Raindance Basic set for overhead shower 260/260 1jet

Optional parts:

- ShowerSelect Thermostat for concealed installation for 2 functions

finish	code no.	Euro
Chrome	26472000	439.30
  		
Chrome	26481000	439.30
	26471180	100.50
Chrome	15763000	625.60



Raindance Basic set for overhead shower 260/260 1jet


- connection dimension: G ½

Optional parts:

- Raindance Overhead shower 260/260 1jet
- Raindance Overhead shower 260/260 1jet EcoSmart 9 l/ min

	26471180	100.50
Chrome	26472000	439.30
Chrome	26481000	439.30

Raindance Select S




Raindance Select S Overhead shower 300 2jet with ceiling connector

- consists of: overhead shower, ceiling connector
- shower head size: 301 mm
- spray type: Rain, RainAir
- Select button on overhead shower
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- spray disc surface in two variants: chrome or white
- brass ceiling connector
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 17 l/ min
- flow rate Rain spray (at 3 bar): 17 l/ min
- flow rate RainAir spray (at 3 bar): 17 l/ min
- minimum flow pressure: 1,5 bar
- spray disc removable for cleaning
- installation: ceiling
- connection thread G ½
- connection dimension: DN15

Chrome	27337000	534.10
White/Chrome	27337400	534.10
   		

Measurements within scale drawings are in mm.



Raindance Select S Overhead shower 300 2jet with shower arm

- consists of: overhead shower, shower arm
- shower head size: 301 mm
- spray type: RainAir, Rain
- Select button on overhead shower
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- spray disc surface in two variants: chrome or white
- shower arm length 390 mm
- maximum flow rate at 3 bar: 17 l/min
- flow rate Rain spray (at 3 bar): 17 l/min
- flow rate RainAir spray (at 3 bar): 17 l/min
- minimum flow pressure: 1,5 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

finish	code no.	Euro
Chrome	27378000	572.20
White/Chrome	27378400	572.20



Select




AirPower



Quick Clean



XXL Performance



Raindance Select S Overhead shower 240 2jet with ceiling connector

- consists of: overhead shower, ceiling connector
- shower head size: 243 mm
- spray type: RainAir, Rain
- Select button on overhead shower
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- spray disc surface in two variants: chrome or white
- brass ceiling connector
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 17 l/min
- flow rate Rain spray (at 3 bar): 17 l/min
- flow rate RainAir spray (at 3 bar): 16 l/min
- minimum flow pressure: 1 bar
- spray disc removable for cleaning
- installation: ceiling
- connection thread G 1/2
- connection dimension: DN15

finish	code no.	Euro
Chrome	26467000	406.90
White/Chrome	26467400	406.90



Select



AirPower



Quick Clean





XXL Performance

 **Water saving EcoSmart version:**


- **Raindance Select S** Overhead shower 240 2jet EcoSmart 9 l/min with ceiling connector

Chrome	26469000	406.90
--------	----------	--------

	finish	code no.	Euro
	Chrome	26466000	445.00
	White/Chrome	26466400	445.00
Select AirPower Quick Clean XXL Performance consists of: overhead shower, shower arm shower head size: 243 mm spray type: RainAir, Rain Select button on overhead shower ball-joint: overhead shower angle adjustable material spray disc: metal spray disc surface in two variants: chrome or white shower arm length 390 mm maximum flow rate at 3 bar: 17 l/min flow rate Rain spray (at 3 bar): 17 l/min flow rate RainAir spray (at 3 bar): 16 l/min minimum flow pressure: 1 bar spray disc removable for cleaning installation: wall connection thread G 1/2 connection dimension: DN15			
Water saving EcoSmart version: consists of: Raindance Select S Overhead shower 240 2jet EcoSmart 9 l/min with shower arm Chrome 26470000 445.00 White/Chrome 26470400 445.00			

	Chrome	27297000	1,212.30
	consists of: overhead shower, hand shower, shower thermostat, basic set, shower arm, shower holder, wall outlet, shower hose maximum flow rate at 3 bar: 17 l/min Consisting of: Raindance Select S Overhead shower 240 2jet with shower arm (# 26466000) Raindance Select S Hand shower 120 3jet (# 26530000) Isiflex Shower hose 125 cm (# 28272000) Shower holder Porter S (# 28331000) FixFit Wall outlet S without non-return valve (# 27453000) ShowerSelect S Thermostat for concealed installation for 2 functions (# 15743000) Basic set iBox universal (# 01800180)		

Raindance E



Raindance E Overhead shower
300 1jet with shower arm

- consists of: overhead shower, shower arm
- shower head size: 300 x 300 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- shower arm length 390 mm
- maximum flow rate at 3 bar: 17 l/min
- flow rate RainAir spray (at 3 bar): 17 l/min
- minimum flow pressure: 1,6 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

finish	code no.	Euro
Chrome	26238000	565.30
Brushed Bronze	26238140	848.00
Brushed Black	26238340	848.00
Chrome		
Matt Black	26238670	791.60
Matt White	26238700	791.60
Polished Gold Optic	26238990	848.00



Water saving EcoSmart version:

- Raindance E Overhead shower 300 1jet EcoSmart 9 l/min with shower arm

Chrome	26239000	565.30
--------	----------	--------



NEW



Raindance E Shower system
300 1jet with ShowerSelect
Square


Chrome	27952000	1,532.30
--------	----------	----------









- consists of: overhead shower, hand shower, Thermostat, basic set, wall outlet, shower hose
- shower head size: 300 x 300 mm
- spray type overhead shower: RainAir
- spray type hand shower: PowderRain, Rain, Whirl
- maximum flow rate at 3 bar: 17,1 l/min
- minimum flow pressure: 1,5 bar
- pivot connector prevent hose from tangling

Consisting of:

- Raindance E Overhead shower 300 1jet with shower arm (# 26238000)
- Raindance Select S Hand shower 120 3jet PowderRain (# 26014000)
- ShowerSelect Thermostat for concealed installation for 2 functions (# 15763000)
- Basic set iBox universal (# 01800180)
- FixFit Wall outlet square with shower holder (# 26486000)
- Isiflex Shower hose 125 cm (# 28272000)



		finish	code no.	Euro				
	Raindance E Shower system for concealed installation with ShowerSelect thermostat	Matt Black	27939670	2,071.40				
· consists of: overhead shower, hand shower, shower thermostat, shower arm, shower holder, wall outlet, shower hose, basic set								
Consisting of:								
· Raindance E Overhead shower 300 1jet with shower arm (# 26238670)								
	Raindance E Overhead shower 300 1jet with ceiling connector	Chrome	26250000	531.10				
		Brushed Bronze	26250140	796.70				
		Brushed Black	26250340	796.70				
		Chrome	26250670	743.70				
  		Matt Black	26250700	743.70				
		Matt White	26250700	743.70				
		Polished Gold Optic	26250990	796.70				
		Water saving EcoSmart version:						
		· Raindance E Overhead shower 300 1jet EcoSmart 9 l/min with ceiling connector	Chrome	26251000	531.10			
		Raindance E Overhead shower 400/400 1jet	Chrome	26252000	856.60			
								
· shower head size: 400 x 400 mm · spray type: RainAir · material spray disc: metal · maximum flow rate at 3 bar: 20 l/min · flow rate RainAir spray (at 3 bar): 20 l/min · minimum flow pressure: 1,2 bar · spray disc removable for cleaning · installation: flush with the ceiling · connection thread G 1/2 · connection dimension: DN15 · not included: basic set						  		
Water saving EcoSmart version:								
			· Raindance E Overhead shower 400/400 1jet EcoSmart 9 l/min	Chrome	26253000	856.60		
Required parts:								
· Raindance E Basic set for overhead shower 400/400 1jet				26254180	125.60			

	finish	code no.	Euro
		26254180	125.60
Raindance E Basic set for overhead shower 400/400 1jet			
Optional parts:			
· Raindance E Overhead shower 400/400 1jet	Chrome	26252000	856.60
· Raindance E Overhead shower 400/400 1jet EcoSmart 9 l/min	Chrome	26253000	856.60
	Chrome	27381000	629.00
Raindance E Overhead shower 360 1jet with ceiling connector			
· consists of: overhead shower, ceiling connector · shower head size: 360 x 190 mm · spray type: RainAir · ball-joint: overhead shower angle adjustable · material spray disc: metal · brass ceiling connector · ceiling connection length: 100 mm · maximum flow rate at 3 bar: 16,5 l/min · flow rate RainAir spray (at 3 bar): 16,5 l/min · minimum flow pressure: 1,3 bar · spray disc removable for cleaning · installation: ceiling · connection thread G 1/2 · connection dimension: DN15			
Water saving EcoSmart version:			
· Raindance E Overhead shower 360 1jet EcoSmart 9 l/min with ceiling connector	Chrome	26604000	629.00
	Chrome	27371000	669.60
Raindance E Overhead shower 360 1jet with shower arm 24 cm			
· consists of: overhead shower, shower arm · shower head size: 360 x 190 mm · spray type: RainAir · ball-joint: overhead shower angle adjustable · material spray disc: metal · shower arm length 240 mm · maximum flow rate at 3 bar: 16,5 l/min · flow rate RainAir spray (at 3 bar): 16,5 l/min · minimum flow pressure: 1,3 bar · spray disc removable for cleaning · installation: wall · connection thread G 1/2 · connection dimension: DN15			

Measurements within scale drawings are in mm.

Technical specifications and units of measure are subject to change.

Raindance S



Raindance S Overhead shower 300 1jet with shower arm 46 cm

- consists of: overhead shower, shower arm
- shower head size: 300 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- shower arm length 460 mm
- maximum flow rate at 3 bar: 18 l/min
- flow rate RainAir spray (at 3 bar): 18 l/min
- minimum flow pressure: 1,5 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

finish

Chrome

code no.

27492000

Euro

739.10



Raindance S Overhead shower 300 1jet with shower arm 39 cm

- consists of: overhead shower, shower arm
- shower head size: 300 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- shower arm length 390 mm
- maximum flow rate at 3 bar: 18 l/min
- flow rate RainAir spray (at 3 bar): 18 l/min
- minimum flow pressure: 1,5 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

Chrome

27493000

714.10



Water saving EcoSmart version:

- Raindance S Overhead shower 300 1jet EcoSmart 9 l/min with shower arm

Chrome

26601000

714.10



Raindance S Overhead shower 300 1jet with ceiling connector

- consists of: overhead shower, ceiling connector
- shower head size: 300 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 20 l/min
- flow rate RainAir spray (at 3 bar): 20 l/min
- minimum flow pressure: 1,5 bar
- spray disc removable for cleaning
- installation: ceiling
- connection thread G 1/2
- connection dimension: DN15

Chrome

27494000

674.80




Water saving EcoSmart version:


- Raindance S Overhead shower 300 1jet EcoSmart 9 l/min with ceiling connector







Chrome

26600000


674.80

	finish	code no.	Euro																
 	Chrome	27607000	427.40																
Quick Clean XXL Performance Raindance S Overhead shower 240 1jet PowderRain with shower arm · consists of: overhead shower, shower arm · shower head size: 240 mm · spray type: PowderRain · ball-joint: overhead shower angle adjustable · material spray disc: metal · shower arm length 390 mm · maximum flow rate at 3 bar: 18,1 l/min · flow rate PowderRain spray (at 3 bar): 18,1 l/min · minimum flow pressure: 1,6 bar · spray disc removable for cleaning · installation: wall · connection thread G 1/2 · connection dimension: DN15																			
Alternative products: <table><tr><td>· Raindance S Overhead shower 240 1jet PowderRain with ceiling connector</td><td>Chrome</td><td>27620000</td><td>394.40</td></tr><tr><td>· Raindance S Overhead shower 240 1jet PowderRain</td><td>Chrome</td><td>27623000</td><td>361.50</td></tr><tr><td></td><td>Matt Black</td><td>27623670</td><td>508.20</td></tr><tr><td></td><td>Matt White</td><td>27623700</td><td>508.20</td></tr></table>				· Raindance S Overhead shower 240 1jet PowderRain with ceiling connector	Chrome	27620000	394.40	· Raindance S Overhead shower 240 1jet PowderRain	Chrome	27623000	361.50		Matt Black	27623670	508.20		Matt White	27623700	508.20
· Raindance S Overhead shower 240 1jet PowderRain with ceiling connector	Chrome	27620000	394.40																
· Raindance S Overhead shower 240 1jet PowderRain	Chrome	27623000	361.50																
	Matt Black	27623670	508.20																
	Matt White	27623700	508.20																

NEW  	Chrome	27951000	1,394.40
XXL Performance Raindance S Shower system 240 1 jet PowderRain with ShowerSelect S · consists of: overhead shower, hand shower, shower thermostat, basic set, wall outlet, shower hose · shower head size: 240 mm · spray type overhead shower: PowderRain · spray type hand shower: PowderRain, Rain, Whirl · maximum flow rate at 3 bar: 18,1 l/min · minimum flow pressure: 1 bar · pivot connector prevent hose from tangling			
Consisting of: · Raindance S Overhead shower 240 1jet PowderRain with shower arm (# 27607000) · Raindance Select S Hand shower 120 3jet PowderRain (# 26014000) · ShowerSelect S Thermostat for concealed installation for 2 functions (# 15743000) · Basic set iBox universal (# 01800180) · FixFit Wall outlet S with shower holder (# 26487000) · Isiflex Shower hose 125 cm (# 28272000)			

	finish	code no.	Euro	
 	Raindance S Overhead shower 240 1jet PowderRain with ceiling connector	Chrome	27620000	394.40
	· consists of: overhead shower, ceiling connector · shower head size: 240 mm · spray type: PowderRain · ball-joint: overhead shower angle adjustable · material spray disc: metal · ceiling connection length: 100 mm · maximum flow rate at 3 bar: 18 l/min · flow rate PowderRain spray (at 3 bar): 18 l/min · minimum flow pressure: 1 bar · spray disc removable for cleaning · installation: ceiling · connection thread G 1/2 · connection dimension: DN15	 		
Alternative products:				
 	Raindance S Overhead shower 240 1jet PowderRain with shower arm	Chrome	27607000	427.40
	Raindance S Overhead shower 240 1jet PowderRain	Chrome	27623000	361.50
		Matt Black	27623670	508.20
	Matt White	27623700	508.20	
Raindance S Overhead shower 240 1jet PowderRain				
 		Chrome	27623000	361.50
		Matt Black	27623670	508.20
		Matt White	27623700	508.20
 				
Alternative products:				
 	Raindance S Overhead shower 240 1jet PowderRain with shower arm	Chrome	27607000	427.40
	Raindance S Overhead shower 240 1jet PowderRain with ceiling connector	Chrome	27620000	394.40
Optional parts:				
 	Shower arm 38.9 cm	Chrome	27413000	87.30
		Matt Black	27413670	122.20
		Matt White	27413700	122.20
 	Ceiling connector 10 cm	Chrome	27479000	58.90
		Matt Black	27479670	82.40
		Matt White	27479700	82.40

NEW




Raindance S Shower system 240 1 jet PowderRain with ShowerSelect S

- consists of: overhead shower, hand shower, Thermostat, basic set, wall outlet, shower holder, shower hose
- shower head size: 240 mm
- spray type overhead shower: PowderRain
- spray type hand shower: Rain, RainAir, Whirl
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling

Consisting of:

- **Raindance S** Overhead shower 240 1jet PowderRain (# 27623670)
- Shower arm 38.9 cm (# 27413670)
- **Raindance Select S** Hand shower 120 3jet (# 26530670)
- **ShowerSelect S** Thermostat for concealed installation for 2 functions (# 15743670)
- Basic set iBox universal (# 01800180)
- Shower holder Porter S (# 28331670)
- **FixFit** Wall outlet E without non-return valve (# 27454670)
- **Isiflex** Shower hose 125 cm (# 28272670)

finish	code no.	Euro
Matt Black	27959670	1,877.90



Raindance S Overhead shower 240 1jet with shower arm

- consists of: overhead shower, shower arm
- shower head size: 240 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- shower arm length 390 mm
- maximum flow rate at 3 bar: 18 l/min
- flow rate RainAir spray (at 3 bar): 18 l/min
- minimum flow pressure: 1 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

Consisting of:

- Shower arm 38.9 cm (# 27413000)




Water saving EcoSmart version:

- **Raindance S** Overhead shower 240 1jet Chrome EcoSmart 9 l/min with shower arm

27474000	595.70
----------	--------





Chrome

27477000

553.30

- consists of: overhead shower, ceiling connector
- shower head size: 240 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 18 l/min
- flow rate RainAir spray (at 3 bar): 18 l/min
- minimum flow pressure: 1 bar
- installation: ceiling
- connection thread G 1/2
- connection dimension: DN15




Chrome

27463000

558.20

- Raindance S** Overhead shower 240 l/jet
EcoSmart 9 l/min with ceiling connector



Chrome

27478000

417.20

- consists of: overhead shower, ceiling connector
- shower head size: 180 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 18 l/min
- flow rate RainAir spray (at 3 bar): 18 l/min
- minimum flow pressure: 1,2 bar
- installation: ceiling
- connection thread G 1/2
- connection dimension: DN15



Raindance Classic Overhead shower 240 1jet with shower arm


Chrome

27424000

698.80



Chrome/Gold Optic 27424090

873.40




- consists of: overhead shower, shower arm
- shower head size: 270 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- shower arm length 390 mm
- maximum flow rate at 3 bar: 19 l/min
- flow rate RainAir spray (at 3 bar): 19 l/min
- minimum flow pressure: 1 bar
- spray disc removable for cleaning
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

Overhead showers

		finish	code no.	Euro
 	Raindance Classic Overhead shower 240 1jet with ceiling connector	Chrome Chrome/Gold Optic	27405000 27405090	657.00 821.20
	· consists of: overhead shower, ceiling connector · shower head size: 270 mm · spray type: RainAir · ball-joint: overhead shower angle adjustable · material spray disc: metal · ceiling connection length: 100 mm · maximum flow rate at 3 bar: 19 l/min · flow rate RainAir spray (at 3 bar): 19 l/min · minimum flow pressure: 1 bar · spray disc removable for cleaning · installation: ceiling · connection thread G 1/2 · connection dimension: DN15	  		
 	Pulsify S Overhead shower 260 2jet with wall connector	Chrome Matt Black Matt White	24150000 24150670 24150700	470.00 611.00 611.00
	· consists of: overhead shower, wall connector · shower head size: 260 mm · spray type: PowderRain, Intense PowderRain · Fast Drain empties the overhead shower from an angle of 10° · ball-joint: overhead shower angle adjustable · material spray disc: plastic · spray disc surface: graphite · maximum flow rate at 3 bar: 11,3 l/min · flow rate PowderRain spray (at 3 bar): 11,3 l/min · flow rate Intense PowderRain (at 3 bar): 7,2 l/min · minimum flow pressure: 1,4 bar · overhead shower removable for cleaning · not included: basic set	   		
Water saving EcoSmart version:		available from January 2023		
 NEW		Chrome Matt Black Matt White	24151000 24151670 24151700	470.00 611.00 611.00
Required parts:				
· Basic set iBox universal			01800180	137.30

Measurements within scale drawings are in mm.

NEW



NEW



NEW

NEW

Pulsify S Overhead shower 260 1jet

- shower head size: 260 mm
- spray type: PowderRain
- Fast Drain empties the overhead shower from an angle of 10°
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- spray disc surface: graphite
- maximum flow rate at 3 bar: 12,3 l/min
- flow rate PowderRain spray (at 3 bar): 12,3 l/min
- minimum flow pressure: 1 bar
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

finish	code no.	Euro
Chrome	24140000	250.00
Matt Black	24140670	325.00
Matt White	24140700	325.00



available from
January 2023

Alternative sizes:

· Pulsify S Overhead shower 105 1jet	Chrome	24130000	85.00
	Matt Black	24130670	110.50
	Matt White	24130700	110.50


Water saving EcoSmart version:

· Pulsify S Overhead shower 260 1jet EcoSmart	Chrome	24141000	250.00
	Matt Black	24141670	325.00
	Matt White	24141700	325.00

Optional parts:

· Pulsify Wall connector for overhead shower 260	Chrome	24149000	80.00
	Matt Black	24149670	104.00
	Matt White	24149700	104.00

NEW



NEW



NEW

NEW

Pulsify S Overhead shower 105 1jet

- shower head size: 105 mm
- spray type: PowderRain
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- spray disc surface: graphite
- maximum flow rate at 3 bar: 11,7 l/min
- flow rate PowderRain spray (at 3 bar): 11,7 l/min
- connection thread G 1/2
- connection dimension: DN15

Chrome	24130000	85.00
Matt Black	24130670	110.50
Matt White	24130700	110.50



Alternative sizes:

· Pulsify S Overhead shower 260 1jet	Chrome	24140000	250.00
	Matt Black	24140670	325.00
	Matt White	24140700	325.00

Water saving EcoSmart version:


· Pulsify S Overhead shower 105 1jet Green	Chrome	24132000	85.00
	Matt Black	24132670	110.50
	Matt White	24132700	110.50

Optional parts:

· Pulsify Wall connector for overhead shower 105	Chrome	24139000	50.00
	Matt Black	24139670	65.00
	Matt White	24139700	65.00

Overhead showers

Croma Select E



Croma Select E Overhead shower 180 2jet

- shower head size: 187 x 187 mm
- spray type: Rain, IntenseRain
- Select button on overhead shower
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- maximum flow rate at 3 bar: 17 l/min
- flow rate Rain spray (at 3 bar): 17 l/min
- flow rate IntenseRain spray (at 3 bar): 16 l/min
- minimum flow pressure: 1 bar
- spray disc removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

finish	code no.	Euro
Chrome	26524000	251.20
White/Chrome	26524400	251.20



Water saving EcoSmart version:

- **Croma Select E** Overhead shower 180 2jet EcoSmart 9 l/min

Chrome	26528000	251.20
White/Chrome	26528400	251.20

Optional parts:

- Shower arm E 38.9 cm
- Ceiling connector E 10 cm

Chrome	27446000	87.30
Chrome	27467000	58.90




Croma Select E Shower system for concealed installation with Ecostat E thermostat

Chrome	27294000	857.00
--------	----------	--------


- consists of: overhead shower, hand shower, shower thermostat, basic set, shower arm, shower holder, wall outlet, shower hose
- maximum flow rate at 3 bar: 17 l/min

Consisting of:

- **Croma Select E** Overhead shower 180 2jet (# 26524000)
- **Croma E** Hand shower 1jet (# 26814400)
- Shower arm E 38.9 cm (# 27446000)
- **Isiflex** Shower hose 125 cm (# 28272000)
- Shower holder Porter S (# 28331000)
- **FixFit** Wall outlet with non-return valve (# 26457000)
- **Ecostat E** Thermostat for concealed installation for 2 functions (# 15708000)
- Basic set iBox universal (# 01800180)



Croma Select S



Croma Select S Overhead shower 180 2jet

- shower head size: 187 mm
- spray type: Rain, IntenseRain
- Select button on overhead shower
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- maximum flow rate at 3 bar: 17 l/min
- flow rate Rain spray (at 3 bar): 17 l/min
- flow rate IntenseRain spray (at 3 bar): 16 l/min
- minimum flow pressure: 1 bar
- spray disc removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

finish	code no.	Euro
Chrome	26522000	251.20
White/Chrome	26522400	251.20



Water saving EcoSmart version:



- Croma Select S Overhead shower 180 2jet EcoSmart 9 l/min

Chrome	26523000	251.20
--------	----------	--------

Optional parts:

- Shower arm 38.9 cm
- Ceiling connector 10 cm

Chrome	27413000	87.30
Chrome	27479000	58.90


Croma Select S Shower system for concealed installation with Ecostat S thermostat

Chrome	27295000	857.00
--------	----------	--------

- consists of: overhead shower, hand shower, shower thermostat, basic set, shower arm, shower holder, wall outlet, shower hose
- maximum flow rate at 3 bar: 17 l/min


Consisting of:

- Croma Select S Overhead shower 180 2jet (# 26522000)
- Shower arm 38.9 cm (# 27413000)
- Croma S Hand shower 1jet (# 26804400)
- Isiflex Shower hose 125 cm (# 28272000)
- Shower holder Porter S (# 28331000)
- FixFit Wall outlet S without non-return valve (# 27453000)
- Ecostat S Thermostat for concealed installation for 2 functions (# 15758000)
- Basic set iBox universal (# 01800180)



Overhead showers

Croma E



Croma E Overhead shower
280 1jet

- shower head size: 280 x 170 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- maximum flow rate at 3 bar: 18,3 l/min
- minimum flow pressure: 1,1 bar
- spray disc removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

Water saving EcoSmart version:

- **Croma E** Overhead shower 280 1jet EcoSmart

Optional parts:

- Ceiling connector E 30 cm
- Ceiling connector E 10 cm
- Shower arm E 38.9 cm

finish

code no.

Euro

Chrome

26257000

337.10



Chrome

26258000

337.10

Chrome

27388000

84.10

Chrome

27467000

58.90

Chrome

27446000

87.30

NEW



Croma E Shower system 280
1jet with Ecostat E

- consists of: overhead shower, hand shower, shower arm, Thermostat, basic set, wall outlet, shower hose
- shower head size: 280 x 170 mm
- spray type overhead shower: RainAir
- spray type hand shower: Rain, IntenseRain, TurboRain
- maximum flow rate at 3 bar: 18,3 l/min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling


Consisting of:


- **Croma E** Overhead shower 280 1jet (# 26257000)
- Shower arm E 38.9 cm (# 27446000)
- **Croma Select E** Hand shower Vario (# 26812400)
- **Ecostat E** Thermostat for concealed installation for 2 functions (# 15708000)
- Basic set iBox universal (# 01800180)
- **FixFit** Wall outlet E with shower holder (# 26485000)
- **Isiflex** Shower hose 125 cm (# 28272000)

Chrome

27953000

1,175.90





finish	code no.	Euro
--------	----------	------

- shower head size: 280 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- maximum flow rate at 3 bar: 15,6 l/ min
- flow rate RainAir spray (at 3 bar): 15,6 l/ min
- minimum flow pressure: 1,5 bar
- spray disc removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

Chrome	26220000	337.50
Brushed Bronze	26220140	506.20
Brushed Black	26220340	506.20
Chrome		
Matt Black	26220670	472.50
Matt White	26220700	472.50
Polished Gold Optic	26220990	506.20




- **Croma** Overhead shower 280 l/jet
EcoSmart 9 l/min

Chrome	26221000	339.60
Brushed Bronze	26221140	509.40
Brushed Black	26221340	509.40
Chrome		
Matt Black	26221670	475.50
Matt White	26221700	475.50
Polished Gold Optic	26221990	509.40

- Shower arm 38.9 cm

Chrome	27413000	87.30
Brushed Bronze	27413140	130.90
Brushed Black	27413340	130.90
Chrome		
Matt Black	27413670	122.20
Matt White	27413700	122.20
Polished Gold Optic	27413990	130.90
Chrome	27479000	58.90
Brushed Bronze	27479140	88.30
Brushed Black	27479340	88.30
Chrome		
Matt Black	27479670	82.40
Matt White	27479700	82.40
Polished Gold Optic	27479990	88.30




Chrome	27954000	1,176.30
--------	----------	----------

- consists of: overhead shower, hand shower, shower arm, Thermostat, basic set, wall outlet, shower hose
- shower head size: 280 mm
- spray type overhead shower: RainAir
- spray type hand shower: Rain, IntenseRain, TurboRain
- maximum flow rate at 3 bar: 15,6 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling



- **Croma** Overhead shower 280 1jet (# 26220000)
- Shower arm 38.9 cm (# 27413000)
- **Croma Select S** Hand shower Vario (# 26802400)
- **Ecostat S** Thermostat for concealed installation for 2 functions (# 15758000)
- Basic set iBox universal (# 01800180)
- **FixFit** Wall outlet S with shower holder (# 26487000)
- **Isiflex** Shower hose 125 cm (# 28272000)

NEW



Croma Shower system 280 1jet with Ecostat S

finish code no. Euro


Matt Black 27961670 1,602.20



- consists of: overhead shower, hand shower, shower arm, Thermostat, basic set, wall outlet, shower holder, shower hose
- shower head size: 280 mm
- spray type overhead shower: RainAir
- spray type hand shower: Rain, RainAir, Whirl
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling

Consisting of:

- **Croma** Overhead shower 280 1jet (# 26220670)
- Shower arm 38.9 cm (# 27413670)
- **Raindance Select S** Hand shower 120 3jet (# 26530670)
- **Ecostat S** Thermostat for concealed installation for 2 functions (# 15758670)
- Basic set iBox universal (# 01800180)
- Shower holder Porter S (# 28331670)
- **FixFit** Wall outlet E without non-return valve (# 27454670)
- **Isiflex** Shower hose 125 cm (# 28272670)



Croma Overhead shower 220 1jet

Chrome 26464000 236.50



- shower head size: 220 mm
- spray type: RainAir
- ball-joint: overhead shower angle adjustable
- material spray disc: metal
- maximum flow rate at 3 bar: 19 l/min
- flow rate RainAir spray (at 3 bar): 19 l/min
- minimum flow pressure: 1 bar
- spray disc removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15


Water saving EcoSmart version:

- **Croma** Overhead shower 220 1jet EcoSmart 9 l/min

Optional parts:

- Shower arm 38.9 cm Chrome 27413000 87.30
- Ceiling connector 10 cm Chrome 27479000 58.90

Croma 100


Croma 100 Overhead shower
Multi

- shower head size: 100 mm
- spray type: Rain, MonoRain, Massage spray
- adjustment with shift on overhead shower
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- grey spray disc
- maximum flow rate at 3 bar: 20 l/min
- flow rate Rain spray (at 3 bar): 20 l/min
- flow rate Mono spray (at 3 bar): 15 l/min
- flow rate massage spray (at 3 bar): 14 l/min
- minimum flow pressure: 1,2 bar
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

finish

code no.

Euro

Chrome

27443000

81.30


**Optional parts:**

- Shower arm 12.8 cm

Chrome

27411000

22.60


Croma 100 Overhead shower
Vario

- shower head size: 100 mm
- spray type: Rain, Shampoo spray, normal spray, Massage spray
- adjustment with shift on overhead shower
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- grey spray disc
- maximum flow rate at 3 bar: 22 l/min
- flow rate Rain spray (at 3 bar): 22 l/min
- flow rate shampoo spray (at 3 bar): 17 l/min
- flow rate normal spray (at 3 bar): 20 l/min
- flow rate massage spray (at 3 bar): 11 l/min
- minimum flow pressure: 1,2 bar
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

Chrome

27441000

52.00

**Water saving EcoSmart version:**

- **Croma 100** Overhead shower Vario EcoSmart 9 l/min

Chrome

28462000

59.50

Optional parts:

- Shower arm 12.8 cm


Chrome

27411000

22.60

Overhead showers

Crometta E



Crometta E Overhead shower 240 1jet

- shower head size: 240 x 240 mm
- spray type: Rain
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- maximum flow rate at 3 bar: 18 l/ min
- flow rate Rain spray (at 3 bar): 18 l/ min
- minimum flow pressure: 1 bar
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

Water saving EcoSmart version:

- **Crometta E** Overhead shower 240 1jet EcoSmart 9 l/ min

Alternative products:

- **Crometta E** Overhead shower 240 1jet LowPressure

Optional parts:

- Shower arm E 38.9 cm
- Ceiling connector E 10 cm

finish

code no.

Euro

Chrome

26726000

212.30



Chrome

26727000

214.50

Chrome

26722000

212.30

Chrome

27446000


87.30

Chrome

27467000

58.90

NEW



Crometta E Shower system 240 1jet with single lever mixer

- consists of: overhead shower, hand shower, shower arm, Single lever bath mixer, basic set, wall outlet, shower holder, shower hose
- shower head size: 240 x 240 mm
- spray type overhead shower: Rain
- spray type hand shower: Rain, IntenseRain
- maximum flow rate at 3 bar: 18 l/ min
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling

Consisting of:

- **Crometta E** Overhead shower 240 1jet (# 26726000)
- Shower arm 24.1 cm (# 27409000)
- **Crometta** Hand shower Vario (# 26330400)
- **Logis** Single lever bath mixer for concealed installation for iBox universal (# 71405000)
- Basic set iBox universal (# 01800180)
- Shower holder Porter S (# 28331000)
- **FixFit** Wall outlet with non-return valve (# 26457000)
- **Isiflex** Shower hose 125 cm (# 28272000)


Chrome

27957000

632.80



Crometta S


Crometta S Overhead shower
240 1jet

finish

code no.

Euro

Chrome

26723000

212.30



- shower head size: 240 mm
- spray type: Rain
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- maximum flow rate at 3 bar: 18 l/min
- flow rate Rain spray (at 3 bar): 18 l/min
- minimum flow pressure: 1 bar
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

**Water saving EcoSmart version:**

- **Crometta S** Overhead shower 240 1jet EcoSmart 9 l/min

Chrome

26724000

214.50

Alternative products:

- **Crometta S** Overhead shower 240 1jet LowPressure

Chrome

26725000

212.30

Optional parts:

- Shower arm 38.9 cm
- Ceiling connector S 10 cm

Chrome

27413000


87.30

Chrome

27393000

59.10

NEW


Crometta S Shower system
240 1jet with single lever mixer

Chrome

27958000

682.10




- consists of: overhead shower, hand shower, shower arm, Single lever bath mixer, basic set, wall outlet, shower holder, shower hose
- shower head size: 240 mm
- spray type overhead shower: Rain
- spray type hand shower: Rain, IntenseRain
- minimum flow pressure: 1 bar
- pivot connector prevent hose from tangling

Consisting of:


- **Crometta S** Overhead shower 240 1jet (# 26723000)
- Shower arm 24.1 cm (# 27409000)
- **Crometta** Hand shower Vario (# 26330400)
- **Focus** Single lever bath mixer for concealed installation for iBox universal (# 31945000)
- Basic set iBox universal (# 01800180)
- Shower holder Porter S (# 28331000)
- **FixFit** Wall outlet S with non-return valve (# 27456000)
- **Isiflex** Shower hose 125 cm (# 28272000)

Overhead showers


Crometta 85



finish	code no.	Euro
Chrome	28425000	57.30
Crometta 85 Overhead shower Multi		
· shower head size: 85 mm · spray type: MonoRain, normal spray, Massage spray · adjustment with shift on overhead shower · ball-joint: overhead shower angle adjustable · material spray disc: plastic · grey spray disc · maximum flow rate at 3 bar: 15 l/min · flow rate Mono spray (at 3 bar): 13 l/min · flow rate normal spray (at 3 bar): 15 l/min · flow rate massage spray (at 3 bar): 13 l/min · minimum flow pressure: 1 bar · installation: ceiling or wall · connection thread G 1/2 · connection dimension: DN15		
Optional parts:		
· Shower arm 12.8 cm	Chrome	27411000



Chrome	28424000	46.20
Crometta 85 Overhead shower Vario		
· shower head size: 85 mm · spray type: normal spray, Vario spray · adjustment with shift on overhead shower · ball-joint: overhead shower angle adjustable · material spray disc: plastic · grey spray disc · maximum flow rate at 3 bar: 18 l/min · flow rate normal spray (at 3 bar): 18 l/min · flow rate Vario spray (at 3 bar): 14 l/min · minimum flow pressure: 0.05 MPa · installation: ceiling or wall · connection thread G 1/2 · connection dimension: DN15		
Optional parts:		
· Shower arm 12.8 cm	Chrome	27411000




Chrome	28423000	45.60
Crometta 85 Overhead shower 1jet Green 6 l/min		
· shower head size: 85 mm · spray type: normal spray · ball-joint: overhead shower angle adjustable · material spray disc: plastic · grey spray disc · maximum flow rate at 3 bar: 5,7 l/min · flow rate normal spray (at 3 bar): 5,7 l/min · minimum flow pressure: 1 bar · installation: ceiling or wall · connection thread G 1/2 · connection dimension: DN15		
Optional parts:		
· Shower arm 12.8 cm	Chrome	27411000



Vernis Blend

NEW



NEW



NEW

NEW

NEW

NEW

NEW

Vernis Blend Overhead shower 200 1jet

- shower head size: 205 mm
- spray type: Rain
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- maximum flow rate at 3 bar: 12,4 l/ min
- minimum flow pressure: 1 bar
- overhead shower removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

Water saving EcoSmart version:

- Vernis Blend Overhead shower 200 1jet EcoSmart
- Vernis Blend Overhead shower 200 1jet Green

Alternative products:

- Vernis Blend Overhead shower 200 1jet LowPressure

Optional parts:

- Vernis Blend Shower arm 24 cm
- Vernis Blend Ceiling connector 10 cm
- Vernis Blend Ceiling connector 30 cm

finish

code no.

Euro

Chrome
Matt Black26271000
26271670100.00
140.00Chrome
Matt Black
Chrome26277000
26277670
26093000100.00
140.00
100.00

Chrome


26095000

100.00

Chrome
Matt Black
Chrome
Matt Black
Chrome
Matt Black27809000
27809670
27804000
27804670
27805000
2780567047.00
65.80
45.00
63.00
60.00
84.00

NEW

12x



NEW

NEW

NEW

NEW

Vernis Blend Overhead shower 200 1jet project pack (12 pcs.)

- shower head size: 205 mm
- spray type: Rain
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- maximum flow rate at 3 bar: 12,4 l/ min
- minimum flow pressure: 1 bar
- overhead shower removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15
- packaging unit optional parts: 1 piece
- packaging unit: 12 pieces

Consisting of:

- Vernis Blend Overhead shower 200 1jet (# 26271000)

Optional parts:

- Vernis Blend Shower arm 24 cm
- Vernis Blend Ceiling connector 10 cm
- Vernis Blend Ceiling connector 30 cm

Chrome

26365000


1,175.00

Chrome
Chrome
Chrome27809000
27804000
2780500047.00
45.00
60.00

Overhead showers

Vernis Shape

NEW



Vernis Shape Overhead shower 230 1jet

- shower head size: 230 x 170 mm
- spray type: Rain
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- maximum flow rate at 3 bar: 12,4 l/ min
- minimum flow pressure: 1 bar
- overhead shower removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15

Water saving EcoSmart version:

- Vernis Shape Overhead shower 230 1jet EcoSmart
- Vernis Shape Overhead shower 230 1jet Green

Alternative products:

- Vernis Shape Overhead shower 200 1jet LowPressure

Optional parts:

- Vernis Shape Shower arm 24 cm
- Vernis Shape Ceiling connector 10 cm
- Vernis Shape Ceiling connector 30 cm

finish	code no.	Euro
Chrome	26281000	100.00
Matt Black	26281670	140.00



NEW

NEW

NEW

NEW


NEW

NEW

Chrome	26283000	100.00
Matt Black	26283670	140.00
Chrome	26094000	100.00
Chrome	26096000	100.00
Chrome	26405000	47.00
Matt Black	26405670	65.80
Chrome	26406000	45.00
Matt Black	26406670	63.00
Chrome	26407000	60.00
Matt Black	26407670	84.00

NEW

12x



Vernis Shape Overhead shower 230 1jet project pack (12 pcs.)

- shower head size: 230 x 170 mm
- spray type: Rain
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- maximum flow rate at 3 bar: 12,4 l/ min
- minimum flow pressure: 1 bar
- overhead shower removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15
- packaging unit optional parts: 1 piece
- packaging unit: 12 pieces

Consisting of:

- Vernis Shape Overhead shower 230 1jet (# 26281000)

Optional parts:

- Vernis Shape Shower arm 24 cm
- Vernis Shape Ceiling connector 10 cm
- Vernis Shape Ceiling connector 30 cm

Chrome	26579000	1,175.00
--------	----------	----------



NEW


NEW

NEW

NEW

Chrome	26405000	47.00
Chrome	26406000	45.00
Chrome	26407000	60.00

Clubmaster



Clubmaster Overhead shower 3jet

- shower head size: 93 mm
- spray type: Soft spray, normal spray, Massage spray
- adjustment with shift on overhead shower
- ball-joint: overhead shower angle adjustable
- material spray disc: plastic
- grey spray disc
- maximum flow rate at 3 bar: 19 l/min
- flow rate soft spray (at 3 bar): 17 l/min
- flow rate normal spray (at 3 bar): 19 l/min
- flow rate massage spray (at 3 bar): 12 l/min
- minimum flow pressure: 2 bar
- installation: wall
- connection thread G 1/2
- connection dimension: DN15

finish

code no.

Euro

Chrome

28496000

213.50



Optional parts:

- Shower arm 10 cm
- Shower arm 12.8 cm

Chrome

27438000

75.20

Chrome

27411000

22.60

Shower arms for overhead showers



Shower arm square 39 cm

- length: 390 mm
- installation type: exposed installation
- connection thread G 1/2
- connection dimension DN15

Chrome

27694000

195.00

Brushed Bronze

27694140

292.70

Brushed Black

27694340

292.70

Chrome

Matt Black

27694670

273.10

Matt White

27694700


273.10

Polished Gold Optic

27694990

292.70

NEW



NEW

NEW

Pulsify Wall connector for overhead shower 260

- material: plastic
- connection type: G 1/2

Chrome

24149000

80.00

Matt Black

24149670

104.00

Matt White

24149700

104.00

available from
January 2023

Optional parts:

- Pulsify S Overhead shower 260 1jet
- Pulsify S Overhead shower 260 1jet EcoSmart

Chrome

24140000

250.00

Matt Black

24140670

325.00

Matt White

24140700

325.00

Chrome

24141000

250.00

Matt Black

24141670


325.00

Matt White

24141700

325.00

NEW



NEW

NEW

Pulsify Wall connector for overhead shower 105

- material: plastic
- connection type: G 1/2

Chrome

24139000

50.00

Matt Black

24139670

65.00

Matt White

24139700

65.00

Optional parts:

- Pulsify S Overhead shower 105 1jet
- Pulsify S Overhead shower 105 1jet Green

Chrome

24130000

85.00

Matt Black

24130670

110.50

Matt White

24130700

110.50

Chrome

24132000

85.00

Matt Black

24132670







110.50

Matt White





24132700

110.50





Overhead showers

		finish	code no.	Euro
 	Shower arm 10 cm	Chrome	27438000	75.20
	- length: 100 mm - installation type: exposed installation - material: brass - connection thread G 1/2 - connection dimension DN15			
	Optional parts: Clubmaster Overhead shower 3jet	Chrome	28496000	213.50
 	Shower arm 12.8 cm	Chrome	27411000	22.60
	- length: 128 mm - installation type: exposed installation - material: brass - connection thread G 1/2 - connection dimension DN15			
 	Shower arm 23 cm	Chrome	27412000	61.80
	- length: 230 mm - installation type: exposed installation - material: brass - connection thread G 1/2 - connection dimension DN15			
 	Vernis Blend Shower arm 24 cm	Chrome Matt Black	27809000 27809670	47.00 65.80
	- length: 240 mm - installation type: exposed installation - material: solid brass - version: 90° angle - connection thread G 1/2 - connection dimension DN15			
 	Shower arm 24.1 cm	Chrome	27409000	61.80
	- length: 241 mm - installation type: exposed installation - material: brass - version: 90° angle - connection thread G 1/2 - connection dimension DN15			
 	Shower arm 38.9 cm	Chrome Brushed Bronze Brushed Black Chrome Matt Black Matt White Polished Gold Optic	27413000 27413140 27413340 27413670 27413700 27413990	87.30 130.90 130.90 122.20 122.20 130.90
	- length: 389 mm - installation type: exposed installation - material: brass - version: 90° angle - connection thread G 1/2 - connection dimension DN15			

Measurements within scale drawings are in mm.


		finish	code no.	Euro
  	Vernis Shape Shower arm 24 cm	Chrome	26405000	47.00
		Matt Black	26405670	65.80
	- length: 240 mm - shaft Ø: 26 mm - installation type: exposed installation - material: solid brass - version: 90° angle - connection thread G 1/2 - connection dimension DN15			
 	Shower arm E 38.9 cm	Chrome	27446000	87.30
	- length: 389 mm - installation type: exposed installation - material: brass - version: 90° angle - connection thread G 1/2 - connection dimension DN15			
Ceiling connectors for overhead showers				
 	Ceiling connector 10 cm	Chrome Brushed Bronze Brushed Black Chrome Matt Black Matt White Polished Gold Optic	27479000 27479140 27479340 27479670 27479700 27479990	58.90 88.30 88.30 82.40 82.40 88.30
	- length: 100 mm - shaft Ø: 27 mm - purpose of use: also usable as an extension - installation type: exposed installation - material: brass - connection type: G 1/2 NPT - connection thread G 1/2 - connection dimension G 1/2			
 	Ceiling connector S 10 cm	Chrome Brushed Bronze Brushed Black Chrome Matt Black Matt White Polished Gold Optic	27393000 27393140 27393340 27393670 27393700 27393990	59.10 88.60 88.60 82.70 82.70 88.60
	- length: 100 mm - shaft Ø: 27 mm - purpose of use: also usable as an extension - installation type: exposed installation - material: brass - connection type: G 1/2 NPT - connection thread G 1/2 - connection dimension DN15			
  	Vernis Blend Ceiling connector 10 cm	Chrome	27804000	45.00
		Matt Black	27804670	63.00
	- length: 100 mm - shaft Ø: 26 mm - installation type: exposed installation - material: solid brass - connection type: G 1/2 NPT - connection thread G 1/2 - connection dimension G 1/2			
	Alternative sizes: Vernis Blend Ceiling connector 30 cm	Chrome Matt Black	27805000 27805670	60.00 84.00

Overhead showers

			finish	code no.	Euro
		Ceiling connector S 30 cm · length: 300 mm · shaft Ø: 27 mm · installation type: exposed installation · material: brass · connection thread G ½ · connection dimension DN15	Chrome Brushed Bronze Brushed Black Chrome Matt Black Matt White Polished Gold Optic	27389000 27389140 27389340 27389670 27389700 27389990	84.10 126.60 126.60 118.30 118.30 126.60
		Ceiling connector E 10 cm · length: 100 mm · shaft Ø: 27 mm · purpose of use: also usable as an extension · installation type: exposed installation · material: brass · connection thread G ½ · connection dimension DN15	Chrome	27467000	58.90
		Vernis Shape Ceiling connector 10 cm · length: 100 mm · shaft Ø: 26 mm · installation type: exposed installation · material: solid brass · connection type: G ½ NPT · connection thread G ½ · connection dimension G ½ Alternative sizes: · Vernis Shape Ceiling connector 30 cm	Chrome Matt Black	26406000 26406670	45.00 63.00
		Ceiling connector E 30 cm · length: 300 mm · shaft Ø: 27 mm · installation type: exposed installation · material: brass · connection thread G ½ · connection dimension DN15	Chrome	27388000	84.10

Measurements within scale drawings are in mm.


Body showers



Rainfinity Shoulder shower
500 1jet with shower shelf

- shower head size: 502 x 80 mm
- spray type: PowderRain
- spray area: 309 x 28 mm
- field of application: functions as overhead, shoulder or side shower
- flow rate PowderRain spray (at 3 bar): 14,5 l/min
- minimum flow pressure: 1,1 bar
- connection thread: G ½
- connection dimension: DN15
- material: metal
- shelf made of safety glass
- surface of the shelf at colour variant -000 = mirror glass, at colour variant -700 = graphite colour, satined

finish	code no.	Euro
Chrome	26243000	487.80
Matt White	26243700	634.00



Bodyvette Body shower 1jet

Chrome	28466000	106.10
--------	----------	--------

- spray type: normal spray
- grey spray disc
- ball-joint: side shower angle adjustable
- rosette: circular
- maximum flow rate at 3 bar: 5 l/min
- flow rate normal spray (at 3 bar): 5 l/min
- minimum flow pressure: 1 bar
- connection thread: G ½
- connection dimension: DN15



Alternative products:

· Bodyvette Body shower 1jet stop	Chrome	28467000	122.80
--	--------	----------	--------

Showerpipes and shower panels



Rainmaker Select
Showerpipes

page 226



Rainfinity Showerpipes

page 228



Raindance Select E /
Raindance E Showerpipes

page 229



Raindance Select S /
Raindance S Showerpipes

page 236



Pulsify S Showerpipes

page 242



Croma Select S
Showerpipes

page 245



Croma Select E
Showerpipes

page 254



Croma E Showerpipes

page 258



Croma Showerpipes

page 260



Crometta S / Crometta E
Showerpipes

page 264



Vernis Blend Showerpipes

page 272





Vernis Shape Showerpipes

page 276




hansgrohe Showerpipes

Product ranges at a glance

	Rainmaker Select	Rainfinity	Raindance Select E		
					
	Showerpipe 460 3jet	Showerpipe 360 1jet	Showerpipe 300 3jet	Showerpipe 300 1jet	Showerpipe 300 1jet
Finish	-400	-000, -700	-000, -400	-000, -400	-000
Standard	27 l/min	19,6 l/min	19 l/min	16,9 l/min	16 l/min
EcoSmart 9 l/min	■				■
Green 6 l/min					
Bath					
Single lever mixer					
Reno					
Swiveling shower arm					
Riser pipe can be shortened					
Select	■	■	■	■	■
QuickClean	■	■	■	■	■
XXL Performance	■	■	■	■	■
CoolContact	■		■	■	■
Water flow control					
Fast drain					
AirPower			■	■	■
PowderRain		■			
	page 226	page 228	page 229		page 234


Raindance E



Showerpipe 300 1jet

-000


16 l/min



Showerpipe 360 1jet

-000, -400


15 l/min



Showerpipe 240 1jet
PowderRain

-000, -140, -340
-670, -700, -990

16 l/min



Showerpipe 300 2jet

-000, -400

15 l/min



Showerpipe 300 1jet

-000

16 l/min



Showerpipe 240 1jet






-000

16 l/min



hansgrohe Showerpipes

Product ranges at a glance

	Pulsify S		Croma Select S		Croma Select E
					
	Showerpipe 260 2jet	Showerpipe 260 1jet	Showerpipe 280 1jet	Showerpipe 280 1jet	Showerpipe 180 2jet
Finish	-000, -670, -700	-000	-000	-140, -340 -670, -700, -990	-400
Standard	12,9 l/min	10,9 l/min	16 l/min	14,5 l/min	16 l/min
EcoSmart 9 l/min	■	■	■	■	■
Green 6 l/min					
Bath		■	■		■
Single lever mixer			■		■
Reno			■		
Swiveling shower arm		■	■	■	■
Riser pipe can be shortened	■	■	■	■	■
Select	■	■		■	■
QuickClean	■	■	■	■	■
XXL Performance	■	■	■	■	■
CoolContact	■	■			
Water flow control	■	■			
Fast drain	■	■			
AirPower			■	■	
PowderRain	■	■			

page 242

page 245

page 254

Croma E






Croma

Crometta S

Crometta E

**Vernis
Blend**

**Vernis
Shape**



Showerpipe 280 1jet

Showerpipe 220 1jet

Showerpipe 240 1jet

Showerpipe 240 1jet

Showerpipe 200 1jet

Showerpipe 230 1jet

-000

-000

-000

-000

-000, -670

-000, -670

15 l/min

15 l/min

16 l/min



15 l/min

15,9 l/min

15,9 l/min



Rainmaker Select Showerpipes



Rainmaker Select Showerpipe 460 3jet with thermostat

- consists of: overhead shower, hand shower, shower thermostat, shower hose, shower holder, shower bar
- overhead shower Rainmaker Select 460 3jet
- shower head size overhead shower: 460 x 300 mm
- spray type overhead shower: Rain, MonoRain, RainStream
- convenient diversion via Select button
- easy cleanable spray disc in glass optics
- spray type hand shower: Rain, RainAir, Whirl
- shelf made of safety glass
- shelf finish: white
- maximum flow rate at 3 bar: 27 l/ min
- minimum flow pressure: 1,5 bar
- operating pressure: min. 1,5 bar/ max. 10 bar
- bar width: 80 mm
- shower arm length overhead shower: 450 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat ShowerTablet Select 700
- isolated water conduction
- safety lock at 40°C
- adjustable hot water limitation
- convenient diversion via Select button
- simultaneous utilization of 4 functions
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 18 mm

Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530400)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Water saving EcoSmart version:

- **Rainmaker Select** Showerpipe 460 3jet EcoSmart 9 l/ min with thermostat

finish

code no.

Euro

White/Chrome

27106400


3,922.40



White/Chrome

27029400

3,922.40



Rainmaker Select Showerpipe 460 2jet with thermostat

- consists of: overhead shower, hand shower, shower thermostat, shower hose, shower holder, shower bar
- overhead shower Rainmaker Select 460 2jet
- shower head size overhead shower: 460 x 300 mm
- spray type overhead shower: Rain, RainStream
- easy cleanable spray disc in glass optics
- spray type hand shower: RainAir, Rain, Whirl
- shelf made of safety glass
- shelf finish: white
- maximum flow rate at 3 bar: 27 l/min
- minimum flow pressure: 1,5 bar
- operating pressure: min. 1,5 bar/ max. 10 bar
- bar width: 80 mm
- shower arm length overhead shower: 450 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat ShowerTablet Select 700
- isolated water conduction
- safety lock at 40 °C
- adjustable hot water limitation
- convenient diversion via Select button
- simultaneous utilization of 3 functions
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 18 mm

Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530400)
- **Isiflex** Shower hose 160 cm (# 28276000)
- Shower holder Porter S (# 28331000)

Water saving EcoSmart version:



- **Rainmaker Select** Showerpipe 460 2jet EcoSmart 9 l/min with thermostat

finish

code no.

Euro



White/Chrome

27109400

3,432.20



Rainfinity Showerpipe



Rainfinity Showerpipe 360
1jet for concealed installation

- consists of: overhead shower, hand shower, shower holder, shower hose, 2 glass shelves, shower bar
- overhead shower Rainfinity 360 1jet
- shower head size overhead shower: 360 mm
- spray type overhead shower: PowderRain
- spray disc surface: graphite
- spray type hand shower: MonoRain, PowderRain, Intense PowderRain
- shower holder inclination angle can be adjusted continuously
- shower arm vertically inclinable by 10-30°
- shelf made of safety glass
- surface of the shelf at colour variant -000 = mirror glass, at colour variant -700 = graphite colour, sanded
- requires a mixer for 2 functions
- maximum flow rate at 3 bar: 19,6 l/min
- minimum flow pressure: 2,4 bar
- operating pressure: min. 2,4 bar/
max. 6 bar
- mounting type: exposed installation
- bar width: 22 mm
- isolated water conduction
- water connection: in the lower shelf, covert
- connection dimension: DN15
- connection thread G ½

Consisting of:

- **Rainfinity** Hand shower 130 3jet
(# 26864XXX)
- **Isiflex** Shower hose 160 cm
(# 28276XXX)

Required parts:

- **Rainfinity** Basic set for showerpipe 360°
1 jet for concealed installation
- **RainSelect** Thermostat for concealed
installation for 2 functions
- **RainSelect** Basic set for 2 functions

finish

code no.

Euro

Chrome
Matt White

26842000
26842700

1,354.90
1,761.20



Chrome
Matt White

26840180	119.20
15380000	1,154.40
15380700	1,500.60
15310180	630.00

Rainfinity Basic set
for showerpipe 360 1jet
for concealed installation


- suitable for Showerpipe 360 1jet for concealed installation
- sound-decoupled installation
- The position of the connections is given, thus easy installation
- easy mounting
- connection dimension: $G \frac{1}{2}$

Optional parts:

- **Rainfinity** Showerpipe 360 1jet for concealed installation

Chrome
Matt White

26842000	1,354.90
26842700	1,761.20



finish	code no.	Euro
--------	----------	------

Chrome	27127000	2,054.30
White/Chrome	27127400	2,054.30





- Consisting of:**

- **Raindance Select E** Hand shower 120 3jet (# 26520XXX)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Optional parts:

- | | | | |
|--|--------|----------|-------|
| · S-connections adapter G 3/4 for renovation | Chrome | 02026000 | 32.20 |
|--|--------|----------|-------|



Raindance Select E
Showerpipe 300 2jet
with ShowerTablet Select 300

- consists of: overhead shower, hand shower, shower thermostat, shower hose, shower holder, shower bar
- overhead shower Raindance Select E 300 2jet
- shower head size overhead shower: 300 x 160 mm
- spray type overhead shower: RainAir, Rain
- convenient diversion via Select button
- ball-joint: overhead shower angle adjustable
- spray disc surface in two variants: chrome or white
- spray type hand shower: RainAir, Rain, Whirl
- shelf made of safety glass
- surface of the shelf at color variant -000 = mirror glass, at color variant -400 = white glass
- maximum flow rate at 3 bar: 16 l/ min
- flow rate RainAir spray (at 3 bar): 16 l/ min
- flow rate Rain spray (at 3 bar): 16 l/ min
- minimum flow pressure: 1,5 bar
- operating pressure: min. 1,5 bar/ max. 10 bar
- bar width: 40 mm
- hand shower wall support
- shower arm length overhead shower: 380 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat ShowerTablet Select 300
- isolated water conduction
- safety lock at 40° C
- adjustable hot water limitation
- convenient diversion via Select button
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm
- in case of installation on existing G 3/4 connections, adaptor # 02026000 must be used

Consisting of:

- **Raindance Select E** Hand shower 120 3jet (# 26520XXX)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 160 cm (# 28276000)



Water saving EcoSmart version:

- **Raindance Select E** Showerpipe 300 2jet EcoSmart 9 l/ min with ShowerTablet Select 300


Optional parts:

- S-connections adapter G 3/4 for renovation

finish	code no.	Euro
Chrome	27126000	1,733.50
White/Chrome	27126400	1,733.50
		
		

Chrome	27283000	1,733.50
White/Chrome	27283400	1,733.50
Chrome	02026000	32.20

Raindance E Showerpipes



Raindance E Showerpipe 360
1jet with thermostat

- consists of: overhead shower, hand shower, shower thermostat, shower hose, shower holder, shower bar
- overhead shower Raindance E 360 Air
- shower head size overhead shower: 360 x 190 mm
- spray type overhead shower: RainAir
- ball-joint: overhead shower angle adjustable
- spray type hand shower: RainAir, Rain, Whirl
- shelf made of safety glass
- shelf finish: chrome or white
- surface of the shelf at color variant
 - 000 = mirror glass, at color variant
 - 400 = white glass
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/max. 10 bar
- bar width: 44 mm
- shower arm length overhead shower: 380 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat Ecostat Select
- isolated water conduction
- safety lock at 40 °C
- adjustable hot water limitation
- outlets controlled via turning handle
- will not run two outlets at same time
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm
- in case of installation on existing G 3/4 connections, adaptor # 02026000 must be used

Consisting of:

- Raindance E Overhead shower 360 1jet with ceiling connector (# 27381000)
- Raindance Select E Hand shower 120 3jet (# 26520XXX)
- Shower holder Porter S (# 28331000)
- Isiflex Shower hose 160 cm (# 28276000)

Water saving EcoSmart version:


- Raindance E Showerpipe 360 1jet EcoSmart 9 l/min with thermostat

finish	code no.	Euro
Chrome	27112000	1,459.80
White/Chrome	27112400	1,459.80
		
		

Optional parts:

- S-connections adapter G 3/4 for renovation
- Wall bar spacer for Raindance Select

Chrome	27286000	1,459.80
White/Chrome	27286400	1,459.80
Chrome	02026000	32.20
Chrome	95960000	28.20



Raindance E Showerpipe 360
1jet with bath thermostat

- consists of: overhead shower, hand shower, bath thermostat, shower hose, shower holder
- overhead shower Raindance E 360 Air
- shower head size overhead shower: 360 x 190 mm
- spray type overhead shower: RainAir
- ball-joint: overhead shower angle adjustable
- spray type hand shower: RainAir, Rain, Whirl
- shelf made of safety glass
- surface of the shelf at color variant -000 = mirror glass, at color variant -400 = white glass
- maximum flow rate at 3 bar: 20 l/min
- flow rate RainAir spray (at 3 bar): 15 l/min
- flow rate bath filler: 20 l/min
- minimum flow pressure: 1,3 bar
- operating pressure: min. 1,3 bar/ max. 10 bar
- bar width: 44 mm
- shower arm length overhead shower: 380 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat Ecostat Select
- isolated water conduction
- safety lock at 40°C
- adjustable hot water limitation
- outlets controlled via turning handle
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm
- intrinsically safe against backflow
- in case of installation on existing G 3/4 connections, adaptor # 02026000 must be used

Consisting of:


- **Raindance Select E** Hand shower 120 3jet (# 26520XXX)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Optional parts:

- S-connections adapter G 3/4 for renovation
- Wall bar spacer for Raindance Select

finish	code no.	Euro
Chrome	27113000	1,590.80
White/Chrome	27113400	1,590.80
		
		

Chrome	02026000	32.20
Chrome	95960000	28.20



Raindance E Showerpipe 360 1jet with ShowerTablet Select 300

- consists of: overhead shower, hand shower, shower thermostat, shower hose, shower holder, shower bar
- overhead shower Raindance E 360 Air
- shower head size overhead shower: 360 x 190 mm
- spray type overhead shower: RainAir
- ball-joint: overhead shower angle adjustable
- spray type hand shower: RainAir, Rain, Whirl
- shelf made of safety glass
- surface of the shelf at color variant
 - 000 = mirror glass, at color variant
 - 400 = white glass
- maximum flow rate at 3 bar: 16,9 l/ min
- minimum flow pressure: 0,08 MPa (hydrodynamic pressure)
- operating pressure: min. 0,8 bar/ max. 5 bar
- bar width: 40 mm
- shower arm length overhead shower: 380 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat ShowerTablet Select 300
- isolated water conduction
- safety lock at 40°C
- adjustable hot water limitation
- convenient diversion via Select button
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm
- in case of installation on existing G 3/4 connections, adaptor # 02026000 must be used


Consisting of:

- **Raindance E** Overhead shower 360 1jet with ceiling connector (# 27381000)
- **Raindance Select E** Hand shower 120 3jet (# 26520XXX)
- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Optional parts:

- S-connections adapter G 3/4 for renovation Chrome


finish	code no.	Euro
Chrome	27288000	1,733.50
White/Chrome	27288400	1,733.50
		
		



S-connections adapter G 3/4 for renovation

- installation type: exposed installation
- adapter for installation on existing s-unions G 1/2 x G 3/4
- connection dimension G 3/4

Chrome	02026000	32.20
--------	----------	-------



Raindance E Showerpipe 300 1jet with ShowerTablet 600

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Raindance E 300 Air 1jet
- shower head size overhead shower: 300 x 300 mm
- spray type overhead shower: RainAir
- ball-joint: overhead shower angle adjustable
- 90° position adjustable hand shower holder, pivots left and right, up and down
- spray type hand shower: Rain, RainAir, Whirl
- shelf finish: aluminium anodized
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1,5 bar
- operating pressure: min. 1,5 bar/ max. 10 bar
- bar width: 61 mm
- shower arm length overhead shower: 405 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat ShowerTablet 600
- isolated water conduction
- safety lock at 40°C
- outlets controlled via turning handle
- will not run two outlets at same time
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm

Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Water saving EcoSmart version:


- **Raindance E** Showerpipe 300 1jet EcoSmart 9 l/min with ShowerTablet 600

Optional parts:

- **Casetta** Soap dish/ shelf E

finish	code no.	Euro
Chrome	27363000	1,667.40
		
		

Chrome	27364000	1,667.40
Chrome	26511000	68.50



Raindance E Showerpipe 300 1jet with ShowerTablet 350

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Raindance E 300 Air 1jet
- shower head size overhead shower: 300 x 300 mm
- spray type overhead shower: RainAir
- ball-joint: overhead shower angle adjustable
- 90° position adjustable hand shower holder, pivots left and right, up and down
- spray type hand shower: RainAir, Rain, Whirl
- shelf finish: aluminium anodized
- maximum flow rate at 3 bar: 16 l/ min
- minimum flow pressure: 1,5 bar
- operating pressure: min. 1,5 bar/ max. 10 bar
- bar width: 61 mm
- shower arm length overhead shower: 405 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat ShowerTablet 350
- isolated water conduction
- safety lock at 40°C
- outlets controlled via turning handle
- will not run two outlets at same time
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm

Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530000)
- **Isiflex** Shower hose 160 cm (# 28276000)



Water saving EcoSmart version:

- **Raindance E** Showerpipe 300 1jet EcoSmart 9 l/ min with ShowerTablet 350


Optional parts:

- **Casetta** Soap dish/ shelf E

finish	code no.	Euro
Chrome	27361000	1,427.60
		
		
		

Chrome	27362000	1,427.60
Chrome	26511000	68.50

Raindance Select S Showerpipes



Raindance Select S
Showerpipe 300 2jet
with thermostat

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Raindance Select S 300 2jet
- shower head size overhead shower: 300 mm
- spray type overhead shower: RainAir, Rain
- convenient diversion via Select button
- spray disc surface in two variants: chrome or white
- spray type hand shower: RainAir, Rain, Whirl
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 25 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 460 mm
- swivel shower arm
- thermostat Ecostat Comfort
- safety lock at 40°C
- adjustable hot water limitation
- outlets controlled via turning handle
- suitable for continuous flow water heaters
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm

Consisting of:

- Raindance Select S Hand shower 120 3jet (# 26530XXX)
- Isiflex Shower hose 160 cm (# 28276000)

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

finish	code no.	Euro
Chrome	27133000	1,279.90
White/Chrome	27133400	1,279.90
		
		

Chrome	95239000	10.90
--------	----------	-------



Raindance Select S
Showerpipe 240 2jet
with thermostat

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Raindance Select S 240 2jet
- shower head size overhead shower: 240 mm
- spray type overhead shower: RainAir, Rain
- convenient diversion via Select button
- spray disc surface in two variants: chrome or white
- spray type hand shower: RainAir, Rain, Whirl
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 25 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 398 mm
- swivel shower arm
- thermostat Ecostat Comfort
- safety lock at 40°C
- adjustable hot water limitation
- outlets controlled via turning handle
- suitable for continuous flow water heaters
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm


Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530XXX)
- **Isiflex** Shower hose 160 cm (# 28276000)


Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

finish	code no.	Euro
Chrome	27129000	1,077.80
White/Chrome	27129400	1,077.80
		
		



Chrome	95239000	10.90
--------	----------	-------



- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Raindance S240 P
- shower head size overhead shower: 240 mm
- spray type overhead shower: PowderRain
- spray type hand shower: Rain, PowderRain, Whirl
- maximum flow rate at 3 bar: 16 l/min
- flow rate PowderRain spray (at 3 bar): 16 l/min
- minimum flow pressure: 1,5 bar
- operating pressure:
min. 1 bar/ max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 25 mm, for surfaces 670 and 700: 22 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 460 mm
- swivel shower arm
- thermostat Ecostat Comfort
- safety lock at 40 °C
- adjustable hot water limitation
- outlets controlled via turning handle
- mounting type: exposed installation
- connection dimension DN15
- connection thread G ½
- centre distance 150 ± 12 mm


- **Raindance Select S** Hand shower 120 3jet PowderRain (# 26014XXX)
- **Isiflex** Shower hose 160 cm (# 28276XXX)

- Wall bar spacer for Croma 100 Showerpipe

XXL
Performance

Chrome	95239000	10.90
--------	----------	-------

Raindance S Showerpipes



Raindance S Showerpipe 300
1 jet with thermostat

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Raindance S 300 Air
- shower head size overhead shower: 300 mm
- spray type overhead shower: RainAir
- fully chrome-plated spray disc
- spray type hand shower: Rain, RainAir, Whirl
- maximum flow rate at 3 bar: 16 l/ min
- minimum flow pressure: 2 bar
- operating pressure: min. 2 bar/ max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 25 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 460 mm
- swivel shower arm
- thermostat Ecostat Comfort
- safety lock at 40 °C
- adjustable hot water limitation
- outlets controlled via turning handle
- suitable for continuous flow water heaters
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm

Consisting of:


- Raindance Select S Hand shower 120 3jet (# 26530000)
- Isiflex Shower hose 160 cm (# 28276000)

Optional parts:

- Wall bar spacer

finish	code no.	Euro
Chrome	27114000	1,116.20
		
		

Chrome	98681000	14.40
--------	----------	-------



Raindance S Showerpipe 240
1jet with thermostat

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Raindance S 240 Air
- shower head size overhead shower: 236 mm
- spray type overhead shower: RainAir
- ball-joint: overhead shower angle adjustable
- spray type hand shower: RainAir, Rain, Whirl
- maximum flow rate at 3 bar: 16 l/ min
- flow rate RainAir spray (at 3 bar): 16 l/ min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 460 mm
- swivel shower arm
- thermostat Ecostat Comfort
- safety lock at 40 °C
- adjustable hot water limitation
- outlets controlled via turning handle
- will not run two outlets at same time
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm

Consisting of:

- **Raindance Select S** Hand shower 120 3jet (# 26530000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Water saving EcoSmart version:


- **Raindance S** Showerpipe 240 1jet EcoSmart 9 l/ min with thermostat

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe


finish	code no.	Euro
Chrome	27115000	893.10
		
		

Chrome	27116000	893.10
Chrome	95239000	10.90

	finish	code no.	Euro
	Chrome	27117000	1,130.00
			
			
Raindance S Showerpipe 240 1jet with bath thermostat			
· consists of: overhead shower, hand shower, bath thermostat, shower hose, slider, shower bar · overhead shower Raindance S 240 Air · shower head size overhead shower: 236 mm · spray type overhead shower: RainAir · ball-joint: overhead shower angle adjustable · fully chrome-plated spray disc · spray type hand shower: Rain, RainAir, Whirl · flow rate RainAir spray (at 3 bar): 17 l/ min · flow rate bath filler: 20 l/ min · minimum flow pressure: 1 bar · operating pressure: min. 1 bar/ max. 10 bar · pipe can be shortened in height · shower bar diameter: 22 mm · height-adjustable hand shower holder · shower arm length overhead shower: 460 mm · swivel shower arm · thermostat Ecostat Comfort · safety lock at 40 °C · adjustable hot water limitation · outlets controlled via turning handle · mounting type: exposed installation · connection dimension DN15 · connection thread G 1/2 · centre distance 150 ± 12 mm			
Consisting of: · Raindance Select S Hand shower 120 3jet (# 26530000) · Isiflex Shower hose 200 cm (# 28274000)			
Optional parts: · Wall bar spacer for Croma 100 Showerpipe			
	Chrome	95239000	10.90

Pulsify S Showerpipes

NEW



Pulsify S Showerpipe 260 2jet with ShowerTablet Select 400

- consists of: overhead shower, hand shower, shower thermostat, shower bar, shower hose
- overhead shower Pulsify 260 2jet
- shower head size overhead shower: 260 mm
- spray type overhead shower: PowderRain, Intense PowderRain
- ball-joint: overhead shower inclinable by 10-30°
- spray disc surface: graphite
- spray type hand shower: PowderRain, IntenseRain, Massage spray
- Fast Drain empties the overhead shower from an angle of 10°
- removable shower head
- shelf made of plastic
- maximum flow rate at 3 bar: 12,9 l/min
- minimum flow pressure: 1,3 bar
- pipe can be shortened in height
- shower arm length overhead shower: 163 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat ShowerTablet Select 400
- simultaneous utilization of 3 functions
- mounting type: exposed installation
- centre distance 150 ± 12 mm
- Thermostat is delivered with buttons hand shower, PowderRain, Intense PowderRain
- Eco-Function: the volume control regulates up to 30% of the water flow

Consisting of:

- Pulsify S Overhead shower 260 2jet with wall connector (# 24150XXX)
- Pulsify Select S Hand shower 105 3jet Relaxation (# 24110XXX)
- Isiflex Shower hose 160 cm (# 28276XXX)

Water saving EcoSmart version:

- Pulsify S Showerpipe 260 2jet EcoSmart with ShowerTablet Select 400

finish	code no.	Euro
Chrome	24240000	840.00
Matt Black	24240670	1,092.00
Matt White	24240700	1,092.00

Fast Drain

Water Flow Control

Cool Contact

Select

Quick Clean

XXL Performance


available from January 2023

NEW

NEW

NEW

Chrome	24241000	840.00
Matt Black	24241670	1,092.00
Matt White	24241700	1,092.00



Pulsify S Showerpipe 260 1jet
with ShowerTablet Select 400

- consists of: overhead shower, hand shower, shower thermostat, shower bar, slider, shower hose
- overhead shower Pulsify 260 1jet
- shower head size overhead shower: 260 mm
- spray type overhead shower: PowderRain
- ball-joint: overhead shower angle adjustable
- spray type hand shower: PowderRain, IntenseRain, Massage spray
- Fast Drain empties the overhead shower from an angle of 10°
- removable shower head
- shelf made of plastic
- maximum flow rate at 3 bar: 10,9 l/ min
- minimum flow pressure: 1,2 bar
- pipe can be shortened in height
- height-adjustable slider with locking push-button slider
- shower arm length overhead shower: 398 mm
- swivel shower arm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat ShowerTablet Select 400
- safety lock at 40° C
- convenient diversion via Select button
- simultaneous utilization of 2 functions
- mounting type: exposed installation
- centre distance 150 ± 12 mm
- Thermostat is delivered with buttons hand shower and overhead shower
- Eco-Function: the volume control regulates up to 30% of the water flow

Consisting of:


- Pulsify S Overhead shower 260 1jet (# 24140000)
- Pulsify Select S Hand shower 105 3jet Relaxation (# 24110000)
- Isiflex Shower hose 160 cm (# 28276XXX)

Water saving EcoSmart version:

- Pulsify S Showerpipe 260 1jet EcoSmart with ShowerTablet Select 400

finish	code no.	Euro
Chrome	24220000	740.00
		
		

available from
January 2023



Pulsify S Showerpipe 260
1jet with bath thermostat
ShowerTablet 400

- consists of: overhead shower, hand shower, bath thermostat, shower bar, slider, shower hose
- overhead shower Pulsify 260 1jet
- shower head size overhead shower: 260 mm
- spray type overhead shower: PowderRain
- ball-joint: overhead shower angle adjustable
- spray type hand shower: PowderRain, IntenseRain, Massage spray
- Fast Drain empties the overhead shower from an angle of 10°
- removable shower head
- shelf made of plastic
- pipe can be shortened in height
- height-adjustable slider with locking push-button slider
- shower arm length overhead shower: 398 mm
- swivel shower arm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat ShowerTablet Select 400
- safety lock at 40° C
- convenient diversion via Select button
- simultaneous utilization of 3 functions
- mounting type: exposed installation
- centre distance 150 ± 12 mm
- Thermostat is delivered with buttons overhead shower, bath tub and hand shower
- Eco-Function: the volume control regulates up to 30% of the water flow

Consisting of:

- **Pulsify S** Overhead shower 260 1jet (# 24140000)
- **Pulsify Select S** Hand shower 105 3jet Relaxation (# 24110000)
- **Isiflex** Shower hose 160 cm (# 28276XXX)


finish	code no.	Euro	
Chrome	24230000	795.00	
			
			

available from
January 2023

Croma Select S Showerpipes



red dot award 2017
bath



Croma Select S Showerpipe
280 1jet with thermostat

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Croma 280
- shower head size overhead shower: 280 mm
- spray type overhead shower: RainAir
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Massage spray, IntenseRain, SoftRain
- maximum flow rate at 3 bar: 16 l/ min
- flow rate RainAir spray (at 3 bar): 16 l/ min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 400 mm
- swivel shower arm
- thermostat Ecostat Comfort
- safety lock at 40°C
- adjustable hot water limitation
- outlets controlled via turning handle
- suitable for continuous flow water heaters
- mounting type: exposed installation
- connection dimension DN15
- connection thread G ½
- centre distance 150 ± 12 mm

Consisting of:

- **Croma** Overhead shower 280 1jet (# 26220000)
- **Croma Select S** Hand shower Multi (# 26800400)
- **Isiflex** Shower hose 160 cm (# 28276000)

Water saving EcoSmart version:

- **Croma Select S** Showerpipe 280 1jet EcoSmart 9 l/ min with thermostat

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

finish

code no.

Euro

Chrome

26790000

802.90



Chrome


26794000

805.00

Chrome

95239000

10.90



Croma Select S Showerpipe
280 1jet with thermostat
and hand shower Raindance
Select S 120 3jet

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Croma 280
- shower head size overhead shower: 280 mm
- spray type overhead shower: RainAir
- ball-joint: overhead shower angle adjustable
- spray type hand shower: RainAir, Rain, Whirl
- maximum flow rate at 3 bar: 15 l/min
- flow rate RainAir spray (at 3 bar): 15 l/min
- flow rate Rain spray (at 3 bar): 11 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 400 mm
- swivel shower arm
- thermostat Ecostat Comfort
- safety lock at 40 °C
- adjustable hot water limitation
- outlets controlled via turning handle
- suitable for continuous flow water heaters
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm

Consisting of:

- **Croma** Overhead shower 280 1jet (# 26220XXX)
- **Raindance Select S** Hand shower 120 3jet (# 26530XXX)
- **Isiflex** Shower hose 160 cm (# 28276XXX)

Water saving EcoSmart version:

- **Croma Select S** Showerpipe 280 1jet EcoSmart 9 l/min with thermostat and hand shower Raindance Select S 120 3jet

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

finish	code no.	Euro
Brushed Bronze	26890140	1,259.50
Brushed Black	26890340	1,259.50
Chrome		
Matt Black	26890670	1,176.00
Matt White	26890700	1,176.00
Polished Gold Optic	26890990	1,259.50



Brushed Bronze	26891140	1,262.70
Brushed Black	26891340	1,262.70
Chrome		
Matt Black	26891670	1,179.20
Matt White	26891700	1,179.20
Polished Gold Optic	26891990	1,262.70

Chrome	95239000	10.90
--------	----------	-------



Croma Select S Showerpipe
280 1jet with bath thermostat

- consists of: overhead shower, hand shower, bath thermostat, shower hose, slider, shower bar
- overhead shower Croma 280
- shower head size overhead shower: 280 mm
- spray type overhead shower: RainAir
- ball-joint: overhead shower angle adjustable
- fully chrome-plated spray disc
- spray type hand shower: Massage spray, IntenseRain, SoftRain
- flow rate RainAir spray (at 3 bar): 16 l/ min
- flow rate bath filler: 20 l/ min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- swivel shower arm
- thermostat Ecostat Comfort
- safety lock at 40 °C
- adjustable hot water limitation
- outlets controlled via turning handle
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm


Consisting of:

- **Croma** Overhead shower 280 1jet (# 26220000)
- **Croma Select S** Hand shower Multi (# 26800400)
- **Isiflex** Shower hose 200 cm (# 28274000)

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

finish	code no.	Euro
Chrome	26792000	977.30
AirPower Quick Clean XXL Performance		



Chrome	95239000	10.90
--------	----------	-------




Croma Select S Showerpipe
280 1jet with single lever mixer

- consists of: overhead shower, hand shower, single lever shower mixer, shower hose, hand shower holder, shower bar
- overhead shower Croma 280
- shower head size overhead shower: 280 mm
- spray type overhead shower: RainAir
- ball-joint: overhead shower angle adjustable
- maximum flow rate at 3 bar: 15 l/min
- flow rate RainAir spray (at 3 bar): 15 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 400 mm
- swivelling shower arm
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm
- ceramic cartridge
- temperature limitation adjustable

finish code no. Euro

Chrome 26791000 767.90




Consisting of:


- **Croma** Overhead shower 280 1jet (# 26220000)
- **Croma Select S** Hand shower Multi (# 26800400)
- **Isiflex** Shower hose 160 cm (# 28276000)

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

Chrome 95239000 10.90

	finish	code no.	Euro
	Chrome	26793000	721.40
	AirPower Quick Clean XXL Performance		
Croma Select S Showerpipe 280 1jet Reno · consists of: overhead shower, hand shower, shower hose, hand shower holder, shower bar · overhead shower Croma 280 · shower head size overhead shower: 280 mm · spray type overhead shower: RainAir · ball-joint: overhead shower angle adjustable · spray type hand shower: Massage spray, IntenseRain, SoftRain · flow rate RainAir spray (at 3 bar): 10 l/min · minimum flow pressure: 1,5 bar · operating pressure: min. 1,5 bar/max. 10 bar · mounting type: exposed installation · pipe can be shortened in height · shower bar diameter: 22 mm · height-adjustable hand shower holder · shower arm length: 400 mm · swivelling shower arm · water connection: Isiflex shower hose 80 cm · connection dimension: DN15 · connection thread G 1/2			
Consisting of: · Croma Overhead shower 280 1jet (# 26220000) · Croma Select S Hand shower Multi (# 26800400) · Isiflex Shower hose 160 cm (# 28276000) · Isiflex Shower hose B 80 cm (# 28278000)			
	Chrome	95239000	10.90
	Optional parts: · Wall bar spacer for Croma 100 Showerpipe		



**Croma Select S Showerpipe
180 2jet with thermostat**

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Croma Select S 180 2jet
- shower head size overhead shower: 180 mm
- spray type overhead shower: Rain, IntenseRain
- convenient diversion via Select button
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Massage spray, IntenseRain, SoftRain
- flow rate IntenseRain spray (at 3 bar): 16 l/min
- flow rate Rain spray (at 3 bar): 16 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1,1 bar/max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 400 mm
- swivel shower arm
- thermostat Ecostat Comfort
- safety lock at 40°C
- adjustable hot water limitation
- outlets controlled via turning handle
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm

Consisting of:

- **Croma Select S** Overhead shower 180 2jet (# 26522400)
- **Croma Select S** Hand shower Multi (# 26800400)
- **Isiflex** Shower hose 160 cm (# 28276000)

Water saving EcoSmart version:

- **Croma Select S** Showerpipe 180 2jet EcoSmart 9 l/min with thermostat

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

finish code no. Euro

White/Chrome 27253400 719.00



White/Chrome 27254400 719.00


Chrome 95239000 10.90



Croma Select S Showerpipe
180 2jet with bath thermostat

- consists of: overhead shower, hand shower, bath thermostat, shower hose, slider, shower bar
- overhead shower Croma Select S 180 2jet
- shower head size overhead shower: 180 mm
- spray type overhead shower: Rain, IntenseRain
- convenient diversion via Select button
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Massage spray, IntenseRain, SoftRain
- flow rate IntenseRain spray (at 3 bar): 17 l/ min
- flow rate Rain spray (at 3 bar): 17 l/ min
- flow rate bath filler: 20 l/ min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- swivel shower arm
- thermostat Ecostat Comfort
- safety lock at 40 °C
- adjustable hot water limitation
- outlets controlled via turning handle
- mounting type: exposed installation
- connection dimension DN15
- connection thread G ½
- centre distance 150 ± 12 mm

finish	code no.	Euro
White/Chrome	27351400	908.10
Select Quick Clean XXL Performance		




Consisting of:

- **Croma Select S** Overhead shower 180 2jet (# 26522400)
- **Croma Select S** Hand shower Multi (# 26800400)
- **Isiflex** Shower hose 200 cm (# 28274000)

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

Chrome	95239000	10.90
--------	----------	-------



Technical specifications and units of measure are subject to change.

- Consisting of:**

- ### Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

Chrome

95239000


10.90

White/Chrome


27255400

681.10



	finish	code no.	Euro
	White/Chrome	27247400	353.10
Croma Select S SemiPipe Multi with thermostat Select SELECT Quick Clean XXL Performance · consists of: hand shower, shower thermostat, shower hose, slider, shower bar · spray type hand shower: Massage spray, IntenseRain, SoftRain · wallbar could be also used as grab bar · maximum flow rate at 3 bar: 16 l/min · minimum flow pressure: 1 bar · operating pressure: min. 1 bar/max. 10 bar · wall bar: 900 mm · shower bar diameter: 25 mm · height-adjustable hand shower holder · thermostat Ecostat Comfort · safety lock at 40°C · adjustable hot water limitation · outlets controlled via turning handle · mounting type: exposed installation · connection dimension DN15 · connection thread G 1/2 · centre distance 150 ± 12 mm · TÜV certified			
Consisting of: · Croma Select S Hand shower Multi (# 26800400) · Isiflex Shower hose 160 cm (# 28276000)			
	Chrome	95239000	10.90
Optional parts: · Wall bar spacer for Croma 100 Showerpipe			

Croma Select E Showerpipes



Croma Select E Showerpipe
180 2jet with thermostat

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Croma Select E 180 2jet
- shower head size overhead shower: 180 x 180 mm
- spray type overhead shower: Rain, IntenseRain
- convenient diversion via Select button
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Massage spray, IntenseRain, SoftRain
- flow rate IntenseRain spray (at 3 bar): 16 l/min
- flow rate Rain spray (at 3 bar): 16 l/min
- minimum flow pressure: 1,1 bar
- operating pressure: min. 1,1 bar/max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 400 mm
- swivel shower arm
- thermostat Ecostat Comfort
- safety lock at 40°C
- adjustable hot water limitation
- outlets controlled via turning handle
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm

Consisting of:

- **Croma Select E** Overhead shower 180 2jet (# 26524400)
- **Croma Select E** Hand shower Multi (# 26810400)
- **Isiflex** Shower hose 160 cm (# 28276000)

Water saving EcoSmart version:

- **Croma Select E** Showerpipe 180 2jet EcoSmart 9 l/min with thermostat

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

finish

code no.

Euro

White/Chrome

27256400

719.00



White/Chrome

27257400

719.00

Chrome

95239000


10.90



Croma Select E Showerpipe
180 2jet with bath thermostat

- consists of: overhead shower, hand shower, bath thermostat, shower hose, slider, shower bar
- overhead shower Croma Select E 180 2jet
- shower head size overhead shower: 180 x 180 mm
- spray type overhead shower: Rain, IntenseRain
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Massage spray, IntenseRain, SoftRain
- maximum flow rate at 3 bar: 18 l/ min
- flow rate IntenseRain spray (at 3 bar): 17 l/ min
- flow rate Rain spray (at 3 bar): 17 l/ min
- flow rate bath filler: 20 l/ min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- swivel shower arm
- thermostat Ecostat Comfort
- safety lock at 40 °C
- adjustable hot water limitation
- outlets controlled via turning handle
- suitable for continuous flow water heaters
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm

finish	code no.	Euro
White/Chrome	27352400	908.10
Select Quick Clean XXL Performance		




Consisting of:

- **Croma Select E** Overhead shower 180 2jet (# 26524400)
- **Croma Select E** Hand shower Multi (# 26810400)
- **Isiflex** Shower hose 200 cm (# 28274000)

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

Chrome	95239000	10.90
--------	----------	-------




- consists of: overhead shower, hand shower, single lever shower mixer, shower hose, hand shower holder, shower bar
- overhead shower Croma Select E 180 2jet
- shower head size overhead shower: 180 x 180 mm
- spray type overhead shower: Rain, IntenseRain
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Massage spray, IntenseRain, SoftRain
- flow rate IntenseRain spray (at 3 bar): 16 l/min
- flow rate Rain spray (at 3 bar): 16 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 400 mm
- swivelling shower arm
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm
- ceramic cartridge
- temperature limitation adjustable

- **Croma Select E** Overhead shower 180 2jet (# 26524400)
- **Croma Select E** Hand shower Multi (# 26810400)
- **Isiflex** Shower hose 160 cm (# 28276000)

- Wall bar spacer for Croma 100 Showerpipe

Chrome	95239000	10.90
--------	----------	-------

	finish	code no.	Euro
	White/Chrome	27248400	353.10
Croma Select E SemiPipe Multi with thermostat · consists of: hand shower, shower thermostat, shower hose, slider, shower bar · spray type hand shower: Massage spray, IntenseRain, SoftRain · wallbar could be also used as grab bar · maximum flow rate at 3 bar: 16 l/min · minimum flow pressure: 1 bar · operating pressure: min. 1 bar/max. 10 bar · wall bar: 1000 mm · shower bar diameter: 25 mm · height-adjustable hand shower holder · thermostat Ecostat Comfort · safety lock at 40°C · adjustable hot water limitation · outlets controlled via turning handle · mounting type: exposed installation · connection dimension DN15 · connection thread G 1/2 · centre distance 150 ± 12 mm · TÜV certified Consisting of: · Croma Select E Hand shower Multi (# 26810400) · Isiflex Shower hose 160 cm (# 28276000) Optional parts: · Wall bar spacer for Croma 100 Showerpipe SELECT Select Quick Clean XXL Performance	Chrome	95239000	10.90




Euro

759.70




-

- 759.70

	finish	code no.	Euro
	Croma E Showerpipe 280 1jet with bath thermostat Chrome Cool Contact AirPower Quick Clean XXL Performance · consists of: overhead shower, hand shower, bath thermostat, shower hose, slider, shower bar · shower head size overhead shower: 280 x 170 mm · spray type overhead shower: RainAir · ball-joint: overhead shower angle adjustable · fully chrome-plated spray disc · spray type hand shower: Massage spray, IntenseRain, SoftRain · maximum flow rate at 3 bar: 20,3 l/min · flow rate RainAir spray (at 3 bar): 15 l/min · flow rate bath filler: 20 l/min · minimum flow pressure: 1,7 bar · operating pressure: min. 0.17 MPa/ max. 1.0 MPa · shower bar diameter: 22 mm · height-adjustable slider with locking push-button slider · swivel shower arm · CoolContact thermostat: Prevents the housing from heating up, making showering even safer · thermostat Ecostat E · safety lock at 40 °C · mounting type: exposed installation · connection thread G 1/2 · centre distance 150 ± 12 mm	27687000 936.30	
	Consisting of: · Croma E Overhead shower 280 1jet (# 26257000) · Croma Select E Hand shower Multi (# 26810400) · Ecostat E Bath thermostat for exposed installation (# 15774000) · Isiflex Shower hose 160 cm (# 28276000)		

Croma Showerpipes



Croma Showerpipe 220 1jet with thermostat

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Croma 220
- shower head size overhead shower: 220 mm
- spray type overhead shower: RainAir
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Rain, Massage spray, Shampoo spray, normal spray
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1,2 bar
- operating pressure: min. 0.12 MPa/max. 1.0 MPa
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 400 mm
- swivel shower arm
- thermostat Ecostat Comfort
- safety lock at 40°C
- adjustable hot water limitation
- outlets controlled via turning handle
- will not run two outlets at same time
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm

Consisting of:

- Croma Overhead shower 220 1jet (# 26464000)
- Croma 100 Hand shower Vario (# 28535000)
- Isiflex Shower hose 160 cm (# 28276000)

Water saving EcoSmart version:

- Croma Showerpipe 220 1jet EcoSmart 9 l/min with thermostat

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

finish

Chrome

code no.

27185000

Euro

710.00



Chrome


27188000



710.00

Chrome

95239000

10.90

	finish	code no.	Euro
	Chrome	27223000	922.10
	AirPower Quick Clean XXL Performance		
Croma Showerpipe 220 1jet with bath thermostat · consists of: overhead shower, hand shower, bath thermostat, shower hose, slider, shower bar · overhead shower Croma 220 · shower head size overhead shower: 220 mm · spray type overhead shower: RainAir · ball-joint: overhead shower angle adjustable · fully chrome-plated spray disc · spray type hand shower: Rain, Massage spray, Shampoo spray, normal spray · flow rate RainAir spray (at 3 bar): 17 l/min · flow rate bath filler: 20 l/min · minimum flow pressure: 1 bar · operating pressure: min. 1 bar/max. 10 bar · shower bar diameter: 22 mm · height-adjustable hand shower holder · swivel shower arm · thermostat Ecostat Comfort · safety lock at 40 °C · adjustable hot water limitation · outlets controlled via turning handle · mounting type: exposed installation · connection dimension DN15 · connection thread G 1/2 · centre distance 150 ± 12 mm			
Consisting of: · Croma Overhead shower 220 1jet (# 26464000) · Croma 100 Hand shower Vario (# 28535000) · Isiflex Shower hose 200 cm (# 28274000)			
Optional parts: · Wall bar spacer for Croma 100 Showerpipe			
	Chrome	95239000	10.90



Croma Showerpipe 220 1jet with single lever mixer

- consists of: overhead shower, hand shower, single lever shower mixer, shower hose, hand shower holder, shower bar
- overhead shower Croma 220
- shower head size overhead shower: 220 mm
- spray type overhead shower: RainAir
- ball-joint: overhead shower angle adjustable
- fully chrome-plated spray disc
- spray type hand shower: Rain, Massage spray, Shampoo spray, normal spray
- flow rate RainAir spray (at 3 bar): 16 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 400 mm
- swivelling shower arm
- mounting type: exposed installation
- connection dimension DN15
- connection thread G ½
- centre distance 150 ± 12 mm
- ceramic cartridge
- temperature limitation adjustable

Consisting of:

- **Croma** Overhead shower 220 1jet (# 26464000)
- **Croma 100** Hand shower Vario (# 28535000)
- **Isiflex** Shower hose 160 cm (# 28276000)


Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

finish	code no.	Euro
Chrome	27222000	667.10



Chrome	95239000	10.90
--------	----------	-------



Croma Showerpipe 220 1jet Reno

- consists of: overhead shower, hand shower, shower hose, hand shower holder, shower bar
- overhead shower Croma 220
- shower head size overhead shower: 220 mm
- spray type overhead shower: RainAir
- fully chrome-plated spray disc
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Rain, Massage spray, Shampoo spray, normal spray
- flow rate RainAir spray (at 3 bar): 14 l/ min
- minimum flow pressure: 1,7 bar
- operating pressure: min. 0.17 MPa/ max. 0.6 MPa
- mounting type: exposed installation
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length: 400 mm
- swivelling shower arm
- water connection: Isiflex shower hose 80 cm
- connection dimension: DN15
- connection thread G 1/2

Consisting of:


- **Croma** Overhead shower 220 1jet (# 26464000)
- **Croma 100** Hand shower Vario (# 28535000)
- **Isiflex** Shower hose 160 cm (# 28276000)
- **Isiflex** Shower hose B 80 cm (# 28278000)

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

finish	code no.	Euro
Chrome	27224000	539.20
  		

Chrome	95239000	10.90
--------	----------	-------



Euro


459.70




- 461.90




10.90

	finish	code no.	Euro
	Chrome	27320000	636.60
	Quick Clean XXL Performance Crometta S Showerpipe 240 1jet with bath thermostat · consists of: overhead shower, hand shower, bath thermostat, shower hose, slider, shower bar · overhead shower Crometta S 240 · shower head size overhead shower: 240 mm · spray type overhead shower: Rain · ball-joint: overhead shower angle adjustable · hand shower holder inclination angle can be adjusted by 45° · fully chrome-plated spray disc · spray type hand shower: Rain, IntenseRain · flow rate Rain spray (at 3 bar): 17 l/min · flow rate bath filler: 20 l/min · minimum flow pressure: 1 bar · operating pressure: min. 1 bar/max. 10 bar · pipe can be shortened in height · shower bar diameter: 22 mm · height-adjustable hand shower holder · shower arm length overhead shower: 350 mm · thermostat Ecostat Comfort · safety lock at 40°C · adjustable hot water limitation · outlets controlled via turning handle · mounting type: exposed installation · connection dimension DN15 · connection thread G 1/2 · centre distance 150 ± 12 mm Consisting of: · Crometta S Overhead shower 240 1jet (# 26723000) · Crometta Hand shower Vario (# 26330400) · Isiflex Shower hose 200 cm (# 28274000) Optional parts: · Wall bar spacer for Croma 100 Showerpipe		
	Chrome	95239000	10.90



Measurements within scale drawings are in mm.



Crometta S Showerpipe 240 1jet EcoSmart 9 l/min Reno

- consists of: overhead shower, hand shower, shower bar, hand shower holder, shower hose
- overhead shower Crometta S 240
- shower head size overhead shower: 240 mm
- spray type overhead shower: Rain
- fully chrome-plated spray disc
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Rain, IntenseRain
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 9 l/min
- flow rate Rain spray (at 3 bar): 9 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/max. 10 bar
- mounting type: exposed installation
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length: 350 mm
- water connection: Isiflex shower hose 80 cm
- connection dimension: DN15
- connection thread G 1/2

Consisting of:

- **Crometta S** Overhead shower 240 1jet EcoSmart 9 l/min (# 26724000)
- **Crometta** Hand shower Vario EcoSmart 9 l/min (# 26332400)
- **Isiflex** Shower hose 160 cm (# 28276000)
- **Isiflex** Shower hose B 80 cm (# 28278000)

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

finish

code no.

Euro

Chrome

27270000

377.10




Chrome

95239000

10.90

Crometta E Showerpipes



Crometta E Showerpipe 240
1jet with thermostat

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Crometta E 240
- shower head size overhead shower: 240 x 240 mm
- spray type overhead shower: Rain
- ball-joint: overhead shower angle adjustable
- hand shower holder inclination angle can be adjusted by 45°
- fully chrome-plated spray disc
- spray type hand shower: Rain, IntenseRain
- flow rate Rain spray (at 3 bar): 15 l/min
- minimum flow pressure: 1,2 bar
- operating pressure: min. 0.12 MPa/ max. 1.0 MPa
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 350 mm
- thermostat Ecostat 1001 CL
- safety lock at 40° C
- adjustable hot water limitation
- outlets controlled via turning handle
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm

Consisting of:

- **Crometta E** Overhead shower 240 1jet (# 26726000)
- **Crometta** Hand shower Vario (# 26330400)
- **Isiflex** Shower hose 160 cm (# 28276000)

Water saving EcoSmart version:

- **Crometta E** Showerpipe 240 1jet EcoSmart with thermostat

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

finish

Chrome

code no.

27271000

Euro

459.70



Chrome


27281000


461.90

Chrome

95239000

10.90

	finish	code no.	Euro
	Chrome	27298000	636.60
	  Crometta E Showerpipe 240 1jet with bath thermostat · consists of: overhead shower, hand shower, bath thermostat, shower hose, slider, shower bar · overhead shower Crometta E 240 · shower head size overhead shower: 240 x 240 mm · spray type overhead shower: Rain · ball-joint: overhead shower angle adjustable · hand shower holder inclination angle can be adjusted by 45° · fully chrome-plated spray disc · spray type hand shower: Rain, IntenseRain · flow rate Rain spray (at 3 bar): 17 l/min · flow rate bath filler: 20 l/min · minimum flow pressure: 1 bar · operating pressure: min. 1 bar/ max. 10 bar · pipe can be shortened in height · shower bar diameter: 22 mm · height-adjustable hand shower holder · shower arm length overhead shower: 350 mm · thermostat Ecostat Comfort · safety lock at 40° C · adjustable hot water limitation · outlets controlled via turning handle · mounting type: exposed installation · connection dimension DN15 · connection thread G 1/2 · centre distance 150 ± 12 mm Consisting of: · Crometta E Overhead shower 240 1jet (# 26726000) · Crometta Hand shower Vario (# 26330400) · Isiflex Shower hose 200 cm (# 28274000) Optional parts: · Wall bar spacer for Croma 100 Showerpipe		
	Chrome	95239000	10.90



Crometta E Showerpipe 240
1jet with single lever mixer

- consists of: overhead shower, hand shower, single lever shower mixer, shower hose, hand shower holder, shower bar
- overhead shower Crometta E 240
- shower head size overhead shower: 240 x 240 mm
- spray type overhead shower: Rain
- ball-joint: overhead shower angle adjustable
- hand shower holder inclination angle can be adjusted by 45°
- fully chrome-plated spray disc
- spray type hand shower: Rain, IntenseRain
- maximum flow rate at 3 bar: 15 l/min
- flow rate Rain spray (at 3 bar): 15 l/min
- minimum flow pressure: 1,8 bar
- operating pressure: min. 0.18 MPa/ max. 1.0 MPa
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 350 mm
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm
- ceramic cartridge
- adjustable hot water limitation

Consisting of:

- **Crometta E** Overhead shower 240 1jet (# 26726000)
- **Crometta** Hand shower Vario (# 26330400)
- **Isiflex** Shower hose 160 cm (# 28276000)

Optional parts:

- Wall bar spacer for Croma 100 Showerpipe

finish	code no.	Euro
Chrome	27284000	424.30



Chrome	95239000	10.90
--------	----------	-------



Crometta E Showerpipe 240 1jet EcoSmart 9 l/min Reno

- consists of: overhead shower, hand shower, shower bar, hand shower holder, shower hose
- overhead shower Crometta E 240
- shower head size overhead shower: 240 x 240 mm
- spray type overhead shower: Rain
- fully chrome-plated spray disc
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Rain, IntenseRain
- hand shower holder inclination angle can be adjusted by 45°
- maximum flow rate at 3 bar: 9 l/min
- flow rate Rain spray (at 3 bar): 9 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- mounting type: exposed installation
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length: 350 mm
- water connection: Isiflex shower hose 80 cm
- connection dimension: DN15
- connection thread G 1/2

finish	code no.	Euro
Chrome	27289000	377.10
EcoSmart Quick Clean XXL Performance		


Consisting of:

- **Crometta E** Overhead shower 240 1jet EcoSmart 9 l/min (# 26727000)
- **Crometta** Hand shower Vario EcoSmart 9 l/min (# 26332400)
- **Isiflex** Shower hose 160 cm (# 28276000)
- **Isiflex** Shower hose B 80 cm (# 28278000)

Optional parts:


- Wall bar spacer for Croma 100 Showerpipe

Chrome	95239000	10.90
--------	----------	-------



Vernis Blend Showerpipes

NEW



Vernis Blend Showerpipe 200 1jet with thermostat

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider
- overhead shower Vernis Blend 200 1jet
- shower head size overhead shower: 205 mm
- spray type overhead shower: Rain
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Rain, IntenseRain
- maximum flow rate at 3 bar: 15,9 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- shower bar diameter: 19 mm
- height-adjustable slider with locking push-button slider
- shower arm length overhead shower: 426 mm
- thermostat Vernis
- safety lock at 40° C
- adjustable hot water limitation
- outlets controlled via turning handle
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm
- intrinsically safe against backflow

finish	code no.	Euro
Chrome	26276000	385.00
Matt Black	26276670	539.00



NEW
NEW

- Consisting of:**
- **Vernis Blend** Overhead shower 200 1jet (# 26271XXX)
 - **Vernis Blend** Hand shower Vario (# 26270XXX)
 - **Metaflex** Shower hose 160 cm (# 28266000)

Water saving EcoSmart version:


- **Vernis Blend** Showerpipe 200 1jet EcoSmart with thermostat
- **Vernis Blend** Showerpipe 200 1jet Green with thermostat

NEW
NEW

Chrome	26089000	385.00
Matt Black	26089670	539.00
Chrome	26318000	385.00

NEW

2x



Vernis Blend Showerpipe 200
1jet with thermostat project pack
(2 pcs.)

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider
- overhead shower Vernis Blend 200 1jet
- shower head size overhead shower: 205 mm
- spray type overhead shower: Rain
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Rain, IntenseRain
- maximum flow rate at 3 bar: 15,9 l/ min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- shower bar diameter: 19 mm
- height-adjustable slider with locking push-button slider
- shower arm length overhead shower: 426 mm
- thermostat Vernis
- safety lock at 40 °C
- adjustable hot water limitation
- outlets controlled via turning handle
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm
- intrinsically safe against backflow
- packaging unit: 2 pieces

finish

Chrome

code no.

26285000

Euro


755.00



NEW

Consisting of:

- **Vernis Blend** Showerpipe 200 1jet with thermostat (# 26276000)



Vernis Blend Showerpipe 200 1jet with bath thermostat

- consists of: overhead shower, hand shower, bath thermostat, shower hose, shower holder
- overhead shower Vernis Blend 200 1jet
- shower head size overhead shower: 205 mm
- spray type overhead shower: Rain
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Rain, IntenseRain
- maximum flow rate at 3 bar: 20 l/ min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- shower bar diameter: 19 mm
- height-adjustable slider with locking push-button slider
- shower arm length overhead shower: 426 mm
- thermostat Vernis
- safety lock at 40° C
- adjustable hot water limitation
- outlets controlled via turning handle
- mounting type: exposed installation
- connection dimension DN15
- connection thread G ½
- centre distance 150 ± 12 mm
- intrinsically safe against backflow

Consisting of:

- **Vernis Blend** Overhead shower 200 1jet (# 26271000)
- **Vernis Blend** Hand shower Vario (# 26270000)
- **Metaflex** Shower hose 160 cm (# 28266000)

Water saving EcoSmart version:

- **Vernis Blend** Showerpipe 200 1jet EcoSmart with bath thermostat

finish	code no.	Euro
Chrome	26274000	500.00



NEW
NEW



NEW

Chrome	26079000	500.00
--------	----------	--------



- consists of: overhead shower, hand shower, shower hose, hand shower holder
- overhead shower Vernis Blend 200 1jet
- shower head size overhead shower: 205 mm
- spray type overhead shower: Rain
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Rain, IntenseRain
- maximum flow rate at 3 bar: 14,6 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/max. 10 bar
- mounting type: exposed installation
- shower bar diameter: 19 mm
- height-adjustable slider with locking push-button slider
- shower arm length: 400 mm
- water connection: Metaflex shower hose 80 cm and 160 cm
- connection dimension: DN15
- connection thread G ½



NEW · **Vernis Blend** Overhead shower 200 ljet (# 26271XXX)

NEW · **Vernis Blend** Hand shower Vario (# 26270XXX)

· **Metaflex** Shower hose 160 cm (# 28266000)

· **Isiflex** Shower hose B 80 cm (# 28278000)


Vernis Blend Showerpipe 200 1jet Reno EcoSmart

- Chrome
Matt Black

26099000
26099670

315.00
441.00

Vernis Shape Showerpipes



Vernis Shape Showerpipe 230 1jet with thermostat

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider
- overhead shower Vernis Shape 230 1jet
- shower head size overhead shower: 230 x 170 mm
- spray type overhead shower: Rain
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Rain, IntenseRain
- maximum flow rate at 3 bar: 15,9 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/max. 10 bar
- shower bar diameter: 19 mm
- height-adjustable slider with locking push-button slider
- shower arm length overhead shower: 426 mm
- thermostat Vernis
- safety lock at 40°C
- adjustable hot water limitation
- outlets controlled via turning handle
- mounting type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm

Consisting of:

- Vernis Shape Overhead shower 230 1jet (# 26281XXX)
- Vernis Blend Hand shower Vario (# 26270XXX)
- Metaflex Shower hose 160 cm (# 28266000)

Water saving EcoSmart version:

- Vernis Shape Showerpipe 230 1jet EcoSmart with thermostat
- Vernis Shape Showerpipe 230 1jet Green with thermostat

finish

code no.

Euro

Chrome
Matt Black

26286000
26286670

385.00
539.00



NEW

NEW

NEW


NEW

Chrome
Matt Black
Chrome

26097000
26097670
26319000

385.00
539.00
385.00

	finish	code no.	Euro
NEW 2x 	Vernis Shape Showerpipe 230 1jet with shower thermostat project pack (2 pcs.) · consists of: overhead shower, hand shower, shower thermostat, shower hose, slider · overhead shower Vernis Shape 230 1jet · shower head size overhead shower: 230 x 170 mm · spray type overhead shower: Rain · ball-joint: overhead shower angle adjustable · spray type hand shower: Rain, IntenseRain · maximum flow rate at 3 bar: 14 l/min · minimum flow pressure: 1 bar · operating pressure: min. 1 bar/max. 10 bar · shower bar diameter: 19 mm · height-adjustable slider with locking push-button slider · shower arm length overhead shower: 426 mm · thermostat Vernis · safety lock at 40°C · adjustable hot water limitation · outlets controlled via turning handle · mounting type: exposed installation · connection dimension DN15 · connection thread G ½ · centre distance 150 ± 12 mm · packaging unit: 2 pieces	Chrome	26287000 Quick Clean XXL Performance 755.00



Measurements within scale drawings are in mm.

Technical specifications and units of measure are subject to change.






XXL
Performance

- 500.00



NEW



NEW

NEW



NEW

Vernis Shape Showerpipe 230 1jet Reno

finish	code no.	Euro
Chrome	26282000	315.00
Matt Black	26282670	441.00



- consists of: overhead shower, hand shower, shower hose, hand shower holder
- overhead shower Vernis Shape 230 1jet
- shower head size overhead shower: 230 x 170 mm
- spray type overhead shower: Rain
- ball-joint: overhead shower angle adjustable
- spray type hand shower: Rain, IntenseRain
- maximum flow rate at 3 bar: 14,6 l/min
- minimum flow pressure: 1 bar
- operating pressure: min. 1 bar/ max. 10 bar
- mounting type: exposed installation
- shower bar diameter: 19 mm
- height-adjustable slider with locking push-button slider
- shower arm length: 400 mm
- water connection: Metaflex shower hose 80 cm and 160 cm
- connection dimension: DN15
- connection thread G 1/2


Consisting of:

- **Vernis Shape** Overhead shower 230 1jet (# 26281XXX)
- **Vernis Blend** Hand shower Vario (# 26270XXX)
- **Metaflex** Shower hose 160 cm (# 28266000)
- **Isiflex** Shower hose B 80 cm (# 28278000)

Water saving EcoSmart version:

Vernis Shape Showerpipe 230 1jet Reno EcoSmart	Chrome	26289000	315.00
	Matt Black	26289670	441.00

Raindance shower panels



Raindance Shower panel Lift 180 2jet for exposed installation

Satin Chrome	27008000	2,621.30
White/Chrome	27008400	2,621.30



- consists of: shower panel, overhead shower, baton hand shower, shower hose, shower holder
- overhead shower Raindance S 180 Air
- shower head size: 180 mm
- spray type (overhead shower): RainAir, wide flood jet
- shower arm length: 420 mm
- adjustable height: 200 mm
- flow rate RainAir spray (at 3 bar): 14 l/min
- flow rate RainFlow spray (at 3 bar): 17 l/min
- minimum flow pressure: 2,2 bar
- scald protection at 40°
- adjustable hot water limitation
- isolated water conduction
- centre distance: 150 ± 12 mm
- connection thread G 1/2
- site: wall
- mounting type: exposed installation
- suitable for continuous flow water heaters
- connection dimension: DN15

Consisting of:

- Shower holder Porter S (# 28331000)
- **Isiflex** Shower hose 160 cm (# 28276000)

Optional parts:

Raindance Corner fitting set for shower panel Lift 180 2jet for exposed installation	27999000	217.80
---	----------	--------

Thermostatic mixers / valves



Thermostatic mixers and
combis for exposed
installation

page 288



Thermostatic mixers for
concealed installation

page 308



hansgrohe thermostatic mixers

Product ranges at a glance

	ShowerTablet Select		Ecostat Select		Ecostat E
					
Finish	-000, -400		-000, -670, -700		-000
Standard	■		■		■
With bath filler	■		■		■
With shower holder			■		
Shelf	■		■		
Scald protection at 40°C	■		■		■
Adjustable temperature limit	■		■		■
EcoStop button					■
Select	■		■		
Water flow control			■		
CoolContact	■		■		■
	page 288		page 292		page 298

	RainSelect		Shower Select Glass		Shower Select		Shower Select S
							
Finish	-000, -140, -340, -400 -600, -670, -700, -990		-400		-000, -140, -340 -670, -700, -990		-000, -140, -340 -670, -700, -990
Standard	■		■		■		■
Tap variant					■		■
With shower holder	■				■		
Basic iBox universal			■		■		■
Scald protection at 40°C	■		■		■		■
Adjustable temperature limit	■		■		■		■
Number of outlets	2-5		1-4		1-4		1-4
Select	■		■		■		■
	page 308		page 314		page 317		page 321

Ecostat



-000, -140, -340
-670, -700, -990



Ecostat



-000



-000



page 299

page 305

page 306

**Ecostat
Square**



-000, -140, -340
-670, -700, -990



Ecostat E



-000



Ecostat S



-000, -140, -340
-670, -700, -990



1-4



1-2



1-2

page 326

page 327

page 328

hansgrohe concealed finish sets based on the iBox universal

Concealed installation overview of functions



1 function



ShowerSelect Thermostat



ShowerSelect
Thermostat
15762, -000
Glass surface
15737, -400

ShowerSelect Mixer



ShowerSelect
Mixer
15767, -000

Ecostat Thermostat



Ecostat
Thermostat
for 1 function
15712, -000



Ecostat E
Thermostat
15707, -000

ShowerSelect Thermostat



ShowerSelect S
Thermostat
15744, -000

ShowerSelect Mixer



ShowerSelect S
Mixer
15747, -000

Ecostat Thermostat



Ecostat S
Thermostat
15757, -000

You will be able to satisfy any of your customers' requirements – and help them keep to their budgets – with hansgrohe's complete concealed range for between one and four functions. The choice starts with the operation:

are the showers and spray types to be controlled conventionally by turning, or with complete ease at the touch of a button? Your customers also have complete freedom of design: the ShowerSelect is now also available in a round

design and as a mixer. Ecostat thermostats are available as a circle, and now also as a square with rounded corners. Plenty of options for attractive installations that blend beautifully with the bathroom.

2 functions

ShowerSelect Thermostat



ShowerSelect
Thermostat
15763, -000
Glass surface
15738, -400



ShowerSelect
Thermostat
with Fixfit and Porter
15765, -000

ShowerSelect Mixer



ShowerSelect
Mixer
15768, -000

Ecostat Thermostat



Ecostat
Thermostat
for 2 functions
15714, -000



Ecostat E
Thermostat
15708, -000

ShowerSelect Thermostat



ShowerSelect S
Thermostat
15743, -000

ShowerSelect Mixer




ShowerSelect S
Mixer
15748, -000

Ecostat Thermostat



Ecostat S
Thermostat
15758, -000



ShowerSelect



ShowerSelect
Valve
15764, -000



ShowerSelect
Thermostat highflow
15760, -000

ShowerSelect



ShowerSelect S
Valve
15745, -000



ShowerSelect S
Thermostatic mixer highflow
15741, -000

EcoStat Thermostat mixer



Trio/Quattro S
Shut-off/ diverter valve
15932, -000



EcoStat S
Thermostatic mixer highflow
15756, -000
Thermostatic mixer
15755, -000 (not shown)



Shut-off valve S
15972, -000

4 FUNCTIONS

ShowerSelect



ShowerSelect
Valve
15764, -000



ShowerSelect
Thermostatic mixer highflow
15761, -000

ShowerSelect



ShowerSelect S
Valve
15745, -000



ShowerSelect S
Thermostatic mixer highflow
15742, -000

Ecostat Thermostatic mixer



Trio/Quattro S
Shut-off/ diverter valve
15932, -000



Shut-off valve S
15972, -000




Ecostat S
Thermostatic mixer highflow
15756, -000



Shut-off valve S
15972, -000

Thermostatic mixers and combis for exposed installation



ShowerTablet Select
Thermostat 700 universal
for exposed installation
for 2 functions

- 2 functions
- simultaneous utilization of 2 functions
- centre distance: 150 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- maximum flow rate at 3 bar: 28 l/ min
- flow rate hand shower connection at 3 bar: 14 l/ min
- flow rate upper outlet: 28 l/ min
- Start/stop valve to operate the functions, thermostat cartridge
- safety lock at 40 °C
- temperature limitation adjustable
- with isolated water conduction
- non-return valve
- with silencer
- material handles: metal
- shelf made of safety glass
- surface of the shelf at color variant
-000 = mirror glass, at color variant
-400 = white glass
- control of an external shower or bath tub filler via concealed connection G ½ possible
- connection type: G ½
- connection dimension: DN15
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- dirt filter included
- Thermostat is delivered with buttons Rain large and hand shower

Optional parts:

- **Rainmaker Select** Overhead shower 460 1jet with ceiling connector
- **Rainmaker Select** Overhead shower 460 1jet with shower arm

finish code no. Euro


Chrome	13184000	1,225.80
White/Chrome	13184400	1,225.80



finish

code no.

Euro



ShowerTablet Select Bath thermostat 700 for exposed installation


- projection 192 mm
- 2 functions
- simultaneous utilization of 2 functions
- centre distance: 150 ± 18 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- maximum flow rate at 3 bar: 20 l/ min
- flow rate for bath spout at 3 bar: 20 l/ min
- flow rate of hand shower at 3 bar: 15 l/ min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- Start/stop valve to operate the functions, thermostat cartridge
- safety lock at 40 °C
- temperature limitation adjustable
- with isolated water conduction
- non-return valve
- protected against backflow, according to DIN EN1717
- with silencer
- material handles: metal
- shelf made of safety glass
- surface of the shelf at color variant
- -000 = mirror glass, at color variant
- -400 = white glass
- connection type: G $\frac{1}{2}$
- connection dimension: DN15
- dirt filter included
- Thermostat is delivered with buttons hand shower and bath tub

Chrome

13183000

1,470.80





ShowerTablet Select Shower
thermostat 300 for exposed
installation

- 1 function
- centre distance: 150 ± 12 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- maximum flow rate at 3 bar: 14 l/min
- flow rate hand shower connection at 3 bar: 14 l/min
- thermostat cartridge, Start/stop valve to operate the functions
- safety lock at 40 °C
- temperature limitation adjustable
- with isolated water conduction
- non-return valve
- with silencer
- material handles: metal
- shelf made of safety glass
- surface of the shelf at color variant
 - 000 = mirror glass, at color variant
 - 400 = white glass
- in case of installation on existing G 3/4 connections, adaptor # 02026000 must be used
- connection type: G 1/2
- connection dimension: DN15
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- dirt filter included
- Thermostat is delivered with button hand shower

Consisting of:

- S-Union Set (# 95772000)


Optional parts:

- S-connections adapter G 3/4 for renovation

finish	code no.	Euro
Chrome	13171000	488.60
White/Chrome	13171400	488.60



Chrome	02026000	32.20
--------	----------	-------



ShowerTablet Select Bath
thermostat 300 for exposed
installation

- projection 192 mm
- 2 functions
- simultaneous utilization of 2 functions
- centre distance: 150 ± 12 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- maximum flow rate at 3 bar: 20 l/ min
- flow rate for bath spout at 3 bar: 20 l/ min
- flow rate of hand shower at 3 bar: 16 l/ min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- thermostat cartridge, Start/stop valve to operate the functions
- safety lock at 40 °C
- temperature limitation adjustable
- with isolated water conduction
- non-return valve
- protected against backflow, according to DIN EN1717
- with silencer
- material handles: metal
- shelf made of safety glass
- surface of the shelf at color variant
 - 000 = mirror glass, at color variant
 - 400 = white glass
- in case of installation on existing G 3/4 connections, adaptor # 02026000 must be used
- connection type: G 1/2
- connection dimension: DN15
- dirt filter included
- Thermostat is delivered with buttons hand shower and bath tub


Consisting of:

- S-Union Set (# 95772000)

Optional parts:

- S-connections adapter G 3/4 for renovation Chrome 02026000 32.20


finish	code no.	Euro
Chrome	13151000	653.40
White/Chrome	13151400	653.40
		
		



S-connections adapter G 3/4
for renovation

- installation type: exposed installation
- adapter for installation on existing s-unions G 1/2 x G 3/4
- connection dimension G 3/4

Chrome	02026000	32.20
--------	----------	-------




ShowerTablet Select Shower
thermostat 400 for exposed
installation

- the volume control regulates up to 30% of the water flow
- 1 function
- temperature and volume control
- centre distance: 150 ± 12 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- maximum flow rate at 3 bar: 16,7 l/ min
- safety lock at 40 °C
- temperature limitation adjustable
- with isolated water conduction
- non-return valve
- with silencer
- suitable for continous flow water heaters
- material handles: plastic
- shelf made of plastic
- shelf finish: Matt Black
- connection type: G ½
- dirt filter included
- Thermostat is delivered with button hand shower

finish	code no.	Euro
Chrome	24360000	341.40
Matt Black	24360670	443.80
Matt White	24360700	443.80



**available from
April 2022**



ShowerTablet Select Bath
thermostat 400 for exposed
installation


- rotatable bath spout
- the volume control regulates up to 30% of the water flow
- 2 functions
- simultaneous utilization of 2 functions
- temperature and volume control
- Select push-button on/off control for 2 outlets
- centre distance: 150 ± 12 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- safety lock at 40 °C
- temperature limitation adjustable
- with isolated water conduction
- non-return valve
- protected against backflow, according to DIN EN1717
- with silencer
- suitable for continous flow water heaters
- shelf made of plastic
- connection type: G ½
- connection dimension: DN15
- dirt filter included
- Thermostat is delivered with buttons hand shower and bath tub

Chrome	24340000	412.70
Matt Black	24340670	536.50
Matt White	24340700	536.50



**available from
April 2022**

NEW



Pulsify Select S Shower system
105 3jet Relaxation with hand
shower, thermostat, shower bar
65 cm, slider and shower hose

- consists of: hand shower, shower thermostat, shower bar, slider, shower hose
- shower head size: 105 mm
- convenient diversion via Select button
- spray type hand shower: PowderRain, IntenseRain, Massage spray
- maximum flow rate at 3 bar: 11,4 l/ min
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer

Consisting of:

- NEW** · **Pulsify Select S** Hand shower 105 3jet Relaxation (# 24110000)
- NEW** · **ShowerTablet Select** Shower thermostat 400 for exposed installation (# 24360000)
- NEW** · **Unica** Shower bar Pulsify S 65 cm with push slider and Isiflex shower hose 160 cm (# 24400000)



Alternative sizes:

- NEW** · **Pulsify Select S** Shower system 105 3jet Relaxation with hand shower, thermostat, shower bar 90 cm, slider and shower hose

finish	code no.	Euro
Chrome	24260000	430.00
		
		

available from
April 2022

Chrome	24270000	445.00
--------	----------	--------



Ecostat Select Bath thermostat for exposed installation

- projection 193 mm
- 2 functions
- centre distance: 150 ± 12 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- maximum flow rate at 3 bar: 20 l/ min
- flow rate for bath spout at 3 bar: 20 l/ min
- flow rate of hand shower at 3 bar: 12 l/ min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- thermostat cartridge, ceramic valve 180°
- safety lock at 40 °C
- temperature limitation adjustable
- with isolated water conduction
- non-return valve
- protected against backflow, according to DIN EN1717
- with silencer
- material handles: metal
- shelf made of safety glass
- in case of installation on existing G ¾ connections, adaptor # 02026000 must be used
- surface of the shelf at color variant -000 = mirror glass, at color variant -400 = white glass
- connection type: s-shaped connections
- connection dimension: DN15
- dirt filter included

Consisting of:

- S-Union Set (# 95772000)



Optional parts:

- S-connections adapter G ¾ for renovation

finish	code no.	Euro
Chrome	13141000	488.60
White/Chrome	13141400	488.60



Chrome	02026000	32.20
--------	----------	-------



Ecostat Select Shower
thermostat for exposed
installation

- 1 function
- volume control for 1 outlet
- centre distance: 150 ± 12 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- EcoStop button limits the water consumption to 10 l/min
- maximum flow rate at 3 bar: 12 l/min
- flow rate hand shower connection at 3 bar: 12 l/min
- thermostat cartridge, ceramic valve 180°
- safety lock at 40 °C
- temperature limitation adjustable
- with isolated water conduction
- non-return valve
- with silencer
- shelf made of safety glass
- in case of installation on existing G ¾ connections, adaptor # 02026000 must be used
- surface of the shelf at color variant
 - 000 = mirror glass, at color variant
 - 400 = white glass
- connection type: s-shaped connections
- connection dimension: DN15
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- dirt filter included

Consisting of:



- S-Union Set (# 95772000)

Optional parts:

- S-connections adapter G ¾ for renovation

finish	code no.	Euro
Chrome	13161000	376.30
White/Chrome	13161400	376.30





Ecostat Select Shower
thermostat for exposed
installation renovation


- 1 function
- volume control for 1 outlet
- centre distance: 150 ± 12 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- EcoStop button limits the water consumption to 10 l/ min
- maximum flow rate at 3 bar: 12 l/ min
- flow rate hand shower connection at 3 bar: 12 l/ min
- thermostat cartridge, ceramic valve 180°
- safety lock at 40 °C
- temperature limitation adjustable
- with isolated water conduction
- non-return valve
- with silencer
- material handles: metal
- shelf made of safety glass
- surface of the shelf at color variant
 - 000 = mirror glass, at color variant
 - 400 = white glass
- for installation on existing G ½ connections
- connection type: s-shaped connections
- connection dimension: DN15
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- dirt filter included

Consisting of:

- S-connections adapter G ¾ for renovation (# 02026000)
- S-Union Set (# 95772000)

finish	code no.	Euro
Chrome	13111000	376.30
White/Chrome	13111400	376.30





Raindance Select E Shower system for exposed installation 120 with Ecostat Select thermostat and shower bar 90 cm

- consists of: hand shower, shower thermostat, shower bar, slider, soap dish, shower hose
- shower head size: 120 mm
- convenient diversion via Select button
- spray type hand shower: Rain, RainAir, Whirl
- maximum flow rate at 3 bar: 13,8 l/ min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down
- in case of installation on existing G ¾ connections, adaptor # 02026000 must be used
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer

Consisting of:

- **Ecostat Select** Shower thermostat for exposed installation (# 13161XXX)
- **Raindance Select E** Hand shower 120 3jet (# 26520XXX)
- **Unica** Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000)
- **Casetta** Soap dish E (# 26519000)

Alternative sizes:


- **Raindance Select E** Shower system for exposed installation 120 with Ecostat Select thermostat and shower bar 65 cm

Optional parts:

- S-connections adapter G ¾ for renovation

finish	code no.	Euro
Chrome	27039000	509.00
White/Chrome	27039400	509.00
		
		

Chrome	27038000	501.10
White/Chrome	27038400	501.10
Chrome	02026000	32.20



- consists of: hand shower, shower thermostat, shower bar, slider, soap dish, shower hose
- shower head size: 150 mm
- convenient diversion via Select button
- spray type hand shower: RainAir, CaresseAir, Mix
- maximum flow rate at 3 bar: 16 l/min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down
- in case of installation on existing G $\frac{3}{4}$ connections, adaptor # 02026000 must be used
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer

- **EcoStat Select** Shower thermostat for exposed installation (# 13161XXX)
- **Raindance Select S** Hand shower 150 3jet (# 28587XXX)
- **Unica** Shower bar S Puro 90 cm with Isiflex shower hose 160 cm (# 28631000)
- **Casetta** Soap dish S Puro (# 28679000)

• **Raindance Select S** Shower system for exposed installation 150 with Ecostat Select thermostat and shower bar 65 cm

- S-connections adapter G 3/4 for renovation

finish	code no.	Euro
Chrome	27037000	559.00
White/Chrome	27037400	559.00



Cool
Contact




Select



AirPower






XXL
Performance



- 1 function
- centre distance: 150 ± 12 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- EcoStop button limits the water consumption to 9 l/min
- maximum flow rate at 3 bar: 28,6 l/min
- thermostat cartridge
- safety lock at 40°C
- temperature limitation adjustable
- non-return valve
- with silencer
- suitable for continuous flow water heaters
- material handles: metal
- connection type: s-shaped connections
- connection dimension: G $\frac{1}{2}$
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- dirt filter included

Chrome	15773000	288.90	
--------	----------	--------	---



Ecostat E Bath thermostat
for exposed installation

- projection 183 mm
- 2 functions
- centre distance: 150 ± 12 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- maximum flow rate at 3 bar: 18,6 l/ min
- flow rate for bath spout at 3 bar: 18,6 l/ min
- flow rate of hand shower at 3 bar: 15,4 l/ min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- thermostat cartridge
- safety lock at 40 °C
- temperature limitation adjustable
- non-return valve
- protected against backflow, according to DIN EN1717
- with silencer
- material handles: metal
- connection type: s-shaped connections
- connection dimension: G 1/2
- dirt filter included

finish	code no.	Euro
Chrome	15774000	353.10





Ecostat Bath thermostat Comfort
for exposed installation



- projection 177 mm
- 2 functions
- centre distance: 150 ± 12 mm
- spray type mixer: normal spray
- flow rate for bath spout at 3 bar: 20 l/ min
- flow rate of hand shower at 3 bar: 16 l/ min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- thermostat cartridge, shut-off/ diverter valve
- safety lock at 40 °C
- temperature limitation adjustable
- non-return valve
- with silencer
- material handles: metal
- connection type: s-shaped connections
- connection dimension: DN15
- dirt filter included


Chrome	13114000	320.00
Brushed Bronze	13114140	479.90
Brushed Black	13114340	479.90
Chrome		
Matt Black	13114670	447.90
Matt White	13114700	447.90
Polished Gold Optic	13114990	479.90





	finish	code no.	Euro
 	EcoStat Shower thermostat		
	Comfort for exposed installation		
	· 1 function · centre distance: 150 ± 12 mm · EcoStop button limits the water consumption to 10 l/ min · maximum flow rate at 3 bar: 17 l/ min · flow rate hand shower connection at 3 bar: 17 l/ min · thermostat cartridge, ceramic valve 180° · safety lock at 40 °C · temperature limitation adjustable · non-return valve · with silencer · material handles: metal · connection type: s-shaped connections · connection dimension: DN15 · min. operating pressure: 1 bar · max. operating pressure: 10 bar · dirt filter included		
	Chrome	13116000	250.50
	Brushed Bronze	13116140	375.80
	Brushed Black	13116340	375.80
	Chrome		
	Matt Black	13116670	350.60
	Matt White	13116700	350.60
	Polished Gold Optic	13116990	375.80







 	EcoStat Bath thermostat Comfort		
	Care for exposed installation with extra long handles		
	· larger print for greater clarity · with extra long barrier-free handles · projection 172 - 177 mm · 2 functions · centre distance: 150 ± 12 mm · flow rate for bath spout at 3 bar: 23 l/ min · flow rate of hand shower at 3 bar: 15 l/ min · min. operating pressure: 1 bar · max. operating pressure: 10 bar · thermostat cartridge, shut-off/ diverter valve · safety lock at 40 °C · temperature limitation adjustable · non-return valve · with silencer · material handles: metal · connection type: s-shaped connections · connection dimension: DN15 · dirt filter included		
	Chrome	13115000	345.10
			


	finish	code no.	Euro
 	Chrome	13117000	275.60
Ecostat Shower thermostat Comfort Care for exposed installation with extra long handles			
· larger print for greater clarity · with extra long barrier-free handles · 1 function · centre distance: 150 ± 12 mm · flow rate hand shower connection at 3 bar: 17 l/min · thermostat cartridge, ceramic valve 180° · safety lock at 40 °C · temperature limitation adjustable · non-return valve · with silencer · material handles: metal · connection type: s-shaped connections · connection dimension: DN15 · min. operating pressure: 1 bar · max. operating pressure: 10 bar · dirt filter included			
 	White/Chrome	27082400	295.20
Croma Select E Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm			
· consists of: hand shower, shower thermostat, shower bar, slider, shower hose · shower head size: 110 mm · convenient diversion via Select button · spray type hand shower: Rain, TurboRain, IntenseRain · maximum flow rate at 3 bar: 15 l/min · minimum flow pressure: 1 bar · profile stand pipe: round · shower bar diameter: 22 mm · pivot connector prevent hose from tangling · hand shower holder inclination angle can be adjusted by 45°			
Consisting of: · Ecostat Shower thermostat Comfort for exposed installation (# 13116000) · Croma Select E Hand shower Vario (# 26812400) · Unica Shower bar Croma 90 cm (# 26506000) · Isiflex Shower hose 160 cm (# 28276000)			
Alternative sizes: · Croma Select E Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm			
	White/Chrome	27081400	289.10

	finish	code no.	Euro
	Croma Select S Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm	White/Chrome 27014400	295.20
	· consists of: hand shower, shower thermostat, shower bar, slider, shower hose · shower head size: 110 mm · convenient diversion via Select button · spray type hand shower: Rain, IntenseRain, TurboRain · maximum flow rate at 3 bar: 15 l/ min · minimum flow pressure: 1 bar · profile stand pipe: round · shower bar diameter: 22 mm · pivot connector prevent hose from tangling · hand shower holder inclination angle can be adjusted by 45°	 	
	Consisting of: · Croma Select S Hand shower Vario (# 26802400) · Unica Shower bar Croma 90 cm with Isiflex shower hose 160 cm (# 26504000) · Ecostat Shower thermostat Comfort for exposed installation (# 13116000)		
	Alternative sizes: · Croma Select S Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm	White/Chrome 27013400	289.10

	Croma 100 Shower system for exposed installation Multi with Ecostat Comfort thermostat and shower bar 90 cm	Chrome 27085000	357.90
	· consists of: hand shower, shower thermostat, shower bar, slider, soap dish, shower hose · spray type overhead shower: Rain, MonoRain, Massage spray · spray type adjustment by turning spray disc · maximum flow rate at 3 bar: 17 l/ min · minimum flow pressure: 1 bar · profile stand pipe: round · shower bar diameter: 22 mm · pivot connector prevent hose from tangling · 90° position adjustable hand shower holder, pivots left and right, up and down		
	Consisting of: · Ecostat Shower thermostat Comfort for exposed installation (# 13116000) · Croma 100 Hand shower Multi (# 28536000) · Unica Shower bar C 90 cm with Isiflex shower hose 160 cm (# 27610000) · Casetta Soap dish C (# 28678000)		
	Alternative sizes: · Croma 100 Shower system for exposed installation Multi with Ecostat Comfort thermostat and shower bar 65 cm	Chrome 27086000	333.80
	Optional parts: · Wall bar spacer	Chrome 97450000	8.70

Measurements within scale drawings are in mm.

			finish	code no.	Euro
	Croma 100 Shower system	Chrome	27035000	334.20	
	for exposed installation Vario				
	with Ecostat Comfort thermostat				
	and shower bar 90 cm				
	· consists of: hand shower, shower				
	thermostat, shower bar, slider, soap dish,				
	shower hose				
	· shower head size: 100 mm				
	· spray type adjustment by turning spray				
	disc				
	· spray type hand shower: normal spray,				
	Rain, Massage spray, Shampoo spray				
	· maximum flow rate at 3 bar: 18 l/min				
	· minimum flow pressure: 1 bar				
	· profile stand pipe: round				
	· shower bar diameter: 22 mm				
	· pivot connector prevent hose from				
	tangling				
	· 90° position adjustable hand shower				
	holder, pivots left and right, up and down				
	Consisting of:				
	· Croma 100 Hand shower Vario				
	(# 28535000)				
	· Unica Shower bar C 90 cm with Isiflex				
	shower hose 160 cm (#)				
	· Ecostat Shower thermostat Comfort				
	for exposed installation (# 13116000)				
	· Casetta Soap dish C (# 28678000)				
	Alternative sizes:				
	· Croma 100 Shower system for exposed				
	installation Vario with Ecostat Comfort	Chrome	27034000	327.10	
	thermostat and shower bar 65 cm				
	Water saving EcoSmart version:				
	· Croma 100 Shower system for exposed	Chrome	27033000	340.00	
	installation Vario EcoSmart 9 l/min				
	with Ecostat Comfort thermostat				
	and shower bar 90 cm				
	Optional parts:				
	· Wall bar spacer	Chrome	97450000	8.70	



Croma 100 Shower system
for exposed installation Vario
with Ecostat Comfort thermostat
and shower bar 65 cm

- consists of: hand shower, shower thermostat, shower bar, slider, soap dish, shower hose
- shower head size: 100 mm
- spray type adjustment by turning spray disc
- spray type hand shower: normal spray, Rain, Massage spray, Shampoo spray
- maximum flow rate at 3 bar: 18 l/min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down

Consisting of:

- **Ecostat** Shower thermostat Comfort for exposed installation (# 13116000)
- **Croma 100** Hand shower Vario (# 28535000)
- **Unica** Shower bar C 65 cm with Isiflex shower hose 160 cm (# 27611000)
- **Casetta** Soap dish C (# 28678000)

Alternative sizes:

- **Croma 100** Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm

Water saving EcoSmart version:



- **Croma 100** Shower system for exposed installation Vario EcoSmart 9 l/min with Ecostat Comfort thermostat and shower bar 65 cm


finish	code no.	Euro
Chrome	27034000	327.10



Chrome	27035000	334.20
--------	----------	--------

Chrome	27032000	332.90
--------	----------	--------

	finish	code no.	Euro
	White/Chrome	27833400	248.40
SELECT Select XXL Performance Croma Select S Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 72 cm · consists of: hand shower, shower thermostat, shower bar, slider, shower hose · shower head size: 110 mm · convenient diversion via Select button · spray type hand shower: Rain, IntenseRain, TurboRain · maximum flow rate at 3 bar: 14,7 l/ min · minimum flow pressure: 1,2 bar · profile stand pipe: round · shower bar diameter: 22 mm · variable drilling hole distance: 400 - 660 mm · pivot connector prevent hose from tangling · 90° position adjustable hand shower holder, pivots left and right, up and down · wall supports of plastic			
	Consisting of: · Croma Select S Hand shower Vario (# 26802400) · Ecostat Shower thermostat 1001 CL for exposed installation (# 13211000) · Unica Shower bar Varia 72 cm (# 27355000) · Isiflex Shower hose 160 cm (# 28276000)		
	Chrome	13122000	224.90
	Ecostat Shower thermostat universal for exposed installation · 1 function · centre distance: 150 ± 12 mm · EcoStop button limits the water consumption to 10 l/ min · maximum flow rate at 3 bar: 17 l/ min · flow rate hand shower connection at 3 bar: 16 l/ min · thermostat cartridge, ceramic valve 180° · safety lock at 40 °C · temperature limitation adjustable · non-return valve · with silencer · connection type: s-shaped connections · connection dimension: DN15 · min. operating pressure: 1 bar · max. operating pressure: 10 bar · dirt filter included		




Ecostat Bath thermostat universal for exposed installation

- projection 194 mm
- 2 functions
- centre distance: 150 ± 12 mm
- flow rate for bath spout at 3 bar:
20 l/min
- flow rate of hand shower at 3 bar:
16 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- thermostat cartridge, shut-off/ diverter valve
- safety lock at 40 °C
- temperature limitation adjustable
- non-return valve
- with silencer
- connection type: s-shaped connections
- connection dimension: DN15
- dirt filter included

finish

code no.

Euro




Ecostat Shower thermostat
1001 CL for exposed installation

- 1 function
- centre distance: 150 ± 12 mm
- EcoStop button limits the water consumption to 10 l/min
- maximum flow rate at 3 bar: 16 l/min
- flow rate hand shower connection at 3 bar: 16 l/min
- thermostat cartridge, ceramic valve 180°
- safety lock at 40 °C
- temperature limitation adjustable
- non-return valve
- with silencer
- material handles: metal
- connection type: s-shaped connections
- connection dimension: DN15
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- dirt filter included

Chrome

13211000

175.70



Ecostat Bath thermostat 1001
CL for exposed installation


- projection 182 mm
- 2 functions
- centre distance: 150 ± 12 mm
- spray type mixer: normal spray
- maximum flow rate at 3 bar: 20 l/min
- flow rate for bath spout at 3 bar: 20 l/min
- flow rate of hand shower at 3 bar: 16 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- thermostat cartridge, shut-off valve
- safety lock at 40 °C
- temperature limitation adjustable
- non-return valve
- with silencer
- material handles: metal
- connection type: s-shaped connections
- connection dimension: DN15
- dirt filter included

Chrome


13201000

222.90




	finish	code no.	Euro
	White/Chrome	2781 2400	218.00
			
Crometta Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 65 cm · consists of: hand shower, shower thermostat, shower bar, slider, shower hose · spray type overhead shower: Rain, IntenseRain · spray type adjustment by turning spray disc · maximum flow rate at 3 bar: 14 l/ min · minimum flow pressure: 1 bar · shower bar diameter: 22 mm · pivot connector prevent hose from tangling · 90° position adjustable hand shower holder, pivots left and right, up and down			
Consisting of: · Crometta Hand shower Vario (# 26330400) · Ecostat Shower thermostat 1001 CL for exposed installation (# 13211000) · Unica Shower bar Croma 65 cm (# 26505000) · Isiflex Shower hose 160 cm (# 28276000)			
	White/Chrome	2781 3400	227.40
Alternative sizes: · Crometta Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 90 cm			

Thermostatic mixer for exposed installation

	Chrome	15346000	277.40
Ecostat Under-basin thermostat for exposed installation · temperature limitation adjustable · the thermostat offers the possibility for thermal disinfection · non-return valve · connection dimension: G 3/8 · min. operating pressure: 1 bar · max. operating pressure: 5 bar			
			

RainSelect thermostatic mixers for concealed installation



RainSelect Thermostat
for concealed installation
for 2 functions


- depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function
- 2 functions
- Select push-button on/off control for 2 outlets
- simultaneous use of several outlets
- maximum flow rate at 3 bar: 19,6 l/min
- thermostat cartridge, Start/stop valve to operate the functions
- safety lock at 40 °C
- temperature limitation adjustable
- non-return valve
- connection type: basic set
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- Thermostat is delivered with buttons Handshower and PowderRain

finish	code no.	Euro
Chrome	15380000	1,154.40
Brushed Bronze	15380140	1,731.60
Brushed Black	15380340	1,731.60
Chrome		
Matt Black	15380670	1,500.60
Matt White	15380700	1,500.60
Polished Gold Optic	15380990	1,731.60



Required parts:

- | | | |
|---|----------|--------|
| · RainSelect Basic set for 2 functions | 15310180 | 630.00 |
|---|----------|--------|



RainSelect Thermostat
for concealed installation
for 2 functions with integrated
shower holder



- consists of: Thermostat, shower holder
- depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function
- 2 functions
- Select push-button on/off control for 2 outlets
- simultaneous use of several outlets
- maximum flow rate at 3 bar: 38 l/min
- flow rate per outlet: 26 l/min
- flow rate by simultaneous use of all outlets: 38 l/min
- thermostat cartridge, Start/stop valve to operate the functions
- safety lock at 40 °C
- temperature limitation adjustable
- non-return valve
- hose nut: for shower hoses with conical or cylindrical nut on both sides
- connection type: basic set
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- Thermostat is delivered with buttons Rain large and hand shower



Chrome	15355000	1,256.30
White/Chrome	15355400	1,256.30
Black/Chrome	15355600	1,256.30






Required parts:



- | | | |
|---|----------|--------|
| · RainSelect Basic set for 2 functions | 15310180 | 630.00 |
|---|----------|--------|




	finish	code no.	Euro
 	RainSelect Basic set for 2 functions · 2 functions · connection thread Rp 3/4 · installation depth: 87 - 122 mm · horizontal installation · sound-decoupled installation · connection dimension: DN15/DN20	15310180	630.00
 	RainSelect Thermostat for concealed installation for 3 functions · depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function · 3 functions · Select push-button on/off control for 3 outlets · simultaneous use of several outlets · maximum flow rate at 3 bar: 18,5 l/min · thermostat cartridge, Start/stop valve to operate the functions · safety lock at 40 °C · temperature limitation adjustable · non-return valve · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · Thermostat is delivered with buttons handshower, PowderRain, shoulder shower	Chrome Matt White 15381000 15381700	1,371.20 1,782.40
	Required parts: · RainSelect Basic set for 3 functions	15311180	735.00



	finish	code no.	Euro
 	RainSelect Thermostat for concealed installation for 3 functions with integrated shower holder		
	Chrome	15356000	1,484.70
	White/Chrome	15356400	1,484.70
	Black/Chrome	15356600	1,484.70
 · consists of: Thermostat, shower holder · depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function · 3 functions · Select push-button on/off control for 3 outlets · simultaneous use of several outlets · maximum flow rate at 3 bar: 38 l/ min · flow rate per outlet: 26 l/ min · flow rate by simultaneous use of all outlets: 38 l/ min · thermostat cartridge, Start/stop valve to operate the functions · safety lock at 40 °C · temperature limitation adjustable · non-return valve · hose nut: for shower hoses with conical or cylindrical nut on both sides · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · Thermostat is delivered with buttons hand shower, Waterfall, Rain large			
Required parts: · RainSelect Basic set for 3 functions			
		15311180	735.00
 	RainSelect Basic set for 3 functions		
		15311180	735.00
· 3 functions · connection thread Rp 3/4 · installation depth: 87 - 122 mm · horizontal installation · sound-decoupled installation · connection dimension: DN15/DN20			



Measurements within scale drawings are in mm.

		finish	code no.	Euro
   	RainSelect Thermostat for concealed installation for 4 functions	Chrome	15382000	1,587.90
		Brushed Bronze	15382140	2,381.90
		Brushed Black	15382340	2,381.90
		Chrome		
		Matt Black	15382670	2,064.30
		Matt White	15382700	2,064.30
		Polished Gold Optic	15382990	2,381.90
Required parts:				
· RainSelect Basic set for 4 functions	15312180	840.00		
 	RainSelect Thermostat for concealed installation for 4 functions with integrated shower holder	Chrome	15357000	1,713.10
		White/Chrome	15357400	1,713.10
		Black/Chrome	15357600	1,713.10
Required parts:				
· RainSelect Basic set for 4 functions	15312180	840.00		


	finish	code no.	Euro
 	RainSelect Basic set for 4 functions · 4 functions · connection thread Rp 3/4 · installation depth: 87 - 122 mm · horizontal installation · sound-decoupled installation · connection dimension: DN15/DN20	15312180	840.00
 	RainSelect Thermostat for concealed installation for 5 functions · depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function · 5 functions · Select push-button on/off control for 5 outlets · simultaneous use of several outlets · maximum flow rate at 3 bar: 38 l/min · flow rate by simultaneous use of all outlets: 38 l/min · thermostat cartridge, Start/stop valve to operate the functions · safety lock at 40 °C · temperature limitation adjustable · non-return valve · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · Thermostat is delivered with buttons handshower, PowderRain, Waterfall, Rain large, shoulder shower	Chrome Matt White 15384000 15384700	1,804.70 2,345.90
	Required parts: · RainSelect Basic set for 5 functions	15313180	945.00

	finish	code no.	Euro
 	Chrome	15358000	1,941.50
	White/Chrome	15358400	1,941.50
	Black/Chrome	15358600	1,941.50
			
RainSelect Thermostat for concealed installation for 5 functions with integrated shower holder · consists of: Thermostat, shower holder · depending on volume flow and instal- lation situation approx. 50% flow rate reduction and integrated shut off function · 5 functions · Select push-button on/off control for 5 outlets · simultaneous use of several outlets · maximum flow rate at 3 bar: 38 l/ min · flow rate per outlet: 26 l/ min · flow rate by simultaneous use of all outlets: 38 l/ min · thermostat cartridge, Start/stop valve to operate the functions · safety lock at 40 °C · temperature limitation adjustable · non-return valve · hose nut: for shower hoses with conical or cylindrical nut on both sides · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · Thermostat is delivered with buttons hand shower, Waterfall, Rain large, Mono, body shower			
Required parts: · RainSelect Basic set for 5 functions			
		15313180	945.00
 	RainSelect Basic set for 5 functions · 5 functions · connection thread Rp 3/4 · installation depth: 87 - 122 mm · horizontal installation · sound-decoupled installation · connection dimension: DN15/DN20		
		15313180	945.00
ShowerSelect glass thermostatic mixers for concealed installation			
 	ShowerSelect Glass Thermostat for concealed installation for 1 function · 1 function · Select push-button on/off control for 1 outlet · maximum flow rate at 3 bar: 26,7 l/ min · thermostat cartridge, Start/stop valve to operate the functions · safety lock at 40 °C · temperature limitation adjustable · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · Thermostat is delivered with button On/Off		
	White/Chrome	15737400	710.20
			
Required parts: · Basic set iBox universal			
		01800180	137.30
Optional parts: · Extension iBox universal basic set 2.5 cm · ShowerSelect Glass Extension element			
	Chrome	13595000	50.40
		13604000	100.20




		finish	code no.	Euro
 	ShowerSelect Glass Thermostat for concealed installation for 2 functions	White/Chrome	15738400	776.90
	· 2 functions · Select push-button on/off control for 2 outlets · simultaneous use of several outlets · flow rate upper outlet: 25 l/ min · flow rate lower outlet: 23 l/ min · thermostat cartridge, Start/stop valve to operate the functions · safety lock at 40 °C · temperature limitation adjustable · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · Thermostat is delivered with buttons hand shower and Rain large			
	Required parts: · Basic set iBox universal		01800180	137.30
 	ShowerSelect Glass Thermostat HighFlow for concealed installation	White/Chrome	15734400	516.00
	· maximum flow rate at 3 bar: 42 l/ min · flow rate upper outlet: 42 l/ min · flow rate lower outlet: 42 l/ min · thermostat cartridge · safety lock at 40 °C · temperature limitation adjustable · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · dirt filter included			
	Required parts: · Basic set iBox universal		01800180	137.30
	Optional parts: · ShowerSelect Glass Valve for concealed installation for 3 functions · Extension iBox universal basic set 2.5 cm · ShowerSelect Glass Extension element	White/Chrome	15736400	516.00
			13595000	50.40
		Chrome	13604000	100.20


		finish	code no.	Euro
 	ShowerSelect Glass Thermostat HighFlow for concealed installation for 1 function and additional outlet	White/Chrome	15735400	710.20
	· 1 function and 1 additional outlet · Select push-button on/off control for 1 outlet · flow rate hand shower connection at 3 bar: 34 l/ min · flow rate upper outlet: 59 l/ min · thermostat cartridge, Start/stop valve to operate the functions · safety lock at 40 °C · temperature limitation adjustable · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · dirt filter included · Thermostat is delivered with button hand shower			
	Required parts: · Basic set iBox universal		01800180	137.30
 	ShowerSelect Glass Valve for concealed installation for 3 functions	White/Chrome	15736400	516.00
	· 3 functions · simultaneous use of several outlets · maximum flow rate at 3 bar: 30 l/ min · flow rate upper outlet: 26 l/ min · Flow rate left and right: 29 l/ min · flow rate by simultaneous use of all outlets: 44 l/ min · Start/stop valve to operate the functions · connection type: basic set · Valve is delivered with buttons Waterfall, Rain large, Mono			
	Required parts: · Basic set iBox universal		01800180	137.30
	Optional parts: · ShowerSelect Glass Thermostat HighFlow for concealed installation · ShowerSelect Glass Thermostat HighFlow for concealed installation for 1 function and additional outlet · Extension iBox universal basic set 2.5 cm · ShowerSelect Glass Extension element	White/Chrome	15734400	516.00
		White/Chrome	15735400	710.20
		Chrome	13604000	100.20
Optional parts - buttons - please order separately				
Symbol ON/OFF		White	92579450	25.20
		Black	92579610	25.20


Thermostatic mixers/ valves


	Symbol handshower	White Black	92573450 92573610	25.20 25.20
	Symbol showerhead Rain large	White Black	92571450 92571610	25.20 25.20
	Symbol showerhead Rain small	White Black	92572450 92572610	25.20 25.20
	Symbol Rain Flow	White Black	92574450 92574610	25.20 25.20
	Symbol Whirl	White Black	92575450 92575610	25.20 25.20
	Symbol Mono	White Black	92576450 92576610	25.20 25.20
	Symbol Tub	White Black	92577450 92577610	25.20 25.20
	Symbol Body spray	White Black	92578450 92578610	25.20 25.20
	Basic set iBox universal		01800180	137.30
	· suitable for all shower, bath tub and thermostat finish sets for concealed installation · connection thread Rp 3/4 · rotationally-symmetric installation · sound-decoupled installation · connection dimension: DN20			
	Alternative products: · Basic set iBox universal with shut-off unit		01850180	178.40
	Optional parts: · Extension iBox universal basic set 2.5 cm · Fastening rail set for iBox universal · Assembly aid for iBox universal		13595000 96615000 93500000	50.40 35.80 13.00

Measurements within scale drawings are in mm.

		finish	code no.	Euro	
		ShowerSelect Glass Extension element			
		· for installation between tiles and finish set · diameter: 157 mm · extension length: 22 mm			
ShowerSelect mixers for concealed installation					
		ShowerSelect Thermostat for concealed installation for 1 function	Chrome	15762000	574.50
		· 1 function · Select push-button on/off control for 1 outlet · maximum flow rate at 3 bar: 26,7 l/min · thermostat cartridge, Start/stop valve to operate the functions · safety lock at 40 °C · temperature limitation adjustable · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · Thermostat is delivered with button On/Off			
		Required parts:			
		· Basic set iBox universal		01800180	137.30
		Optional parts:			
		· ShowerSelect Extension element	Chrome	13593000	46.80
		· Extension iBox universal basic set 2.5 cm		13595000	50.40
		ShowerSelect Thermostat for concealed installation for 2 functions	Chrome	15763000	625.60
		· 2 functions · Select push-button on/off control for 2 outlets · simultaneous use of several outlets · flow rate upper outlet: 25 l/min · flow rate lower outlet: 23 l/min · thermostat cartridge, Start/stop valve to operate the functions · safety lock at 40 °C · temperature limitation adjustable · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · Thermostat is delivered with buttons hand shower and Rain large	Brushed Bronze	15763140	938.50
			Brushed Black	15763340	938.50
			Chrome		
			Matt Black	15763670	875.80
			Matt White	15763700	875.80
			Polished Gold Optic	15763990	938.50
		Required parts:			
		· Basic set iBox universal		01800180	137.30
		Optional parts:			
		· ShowerSelect Extension element	Chrome	13593000	46.80
			Brushed Bronze	13593140	70.20
			Brushed Black	13593340	70.20
			Chrome		
			Matt Black	13593670	65.50
			Matt White	13593700	65.50
			Polished Gold Optic	13593990	70.20
		· Extension iBox universal basic set 2.5 cm		13595000	50.40

	finish	code no.	Euro
 	ShowerSelect Thermostat for concealed installation for 2 functions with hose connection and shower holder	Chrome 15765000	766.10
· consists of: Thermostat, shower holder · 2 functions · Select push-button on/off control for 2 outlets · simultaneous use of several outlets · flow rate hand shower connection at 3 bar: 14 l/ min · flow rate upper outlet: 29 l/ min · thermostat cartridge, Start/stop valve to operate the functions · safety lock at 40 °C · temperature limitation adjustable · hose nut: for shower hoses with conical nut on both sides · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · Thermostat is delivered with buttons hand shower and Rain large			
Required parts: · Basic set iBox universal		01800180	137.30
Optional parts: · Extension element ShowerSelect FixFit Porter		Chrome 13601000	113.60

 	Extension element ShowerSelect FixFit Porter	Chrome 13601000	113.60
· for installation between tiles and finish set · extension length: 22 mm			
Optional parts: · ShowerSelect Thermostat for concealed installation for 2 functions with hose connection and shower holder		Chrome 15765000	766.10



ShowerSelect Thermostat HighFlow for concealed installation

- maximum flow rate at 3 bar: 42 l/min
- flow rate upper outlet: 42 l/min
- flow rate lower outlet: 42 l/min
- thermostat cartridge
- safety lock at 40 °C
- temperature limitation adjustable
- connection type: basic set
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- dirt filter included

Required parts:

- Basic set iBox universal

01800180

137.30


Optional parts:

- **ShowerSelect** Valve for concealed installation for 3 functions

Chrome	15764000	415.00
Brushed Bronze	15764140	622.60
Brushed Black	15764340	622.60

- **ShowerSelect** Extension element

Chrome	15764670	581.00
Matt Black	15764700	581.00
Polished Gold Optic	15764990	622.60
Chrome	13593000	46.80
Brushed Bronze	13593140	70.20
Brushed Black	13593340	70.20
Chrome	13593670	65.50
Matt Black	13593700	65.50
Polished Gold Optic	13593990	70.20
Extension iBox universal basic set 2.5 cm	13595000	50.40



ShowerSelect Thermostat HighFlow for concealed installation for 1 function and additional outlet

- 1 function and 1 additional outlet
- Select push-button on/off control for 1 outlet
- flow rate hand shower connection at 3 bar: 34 l/min
- flow rate upper outlet: 59 l/min
- thermostat cartridge, Start/stop valve to operate the functions
- safety lock at 40 °C
- temperature limitation adjustable
- connection type: basic set
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- dirt filter included
- Thermostat is delivered with button hand shower

Required parts:

- Basic set iBox universal

01800180

137.30

Optional parts:

- **ShowerSelect** Valve for concealed installation for 3 functions

Chrome	15764000	415.00
--------	----------	--------


- **ShowerSelect** Extension element

Chrome	13593000	46.80
--------	----------	-------

- Extension iBox universal basic set 2.5 cm

	13595000	50.40
--	----------	-------





- 3 functions
- simultaneous use of several outlets
- maximum flow rate at 3 bar: 30 l/min
- flow rate upper outlet: 26 l/min
- Flow rate left and right: 29 l/min
- flow rate by simultaneous use of all outlets: 30 l/min
- Start/stop valve to operate the functions
- connection type: basic set
- valve is delivered with buttons Rain large, Rain small and hand shower

- Basic set iBox universal

- **ShowersSelect** Thermostat HighFlow for concealed installation


• **ShowerSelect** Thermostat HighFlow
for concealed installation for 1 function
and additional outlet

- **ShowerSelect** Extension element

finish	code no.	Euro
Chrome	15764000	415.00
Brushed Bronze	15764140	622.60
Brushed Black	15764340	622.60
Chrome		
Mat Black	15764670	581.00
Mat White	15764700	581.00
Polished Gold Optic	15764990	622.60



Chrome	15760000	415.00
Brushed Bronze	15760140	622.60
Brushed Black	15760340	622.60
Chrome		
Matt Black	15760670	581.00
Matt White	15760700	581.00
Polished Gold Optic	15760990	622.60
Chrome	15761000	574.50
Chrome	13593000	46.80
Brushed Bronze	13593140	70.20
Brushed Black	13593340	70.20
Chrome		
Matt Black	13593670	65.50
Matt White	13593700	65.50
Polished Gold Optic	13593990	70.20
	13595000	50.40



- 1 function
- connection type: basic set
- maximum flow rate at 3 bar: 21 l/ min
- flow rate of hand shower at 3 bar: 16 l/ min
- ceramic cartridge for temperature control, Start/stop valve to operate the functions
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- Mixer is delivered with button On/Off




- Basic set iBox universal


- **ShowerSelect** Extension element
- Extension iBox universal basic set 2.5 cm

Chrome	1.5767000	478.80
--------	-----------	--------



Chrome	13593000	46.80
	13595000	50.40

		finish	code no.	Euro	
 	ShowerSelect Mixer for concealed installation for 2 functions		Chrome	15768000	530.10
	· 2 functions · simultaneous use of several outlets · connection type: basic set · maximum flow rate at 3 bar: 22 l/ min · flow rate upper outlet: 20 l/ min · flow rate lower outlet: 20 l/ min · ceramic cartridge for temperature control, Start/stop valve to operate the functions · min. operating pressure: 1 bar · max. operating pressure: 10 bar · temperature limitation adjustable · Mixer is delivered with button On/Off				
	Required parts: · Basic set iBox universal			01800180	137.30
	Optional parts: · ShowerSelect Extension element · Extension iBox universal basic set 2.5 cm		Chrome	13593000	46.80
				13595000	50.40
 	Basic set iBox universal			01800180	137.30
	· suitable for all shower, bath tub and thermostat finish sets for concealed installation · connection thread Rp 3/4 · rotationally-symmetric installation · sound-decoupled installation · connection dimension: DN20				
	Alternative products: · Basic set iBox universal with shut-off unit			01850180	178.40
	Optional parts: · Extension iBox universal basic set 2.5 cm · Fastening rail set for iBox universal · Assembly aid for iBox universal			13595000	50.40
				96615000	35.80
				93500000	13.00
ShowerSelect S thermostatic mixers for concealed installation					
 	ShowerSelect S Thermostat for concealed installation for 1 function		Chrome	15744000	574.50
	· 1 function · Select push-button on/off control for 1 outlet · maximum flow rate at 3 bar: 26,7 l/ min · thermostat cartridge, Start/stop valve to operate the functions · safety lock at 40 °C · temperature limitation adjustable · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · Thermostat is delivered with button On/Off				
	Required parts: · Basic set iBox universal			01800180	137.30
	Optional parts: · Extension element 15 cm · Extension iBox universal basic set 2.5 cm		Chrome	13597000	47.80
				13595000	50.40



ShowerSelect S Thermostat
for concealed installation
for 2 functions

- 2 functions
- Select push-button on/off control for 2 outlets
- simultaneous use of several outlets
- flow rate upper outlet: 25 l/ min
- flow rate lower outlet: 23 l/ min
- thermostat cartridge, Start/stop valve to operate the functions
- safety lock at 40 °C
- temperature limitation adjustable
- connection type: basic set
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- Thermostat is delivered with buttons hand shower and Rain large

finish	code no.	Euro
Chrome	15743000	625.60
Brushed Bronze	15743140	938.50
Brushed Black	15743340	938.50
Chrome		
Matt Black	15743670	875.80
Matt White	15743700	875.80
Polished Gold Optic	15743990	938.50




Required parts:

· Basic set iBox universal	01800180	137.30
----------------------------	----------	--------

Optional parts:

· Extension element 15 cm	Chrome	13597000	47.80
	Brushed Bronze	13597140	71.80
	Brushed Black	13597340	71.80
	Chrome		
	Matt Black	13597670	67.00
	Matt White	13597700	67.00
	Polished Gold Optic	13597990	71.80
· Extension iBox universal basic set 2.5 cm		13595000	50.40



ShowerSelect S Thermostat
HighFlow for concealed
installation

- maximum flow rate at 3 bar: 59 l/ min
- flow rate upper outlet: 42 l/ min
- flow rate lower outlet: 42 l/ min
- thermostat cartridge
- safety lock at 40 °C
- temperature limitation adjustable
- connection type: basic set
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- dirt filter included



Chrome	15741000	415.00
--------	----------	--------

Required parts:


· Basic set iBox universal	01800180	137.30
----------------------------	----------	--------

Optional parts:

· ShowerSelect S Valve for concealed installation for 3 functions	Chrome	15745000	415.00
· Extension element 15 cm	Chrome	13597000	47.80
· Extension iBox universal basic set 2.5 cm		13595000	50.40

	finish	code no.	Euro
	Chrome	15742000	574.50
ShowerSelect S Thermostat HighFlow for concealed installation for 1 function and additional outlet · 1 function and 1 additional outlet · flow rate hand shower connection at 3 bar: 34 l/ min · flow rate upper outlet: 59 l/ min · thermostat cartridge · safety lock at 40 °C · temperature limitation adjustable · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · Thermostat is delivered with button hand shower Required parts: · Basic set iBox universal Optional parts: · ShowerSelect S Valve for concealed installation for 3 functions · Extension element 15 cm · Extension iBox universal basic set 2.5 cm			
		01800180	137.30
	Chrome	15745000	415.00
	Chrome	13597000	47.80
	Chrome	13595000	50.40
	Chrome	15745000	415.00
ShowerSelect S Valve for concealed installation for 3 functions · 3 functions · simultaneous use of several outlets · maximum flow rate at 3 bar: 30 l/ min · flow rate upper outlet: 26 l/ min · Flow rate left and right: 29 l/ min · flow rate by simultaneous use of all outlets: 30 l/ min · Start/stop valve to operate the functions · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · Valve is delivered with buttons Rain large, Whirl, Waterfall Required parts: · Basic set iBox universal Optional parts: · ShowerSelect S Thermostat HighFlow for concealed installation · ShowerSelect S Thermostat HighFlow for concealed installation for 1 function and additional outlet · Extension element 15 cm · Extension iBox universal basic set 2.5 cm			
		01800180	137.30
	Chrome	15741000	415.00
	Chrome	15742000	574.50
	Chrome	13597000	47.80
	Chrome	13595000	50.40

ShowerSelect S mixers for concealed installation



ShowerSelect S Mixer
for concealed installation
for 1 function

- 1 function
- connection type: basic set
- maximum flow rate at 3 bar: 21 l/ min
- flow rate of hand shower at 3 bar: 12 l/ min
- ceramic cartridge for temperature control, Start/stop valve to operate the functions
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- Mixer is delivered with button On/Off

Required parts:

- Basic set iBox universal

Optional parts:

- Extension element 15 cm
- Extension iBox universal basic set 2.5 cm

finish	code no.	Euro
Chrome	15747000	478.80
		
	01800180	137.30
Chrome	13597000	47.80
	13595000	50.40



ShowerSelect S Mixer
for concealed installation
for 2 functions

- 2 functions
- simultaneous use of several outlets
- connection type: basic set
- flow rate upper outlet: 22 l/ min
- flow rate lower outlet: 22 l/ min
- ceramic cartridge for temperature control, Start/stop valve to operate the functions
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- Mixer is delivered with button On/Off

Required parts:

- Basic set iBox universal

Optional parts:

- Extension element 15 cm
- Extension iBox universal basic set 2.5 cm

Chrome	15748000	530.10
		
	01800180	137.30
Chrome	13597000	47.80
	13595000	50.40

Optional parts - buttons - please order separately



Symbol ON/OFF

Matt Black	93579670	9.90
Matt White	93579700	9.90
Satin Chrome	93579880	6.60




Symbol hand shower







Matt Black	93573670	9.90
Matt White	93573700	9.90
Satin Chrome	93573880	6.60




Symbol overhead shower Rain
large

Matt Black	93571670	9.90
Matt White	93571700	9.90
Satin Chrome	93571880	6.60

		finish	code no.	Euro
	Symbol overhead shower Rain small	Matt Black	93572670	9.90
		Matt White	93572700	9.90
		Satin Chrome	93572880	6.60
	Symbol Rain Flow	Matt Black	93574670	9.90
		Matt White	93574700	9.90
		Satin Chrome	93574880	6.60
	Symbol Whirl	Matt Black	93575670	9.90
		Matt White	93575700	9.90
		Satin Chrome	93575880	6.60
	Symbol Mono	Matt Black	93576670	9.90
		Matt White	93576700	9.90
		Satin Chrome	93576880	6.60
	Symbol tub	Matt Black	93577670	9.90
		Matt White	93577700	9.90
		Satin Chrome	93577880	6.60
	Symbol body spray	Matt Black	93578670	9.90
		Matt White	93578700	9.90
		Satin Chrome	93578880	6.60
	Basic set iBox universal		01800180	137.30
	· suitable for all shower, bath tub and thermostat finish sets for concealed installation · connection thread Rp 3/4 · rotationally-symmetric installation · sound-decoupled installation · connection dimension: DN20			
	Alternative products: · Basic set iBox universal with shut-off unit		01850180	178.40
	Optional parts: · Extension iBox universal basic set 2.5 cm · Fastening rail set for iBox universal · Assembly aid for iBox universal		13595000 96615000 93500000	50.40 35.80 13.00

EcoStat Square thermostatic mixers and valves for concealed installation				finish	code no.	Euro
 	EcoStat Square Thermostat for concealed installation for 1 function			Chrome	15712000	404.50
	· 1 function · maximum flow rate at 3 bar: 26,5 l/ min · thermostat cartridge · safety lock at 40 °C · temperature limitation adjustable · volume control · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar					
	Required parts: · Basic set iBox universal				01800180	137.30
 	EcoStat Square Thermostat for concealed installation for 2 functions			Chrome	15714000	454.10
	· 2 functions · maximum flow rate at 3 bar: 29 l/ min · flow rate upper outlet: 28 l/ min · flow rate lower outlet: 25 l/ min · thermostat cartridge, shut-off/ diverter valve · safety lock at 40 °C · temperature limitation adjustable · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar			Brushed Bronze	15714140	681.10
	Required parts: · Basic set iBox universal			Brushed Black	15714340	681.10
 	Optional parts: · ShowerSelect Extension element · Extension iBox universal basic set 2.5 cm			Chrome	15714670	635.80
				Matt Black	15714700	635.80
				Matt White	15714990	681.10
 				Polished Gold Optic	15714990	681.10
				Chrome	13593000	46.80
				Brushed Bronze	13593140	70.20
 				Brushed Black	13593340	70.20
				Chrome	13593670	65.50
				Matt Black	13593700	65.50
 				Matt White	13593990	70.20
				Polished Gold Optic	13595000	50.40
				Extension iBox universal basic set 2.5 cm	13595000	50.40

Ecostat E thermostatic mixers and valves for concealed installation


Ecostat E Thermostat
for concealed installation
for 1 function

- 1 function
- maximum flow rate at 3 bar: 26,5 l/min
- thermostat cartridge
- safety lock at 40 °C
- temperature limitation adjustable
- volume control
- connection type: basic set
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Required parts:

- Basic set iBox universal

Optional parts:

- **PuraVida** Extension element
- Extension iBox universal basic set 2.5 cm

finish

code no.

Euro

Chrome

15707000

404.50

01800180

137.30


Chrome

15597000

46.70

13595000

50.40


Ecostat E Thermostat
for concealed installation
for 2 functions

- 2 functions
- maximum flow rate at 3 bar: 29 l/min
- flow rate upper outlet: 28 l/min
- flow rate lower outlet: 25 l/min
- thermostat cartridge, shut-off/ diverter valve
- safety lock at 40 °C
- temperature limitation adjustable
- connection type: basic set
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Required parts:

- Basic set iBox universal

Optional parts:

- **PuraVida** Extension element
- Extension iBox universal basic set 2.5 cm

Chrome

15708000

454.10

01800180

137.30


Chrome

15597000

46.70

13595000

50.40


Ecostat E Thermostat HighFlow
for concealed installation

- maximum flow rate at 3 bar: 59 l/min
- flow rate upper outlet: 42 l/min
- flow rate lower outlet: 42 l/min
- thermostat cartridge
- safety lock at 40 °C
- temperature limitation adjustable
- connection type: basic set
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar

Required parts:

- Basic set iBox universal

Optional parts:

- **PuraVida** Extension element
- Extension iBox universal basic set 2.5 cm

Chrome

15706000

404.50

01800180

137.30


Chrome

15597000


46.70


13595000

50.40




	finish	code no.	Euro
 	Chrome	15705000	248.90
EcoStat E Thermostat for concealed installation · maximum flow rate at 3 bar: 37 l/ min · thermostat cartridge · safety lock at 40 °C · temperature limitation adjustable · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar			
Optional parts: · PuraVida Extension element · Extension iBox universal basic set 2.5 cm			
	Chrome	15597000	46.70
		13595000	50.40





EcoStat S thermostatic mixers and valves for concealed installation





 	Chrome	15757000	404.50
EcoStat S Thermostat for concealed installation for 1 function · 1 function · maximum flow rate at 3 bar: 26,5 l/ min · thermostat cartridge, ceramic valves 90° · safety lock at 40 °C · temperature limitation adjustable · volume control · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar			
Required parts: · Basic set iBox universal			
		01800180	137.30
Optional parts: · Extension element 15 cm · Extension iBox universal basic set 2.5 cm			
	Chrome	13597000	47.80
		13595000	50.40

 	Chrome	15758000	454.10
EcoStat S Thermostat for concealed installation for 2 functions · 2 functions · volume control and diverter for 2 outlets · maximum flow rate at 3 bar: 29 l/ min · flow rate upper outlet: 28 l/ min · flow rate lower outlet: 25 l/ min · thermostat cartridge, shut-off/ diverter valve · safety lock at 40 °C · temperature limitation adjustable · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar			
Required parts: · Basic set iBox universal			
		01800180	137.30
Optional parts: · Extension element 15 cm · Extension iBox universal basic set 2.5 cm			
	Chrome	13597000	47.80
	Brushed Bronze	13597140	71.80
	Brushed Black	13597340	71.80
	Chrome		
	Matt Black	13597670	67.00
	Matt White	13597700	67.00
	Polished Gold Optic	13597990	71.80
		13595000	50.40

Measurements within scale drawings are in mm.

		finish	code no.	Euro
 	Ecostat S Thermostat HighFlow for concealed installation	Chrome	15756000	404.50
	· maximum flow rate at 3 bar: 59 l/ min · flow rate upper outlet: 42 l/ min · flow rate lower outlet: 42 l/ min · thermostat cartridge · safety lock at 40 °C · temperature limitation adjustable · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar			
	Required parts: · Basic set iBox universal		01800180	137.30
	Optional parts: · Extension element 15 cm · Extension iBox universal basic set 2.5 cm	Chrome	13597000 13595000	47.80 50.40
 	Ecostat S Thermostat for concealed installation	Chrome	15755000	248.90
	· maximum flow rate at 3 bar: 37 l/ min · thermostat cartridge · safety lock at 40 °C · temperature limitation adjustable · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar			
	Optional parts: · Extension element 15 cm · Extension iBox universal basic set 2.5 cm	Chrome	13597000 13595000	47.80 50.40
 	Shut-off/ diverter valve S Trio/ Quattro for concealed installation	Chrome	15932000	131.40
	· 3 functions			
	Required parts: · Basic set for Trio shut-off/ diverter valve for concealed installation · Basic set for Quattro four-way diverter valve for concealed installation		15981180 15930180	167.00 263.20
 	Shut-off valve S for concealed installation	Chrome	15972000	98.20
	Required parts: · Basic set 52 l/ min for shut-off valve for concealed installation spindle · Basic set 40 l/ min for shut-off valve for concealed installation ceramic · Basic set 130 l/ min for shut-off valve for concealed installation spindle		15973180 15974180 15970180	84.60 87.90 91.90
	Optional parts: · Extension set 2.5 cm		96370000	48.60

		finish	code no.	Euro
 	Extension element 15 cm	Chrome	13597000	47.80
	· for installation between tiles and finish set · suitable for all shower and bath tub finish sets Ø 150 mm · diameter: 152 mm · extension length: 22 mm	Brushed Bronze	13597140	71.80
		Brushed Black	13597340	71.80
		Chrome		
		Matt Black	13597670	67.00
		Matt White	13597700	67.00
		Polished Gold Optic	13597990	71.80
 	Metris Shut-off valve E for concealed installation	Chrome	31677000	39.80
	· connection type: DN15/DN20			
		Required parts:		
		· Basic set 52 l/ min for shut-off valve for concealed installation spindle	15973180	84.60
		· Basic set 40 l/ min for shut-off valve for concealed installation ceramic	15974180	87.90
		· Basic set 130 l/ min for shut-off valve for concealed installation spindle	15970180	91.90
		Optional parts:		
		· Extension set 2.5 cm	96370000	48.60
 	Logis Shut-off valve for concealed installation	Chrome	71970000	29.40
	· connection type: DN15/DN20			
		Required parts:		
		· Basic set 52 l/ min for shut-off valve for concealed installation spindle	15973180	84.60
		· Basic set 40 l/ min for shut-off valve for concealed installation ceramic	15974180	87.90
		· Basic set 130 l/ min for shut-off valve for concealed installation spindle	15970180	91.90
		Optional parts:		
		· Extension set 2.5 cm	96370000	48.60
Basic sets				
 	Basic set iBox universal		01800180	137.30
	· suitable for all shower, bath tub and thermostat finish sets for concealed installation · connection thread Rp 3/4 · rotationally-symmetric installation · sound-decoupled installation · connection dimension: DN20			
		Alternative products:		
		· Basic set iBox universal with shut-off unit	01850180	178.40
		Optional parts:		
		· Extension iBox universal basic set 2.5 cm	13595000	50.40
		· Fastening rail set for iBox universal	96615000	35.80
		· Assembly aid for iBox universal	93500000	13.00

		finish	code no.	Euro
			15981180	167.00
		Basic set for Trio shut-off/ diverter valve for concealed installation · 2 functions · simultaneous utilization of 2 functions · suitable for all Trio finish sets · connection dimension: DN20 · maximum flow rate at 3 bar: 65 l/ min Optional parts: · Extension set 2.5 cm		
			96370000	48.60
			15930180	263.20
		Basic set for Quattro four-way diverter valve for concealed installation · requires volume control · 3 functions · simultaneous utilization of 2 functions · suitable for all Quattro finish sets · connection dimension: DN20 · maximum flow rate at 3 bar: 65 l/ min Optional parts: · Extension set 2.5 cm		
			96370000	48.60
			96370000	48.60
		Extension set 2.5 cm · extension length: 25 mm		
			15973180	84.60
		Basic set 52 l/ min for shut-off valve for concealed installation spindle · connection type: DN15 · suitable for all shut-off valves finish sets · connection dimension: DN15 · maximum flow rate at 3 bar: 52 l/ min Alternative products: · Basic set 40 l/ min for shut-off valve for concealed installation ceramic · Basic set 130 l/ min for shut-off valve for concealed installation spindle Optional parts: · Extension set 2.5 cm		
			15974180	87.90
			15970180	91.90
			96370000	48.60

iBox[®] universal



Hansgrohe iBox® universal: one for all. All finish sets and overhead showers at a glance.

iBox universal	Metropol bath with lever handle	Metropol bath with loop handle	Metropol shower with lever handle	Metropol shower with loop handle	
					
01800180	32545,-000 32546,-000	74545,-000 74546,-000	32565,-000	74565,-000	
Metris bath	Metris shower	Metris bath	Metris shower	Metris S bath	Metris S shower
					
31493,-000 31487,-000	31685,-000	31454,-000 31451,-000	31456,-000	31465,-000 31466,-000	31665,-000
Finoris bath	Finoris shower			Vivenis bath	Vivenis shower
					
NEW 76415,-000,-670,-700 76416,-000,-670,-700	NEW 76615,-000,-670,-700			NEW 75415,-000,-670,-700 75416,-000,-670,-700	NEW 75615,-000,-670,-700
Talis E bath	Talis E shower	Talis S bath	Talis S shower	Talis S bath	Talis S shower
					
71745,-000 71474,-000	71765,-000 71768,-000	72405,-000 72406,-000	72605,-000	32475,-000 32477,-000	32675,-000
Focus bath	Focus shower			Vernis Blend bath	Vernis Blend shower
					
31945,-000 31946,-000	31965,-000			NEW 71466,-000,-670 71467,-000,-670	NEW 71667,-000,-670
Vernis Shape bath	Vernis Shape shower			Logis bath	Logis shower
					
NEW 71468,-000,-670 71469,-000,-670	NEW 71668,-000,-670			71405,-000	71605,-000

Ecostat
thermostatic mixer
for 1 function



15712,-000

Ecostat
thermostatic mixer
for 2 functions



15714,-000

Ecostat E
thermostatic mixer



15705,-000

Ecostat E
thermostatic mixer
highflow



15706,-000

Ecostat E
thermostatic mixer
for 1 function



15707,-000

Ecostat E
thermostatic mixer
for 2 functions



15708,-000

Ecostat S
thermostatic mixer



15755,-000

Ecostat S
thermostatic mixer
highflow



15756,-000

Ecostat S
thermostatic mixer
with shut-off valve



15757,-000

Ecostat S
thermostatic mixer
with shut-off/diverter
valve



15758,-000

ShowerSelect
thermostatic mixer
for 1 function



15762,-000

ShowerSelect
thermostatic mixer
for 2 functions



15763,-000

ShowerSelect
thermostatic mixer
highflow for 1 function



15760,-000

ShowerSelect
thermostatic mixer
highflow for 1 function
and 1 additional
function



15761,-000

ShowerSelect
valve for 3
functions



15764,-000

ShowerSelect
thermostatic mixer
for 2 functions with
FixFit and porter unit



15765,-000

ShowerSelect
mixer for 1 function



15767,-000

ShowerSelect
mixer for 2 functions



15768,-000

ShowerSelect glass
thermostatic mixer
for 1 function



15737,-400

ShowerSelect glass
thermostatic mixer
for 2 functions



15738,-400

ShowerSelect glass
thermostatic mixer
highflow for 1 function



15734,-400

ShowerSelect glass
thermostatic mixer
highflow for 1 function
and 1 additional
function



15735,-400

ShowerSelect glass
valve for 3 functions



15736,-400

ShowerSelect S
thermostatic mixer
for 1 function



15744,-000

ShowerSelect S
thermostatic mixer
for 2 functions



15743,-000

ShowerSelect S
thermostatic mixer
highflow for 1 function



15741,-000

ShowerSelect S
thermostatic mixer
highflow for 1 function
and 1 additional
function



15742,-000

ShowerSelect S
valve for 3
functions



15745,-000

ShowerSelect S
mixer for 1 function



15747,-000

ShowerSelect S
mixer for 2 functions



15748,-000

Rainmaker Select
460 3jet



24007,-400

Rainmaker Select
460 2jet



24005,-400

Rainmaker Select
580 3jet




24001,-400

Raindance
Rainfall
180 Air 2jet



28433,-000



Basic set iBox universal

- suitable for all shower, bath tub and thermostat finish sets for concealed installation
- connection thread Rp 3/4
- rotationally-symmetric installation
- sound-decoupled installation
- connection dimension: DN20

Alternative products:

- Basic set iBox universal with shut-off unit

Optional parts:

- Extension iBox universal basic set 2.5 cm
- Fastening rail set for iBox universal
- Assembly aid for iBox universal

finish

code no.

Euro

01800180

137.30

01850180

178.40

13595000


50.40

96615000

35.80

93500000

13.00



Basic set iBox universal with shut-off unit

- suitable for all shower, bath tub and thermostat finish sets for concealed installation
- connection thread Rp 3/4
- sound-decoupled installation
- connection dimension: DN20

Alternative products:

- Basic set iBox universal

Optional parts:

- Extension iBox universal basic set 2.5 cm
- Fastening rail set for iBox universal
- Assembly aid for iBox universal

01850180

178.40

01800180

137.30

13595000


50.40

96615000

35.80

93500000

13.00




Assembly aid for iBox universal

- spirit levels for correct horizontal and vertical alignment of the iBox universal
- with fixations to simply put the assembly aid on the iBox universal
- markings for the tile spacer
- 4 more fixation aids all around, thus against rotation

93500000

13.00



PuraVida Extension element

- for installation between tiles and finish set
- diameter: 157 mm
- extension length: 22 mm

Chrome

15597000

46.70

Brushed Bronze

15597140

70.00

Brushed Black

15597340

70.00

Chrome

15597670

65.30

Matt Black

15597700

65.30


Matt White

15597990

70.00

Polished Gold Optic

70.00



Extension element 15 cm

- for installation between tiles and finish set
- suitable for all shower and bath tub finish sets Ø 150 mm
- diameter: 152 mm
- extension length: 22 mm

Chrome

13597000

47.80

Brushed Bronze

13597140

71.80

Brushed Black

13597340

71.80

Chrome

13597670

67.00

Matt Black

13597700

67.00





Matt White

13597990

71.80

Polished Gold Optic

71.80

			finish	code no.	Euro
 	ShowerSelect Extension element · for installation between tiles and finish set · suitable for all shower and bath tub finish sets Ø 150 mm · diameter: 157 mm · extension length: 22 mm		Chrome	13593000	46.80
			Brushed Bronze	13593140	70.20
			Brushed Black	13593340	70.20
			Chrome		
			Matt Black	13593670	65.50
			Matt White	13593700	65.50
			Polished Gold Optic	13593990	70.20
 	ShowerSelect Glass Extension element · for installation between tiles and finish set · diameter: 157 mm · extension length: 22 mm		Chrome	13604000	100.20
 	Extension element ShowerSelect FixFit Porter · for installation between tiles and finish set · extension length: 22 mm		Chrome	13601000	113.60
			Chrome	15765000	766.10
 	Extension iBox universal basic set 2.5 cm · extension for basic set · extension length: 25 mm			13595000	50.40
 	Fastening rail set for iBox universal			96615000	35.80
	Flushing board iControl		Chrome	15956000	62.70

Measurements within scale drawings are in mm.

Technical specifications and units of measure are subject to change.

Mixer lines



FinishPlus

page 343



Metropol

page 355



Metris

page 381



Finoris

page 401



Vivenis

page 411



Talis

page 421



Focus

page 451



Vernis

page 465




Logis


page 489



hansgrohe bathroom mixers

Product ranges at a glance

	Metropol			Metris	Metris S
					
Finish	-000, -140, -340 -670, -700, -990	-000	-000	-000	-000
Standard	■	■	■	■	■
EcoSmart	■	■	■	■	■
Pillar tap	■			■	
LowFlow				■	■
CoolStart	■			■	
For open water heaters				■	
With swivel spout					■
With Pull-out tap					
Bidet	■	■		■	■
Select			■		
QuickClean	■	■	■	■	■
	page 356	page 360	page 356	page 382	page 393

	Talis S			Focus	Vernis Shape
					
Finish	-000	-000	-000	-000	-000, -670
Standard	■	■	■	■	■
EcoSmart	■	■	■	■	■
Pillar tap	■		■	■	■
LowFlow	■			■	
CoolStart	■			■	■
For open water heaters			■	■	
With swivel spout	■		■	■	■
With Pull-out tap					
Bidet	■	■	■	■	■
Select		■			
QuickClean	■	■	■	■	
	page 434	page 433	page 446	page 452	page 479

Finoris




-000, -670, -700

Vivenis




-000, -670, -700

Talis E



-000, -140, -340
-670, -700, -990



-000

■	■	■	■
■	■	■	■
■	■	■	
		■	
■		■	
		■	
■	■		
■			
■	■	■	
			■
■	■	■	■
page 402	page 412	page 423	page 422

Vernis Blend




-000, -670

Logis



-000



-000

■	■	■
■	■	■
■		■
		■
■	■	■
		■
■		
■	■	■
page 466	page 491	page 490



Hand showers

page 344



Shower sets

page 345



Wall bars

page 344



Shower holder sets

page 344



Shower hoses

page 347



Overhead showers

page 346



Showerpipes

page 348



Thermostatic mixers
for exposed installation

page 348



Thermostatic mixers
for concealed installation

page 348



Mixer lines

page 350



Accessories

page 350



Wastes and overflow

page 352



Kitchen mixers

page 352



FinishPlus overview

Hand showers

	Rainfinity	Raindance Select E	Raindance Select S	Pulsify Select S	Pulsify S
					
Finish					
Chrome -000	■	■	■	■	■
Brushed Bronze -140	■	■	■		
Brushed Black Chrome -340	■	■	■		
Matt Black -670	■	■	■	■	■
Matt White -700	■	■	■	■	■
Polished Gold Optic -990	■	■	■		
Page	page 96	page 96	page 97	page 98	page 99

Wall bars

	Unica S Puro
	
Finish	
Chrome -000	■
Brushed Bronze -140	■
Brushed Black Chrome -340	■
Matt Black -670	■
Matt White -700	■
Polished Gold Optic -990	■
Page	page 147

■ Available

Shower holder sets

	Rainfinity	Pulsify Select S
		
Finish		
Chrome -000	■	■
Brushed Bronze -140		
Brushed Black Chrome -340		
Matt Black -670		■
Matt White -700	■	■
Polished Gold Optic -990		
Page	page 154	page 156

Croma Select E	Vernis Blend
	
■	■
■	
■	
■	■
■	
■	
page 100	page 104

Shower sets

Pulisfy Select S	
	
Finish	
Chrome -000	■
Brushed Bronze -140	
Brushed Black Chrome -340	
Matt Black -670	■
Matt White -700	■
Polished Gold Optic -990	
Page	page 110

Pulsify S

■
■
■
page 157

Shower holder

	Porter E	Porter S
		
Finish		
Chrome -000	■	■
Brushed Bronze -140	■	■
Brushed Black Chrome -340	■	■
Matt Black -670	■	■
Matt White -700	■	■
Polished Gold Optic -990	■	■
Page	page 163	page 163

FinishPlus overview

Fixfit Porter wall outlets

Rainfinity	
	
Finish	
Chrome -000	■
Brushed Bronze -140	
Brushed Black Chrome -340	
Matt Black -670	
Matt White -700	■
Polished Gold Optic -990	
Page	page 164

FixFit Wall outlet

	FixFit E	FixFit S
		
Finish		
Chrome -000	■	■
Brushed Bronze -140	■	■
Brushed Black Chrome -340	■	■
Matt Black -670	■	■
Matt White -700	■	■
Polished Gold Optic -990	■	■
Page	page 165	page 165

Overhead showers

	Rainfinity	Raindance E	Raindance S	Pulsify S	Croma
					
Finish					
Chrome -000	■	■	■	■	■
Brushed Bronze -140	■	■			■
Brushed Black Chrome -340	■	■			■
Matt Black -670	■	■	■	■	■
Matt White -700	■	■	■	■	■
Polished Gold Optic -990	■	■			■
Page	page 181	page 193	page 197	page 202	page 207

FixFit Square	FixFit
	
■	■
■	■
■	■
■	■
■	■
■	■
page 167	page 167

Shower hoses

Isiflex

Finish

Chrome -000

Brushed Bronze -140

Brushed Black Chrome -340

Matt Black -670

Matt White -700

Polished Gold Optic -990

Page

page 170

Vernis Blend	Vernis Shape	Shower arms	Ceiling connectors
			
■	■	■	■
		■	■
		■	■
■	■	■	■
		■	■
		■	■
page 213	page 214	page 215	page 217

FinishPlus overview

Body showers

Rainfinity	
	
Finish	
Chrome -000	■
Brushed Bronze -140	
Brushed Black Chrome -340	
Matt Black -670	
Matt White -700	■
Polished Gold Optic -990	
Page	page 219

Showerpipes

	Rainfinity	Raindance Select S
 		
Finish		
Chrome -000	■	■
Brushed Bronze -140		■
Brushed Black Chrome -340		■
Matt Black -670		■
Matt White -700	■	■
Polished Gold Optic -990		■
Page	page 228	page 236

Thermostatic mixers for exposed installation

	ShowerTablet Select	Ecostat
 		
Finish		
Chrome -000	■	■
Brushed Bronze -140		■
Brushed Black Chrome -340		■
Matt Black -670	■	■
Matt White -700	■	■
Polished Gold Optic -990		■
Page	page 288	page 294

Thermostatic mixers for concealed installation

	RainSelect
	
Finish	
Chrome -000	■
Brushed Bronze -140	■
Brushed Black Chrome -340	■
Matt Black -670	■
Matt White -700	■
Polished Gold Optic -990	■
Page	page 308

Pulsify S	Croma Select S	Vernis Blend	Vernis Shape
			
■	■	■	■
	■		
	■		
■	■	■	■
■	■		
	■		
page 242	page 245	page 272	page 276

ShowerSelect	Shower Select S	Ecostat Square	Ecostat S	Extension elements
				
■	■	■	■	■
■	■	■	■	■
■	■	■	■	■
■	■	■	■	■
■	■	■	■	■
■	■	■	■	■
page 317	page 321	page 326	page 328	page 330

FinishPlus overview

Metropol

Metropol



Finish	
Chrome -000	■
Brushed Bronze -140	■
Brushed Black Chrome -340	■
Matt Black -670	■
Matt White -700	■
Polished Gold Optic -990	■
Page	page 355

Finoris

Finoris



Finish	
Chrome -000	■
Brushed Bronze -140	
Brushed Black Chrome -340	
Matt Black -670	■
Matt White -700	■
Polished Gold Optic -990	
Page	page 401

Vernis

Vernis Blend


Vernis Shape



Finish		
Chrome -000	■	■
Brushed Bronze -140		
Brushed Black Chrome -340		
Matt Black -670	■	■
Matt White -700		
Polished Gold Optic -990		
Page	page 466	page 479

Accessories

XtraStoris Original



Finish	
Chrome -000	
Brushed Bronze -140	
Brushed Black Chrome -340	
Matt Black -670	■
Matt White -700	■
Stainless Steel Optic -800	■
Polished Gold Optic -990	
Page	page 538

Vivenis

Vivenis



Finish

Chrome -000	■
Brushed Bronze -140	
Brushed Black Chrome -340	
Matt Black -670	■
Matt White -700	■
Polished Gold Optic -990	

Page page 411

Talis

Talis E



Finish

Chrome -000	■
Brushed Bronze -140	■
Brushed Black Chrome -340	■
Matt Black -670	■
Matt White -700	■
Polished Gold Optic -990	■

Page page 421

XtraStoris
Minimalistic



XtraStoris
Rock



XtraStoris
Individual



AddStoris



WallStoris



			■	
		■	■	
		■	■	
■	■	■	■	■
■	■	■	■	■
■	■	■	■	

page 538

page 539

page 539

page 544

page 554

FinishPlus overview

Wastes and overflow

	RainDrain Flex	RainDrain Match	Exafill S	sBox Finish set	Flexaplus
					
Finish					
Chrome -000	■	■	■	■	■
Brushed Bronze -140	■	■	■	■	■
Brushed Black Chrome -340	■	■	■	■	■
Matt Black -670	■	■	■	■	■
Matt White -700	■	■	■	■	■
Brushed Stainless Steel -800	■	■			
Polished Gold Optic -990	■	■	■	■	■
Page	page 571	page 579	page 590	page 593	page 595

Kitchen mixers

	Aqittura M91	Aquno Select M81	Metris Select M71	Talis M54	Focus M41
					
Finish					
Chrome -000	■	■	■	■	■
Brushed Bronze -140					
Brushed Black Chrome -340			■		
Matt Black -670	■	■	■	■	■
Matt White -700					
Stainless Steel Finish -800	■	■	■	■	■
Polished Gold Optic -990					
Page	page 630	page 634	page 635	page 653	page 658

Wastes for basin/ bidet	Traps
	
■	■
■	■
■	■
■	■
■	■
■	■
■	■
page 597	page 598

Zesis M33	Vernis M35	Kitchen accessories
		
■	■	■
		■
■	■	■
■	■	■
page 665	page 670	page 688



Basin

page 356



Bidet

page 365



Bath

page 367




Shower

page 378



Basin




Basin mixer 100 Select
with push-open waste set

- consists of: Basin mixer, waste set
- ComfortZone 100
- projection 157 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- Select cartridge with temperature control
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15

finish
Chrome

code no.
32570000

Euro
319.70




Basin mixer 110 Select
with push-open waste set

- consists of: Basin mixer, waste set
- ComfortZone 110
- projection 135 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- Select cartridge with temperature control
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15

finish
Chrome

code no.
32571000

Euro
331.30




Basin mixer 260 Select
with push-open waste set

- consists of: Basin mixer, waste set
- ComfortZone 260
- projection 204 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- Select cartridge with temperature control
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15

finish
Chrome

code no.
32572000

Euro
456.90




Pillar tap 100 with lever handle
for cold water or pre-adjusted
water without waste set

- ComfortZone 100
- projection 127 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- for cold water connection
- connection type: G 3/8 connections
- connection dimension: DN15

finish
Chrome

code no.
32501000


Euro
251.20



Single lever basin mixer 100 with lever handle for hand washbasins with push-open waste set

- consists of: single lever basin mixer, waste set
- ComfortZone 100
- projection 127 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15

finish	code no.	Euro
Chrome	32500000	268.30
Brushed Bronze	32500140	402.50
Brushed Black	32500340	402.50
Chrome		
Matt Black	32500670	375.70
Matt White	32500700	375.70
Polished Gold Optic	32500990	402.50



Single lever basin mixer 100 with lever handle and push-open waste set

- consists of: single lever basin mixer, waste set
- ComfortZone 100
- projection 157 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15


Chrome	32502000	274.10
--------	----------	--------



Alternative products:

- Single lever basin mixer 100 CoolStart with lever handle and push-open waste set

Chrome	32503000	279.90
--------	----------	--------



Single lever basin mixer 100 CoolStart with lever handle and push-open waste set

- consists of: single lever basin mixer, waste set
- ComfortZone 100
- projection 157 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- cold water in middle position


Chrome	32503000	279.90
--------	----------	--------



Alternative products:

- Single lever basin mixer 100 with lever handle and push-open waste set

Chrome	32502000	274.10
--------	----------	--------




Single lever basin mixer 110
with lever handle and push-open
waste set

- consists of: single lever basin mixer, waste set
- ComfortZone 110
- projection 135 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15

Alternative products:

- Single lever basin mixer 110 with lever handle and pop-up waste set
- Single lever basin mixer 110 CoolStart with lever handle and push-open waste set

finish	code no.	Euro
Chrome	32507000	291.20
Brushed Bronze	32507140	436.90
Brushed Black	32507340	436.90
Chrome		
Matt Black	32507670	407.80
Matt White	32507700	407.80
Polished Gold Optic	32507990	436.90



Single lever basin mixer 110
CoolStart with lever handle
and push-open waste set

- consists of: single lever basin mixer, waste set
- ComfortZone 110
- projection 135 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- cold water in middle position



Alternative products:

- Single lever basin mixer 110 with lever handle and pop-up waste set
- Single lever basin mixer 110 with lever handle and push-open waste set

Chrome	32508000	296.90
--------	----------	--------



Chrome	32506000	285.60
Chrome	32507000	291.20
Brushed Bronze	32507140	436.90
Brushed Black	32507340	436.90
Chrome		
Matt Black	32507670	407.80
Matt White	32507700	407.80
Polished Gold Optic	32507990	436.90



Single lever basin mixer 230 with lever handle and push-open waste set

- consists of: single lever basin mixer, waste set
- ComfortZone 230
- projection 165 mm
- swivel range 120°
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/ min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- handle position on the side: bottom-side at the base body (not suitable for wash bowls)


finish	code no.	Euro
Chrome	32511000	399.80
Brushed Bronze	32511140	599.60
Brushed Black	32511340	599.60
Chrome		
Matt Black	32511670	559.60
Matt White	32511700	559.60
Polished Gold Optic	32511990	599.60



Alternative products:

- Single lever basin mixer 230 with loop handle and push-open waste set

Chrome	74511000	422.60
--------	----------	--------









Single lever basin mixer 260 with lever handle for washbowls with push-open waste set

- consists of: single lever basin mixer, waste set
- ComfortZone 260
- projection 204 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/ min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15

Chrome	32512000	411.10
Brushed Bronze	32512140	616.60
Brushed Black	32512340	616.60
Chrome		
Matt Black	32512670	575.50
Matt White	32512700	575.50
Polished Gold Optic	32512990	616.60



		finish	code no.	Euro	
		Single lever basin mixer 100 with loop handle for hand washbasins with push-open waste set	Chrome	74500000	291.20
		· consists of: single lever basin mixer, waste set · ComfortZone 100 · projection 127 mm · spray type: normal spray · maximum flow rate at 3 bar: 5 l/min · ceramic cartridge · temperature limitation adjustable · suitable for continuous flow water heaters · push-open waste set G 1 ¼ · material waste set: metal · connection type: G ¾ connections · connection dimension: DN15	   		
		Single lever basin mixer 100 with loop handle and push-open waste set	Chrome	74502000	296.90
		· consists of: single lever basin mixer, waste set · ComfortZone 100 · projection 157 mm · spray type: normal spray · maximum flow rate at 3 bar: 5 l/min · ceramic cartridge · temperature limitation adjustable · suitable for continuous flow water heaters · push-open waste set G 1 ¼ · material waste set: metal · connection type: G ¾ connections · connection dimension: DN15	   		
		Single lever basin mixer 110 with loop handle and push-open waste set	Chrome	74507000	319.70
		· consists of: single lever basin mixer, waste set · ComfortZone 110 · projection 135 mm · spray type: normal spray · maximum flow rate at 3 bar: 5 l/min · ceramic cartridge · temperature limitation adjustable · suitable for continuous flow water heaters · push-open waste set G 1 ¼ · material waste set: metal · connection type: G ¾ connections · connection dimension: DN15	   		
		Alternative products: · Single lever basin mixer 110 with loop handle and pop-up waste set	Chrome	74506000	314.20



Single lever basin mixer 230 with loop handle and push-open waste set

- consists of: single lever basin mixer, waste set
- ComfortZone 230
- projection 165 mm
- swivel range 120°
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/ min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15
- handle position on the side: bottom-side at the base body (not suitable for wash bowls)

Alternative products:

- Single lever basin mixer 230 with lever handle and push-open waste set

finish

code no.

Euro

Chrome

74511000

422.60



Chrome

32511000

399.80

Brushed Bronze

32511140

599.60

Brushed Black

32511340

599.60

Chrome

Matt Black

32511670

559.60

Matt White


32511700

559.60

Polished Gold Optic

32511990

599.60



Single lever basin mixer 260 with loop handle for washbowls with push-open waste set


- consists of: single lever basin mixer, waste set
- ComfortZone 260
- projection 204 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/ min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15

Chrome

74512000

434.00





Single lever basin mixer
for concealed installation
wall-mounted with lever handle
and spout 22,5 cm

- consists of: single lever basin mixer for concealed installation wall-mounted, waste set
- projection 225 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- non-closing waste set
- material waste set: metal
- connection type: basic set
- connection dimension: DN15
- handle can be positioned on the right or left, depends on the basic set installation

Alternative sizes:

- Single lever basin mixer for concealed installation wall-mounted with lever handle and spout 16,5 cm


Required parts:

- Basic set for single lever basin mixer for concealed installation wall-mounted

finish	code no.	Euro
Chrome	32526000	365.50
Brushed Bronze	32526140	548.20
Brushed Black	32526340	548.20
Chrome		
Matt Black	32526670	511.60
Matt White	32526700	511.60
Polished Gold Optic	32526990	548.20



Chrome	32525000	342.60
	13622180	220.50



Single lever basin mixer
for concealed installation
wall-mounted with loop handle
and spout 22.5 cm

- consists of: single lever basin mixer for concealed installation wall-mounted, waste set
- projection 225 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- non-closing waste set
- material waste set: metal
- connection type: basic set
- connection dimension: DN15
- handle can be positioned on the right or left, depends on the basic set installation

Alternative sizes:

- Single lever basin mixer for concealed installation wall-mounted with loop handle and spout 16.5 cm




Required parts:


- Basic set for single lever basin mixer for concealed installation wall-mounted


Chrome	74526000	388.40
--------	----------	--------




Chrome	74525000	365.50
	13622180	220.50

		finish	code no.	Euro
 	Basic set for single lever basin mixer for concealed installation wall-mounted · installation depth: 44 - 72 mm · variable positioning of the mixer system, can be left or right of the spout · easy orientation due to support surfaces for the spirit level · with building protection cover against contamination during assembly · with dimension indication for exact determination of the installation depth · with pre-mounted fastening lugs for mounting in drywall and solidwall · sound-decoupled installation · connection dimension: DN15 Optional parts: · Extension set 2.5 cm		13622180	220.50
			31971000	112.80
 	3-hole basin mixer 110 with lever handles and push-open waste set · consists of: 3-hole basin mixer, waste set · ComfortZone 110 · projection 132 mm · maximum flow rate at 3 bar: 5 l/min · ceramic valves hot/ cold 90° · suitable for continuous flow water heaters · push-open waste set G 1 1/4 · material waste set: metal · connection type: G 3/8 connections · connection dimension: DN15 Alternative products: · 3-hole basin mixer 110 with loop handles and push-open waste set	Chrome	32514000	382.60
 	3-hole basin mixer 160 with lever handles and push-open waste set · consists of: 3-hole basin mixer, waste set · ComfortZone 160 · projection 152 mm · maximum flow rate at 3 bar: 5 l/min · ceramic valves hot/ cold 90° · suitable for continuous flow water heaters · push-open waste set G 1 1/4 · material waste set: metal · connection type: G 3/8 connections · connection dimension: DN15 Alternative products: · 3-hole basin mixer 160 with loop handles and push-open waste set	Chrome	32515000	399.80
		Brushed Bronze	32515140	599.60
		Brushed Black	32515340	599.60
		Chrome		
		Matt Black	32515670	559.60
		Matt White	32515700	559.60
		Polished Gold Optic	32515990	599.60




		finish	code no.	Euro
		Chrome	74514000	405.60
		   		
		Alternative products:		
		· 3-hole basin mixer 110 with lever handles and push-open waste set		
		Chrome	32514000	382.60


		Chrome	74515000	422.60
		   		
		Alternative products:		
		· 3-hole basin mixer 160 with lever handles and push-open waste set		
		Chrome	32515000	399.80
		Brushed Bronze	32515140	599.60
		Brushed Black	32515340	599.60
		Chrome		
		Matt Black	32515670	559.60
		Matt White	32515700	559.60
		Polished Gold Optic	32515990	599.60

		Chrome	32530000	1,199.20
		  		
		Alternative products:		
		· Single lever basin mixer floor-standing with loop handle without waste set		
		Chrome	74530000	1,222.00

Required parts:				
· Basic set for mixers floor-standing			10452180	459.80
Optional parts:				
· Sealing foil for basic set bath mixer floor-standing			96441000	127.30

Measurements within scale drawings are in mm.

		finish	code no.	Euro
		Chrome	74530000	1,222.00
		  		
		Single lever basin mixer floor-standing with loop handle without waste set · projection 235 mm · spray type: normal spray · maximum flow rate at 3 bar: 5 l/ min · ceramic cartridge · temperature limitation adjustable · suitable for continuous flow water heaters · connection type: basic set · connection dimension: DN15		
Alternative products:		Chrome	32530000	1,199.20
Single lever basin mixer floor-standing with lever handle without waste set				
Required parts:			10452180	459.80
Basic set for mixers floor-standing				
Optional parts:			96441000	127.30
Sealing foil for basic set bath mixer floor-standing				
			10452180	459.80
		Basic set for mixers floor-standing · for mounting on unfinished floor · suitable for single lever bath mixer, single lever basin mixer and bath spout floor-standing · connection dimension: DN15		
		Optional parts:		
Sealing foil for basic set bath mixer floor-standing			96441000	127.30
Bidet				
		Chrome	32520000	376.90
		Brushed Bronze	32520140	565.40
		Brushed Black	32520340	565.40
Single lever bidet mixer with lever handle and push-open waste set · consists of: single lever bidet mixer, waste set · projection 129 mm · ball-pivot joint · spray type: laminar spray · maximum flow rate at 3 bar: 7,2 l/ min · ceramic cartridge · temperature limitation adjustable · suitable for continous flow water heaters · material waste set: metal · connection type: G 3/8 connections · connection dimension: DN15		Chrome	32520670	527.70
		Matt Black	32520670	527.70
		Matt White	32520700	527.70
		Polished Gold Optic	32520990	565.40
				
Alternative products:		Chrome	74520000	399.80
Single lever bidet mixer with loop handle and push-open waste set				




Single lever bidet mixer
with loop handle
and push-open waste set

- consists of: single lever bidet mixer, waste set
- projection 129 mm
- ball-pivot joint
- spray type: laminar spray
- maximum flow rate at 3 bar: 7,2 l/ min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continous flow water heaters
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15

Alternative products:

- Single lever bidet mixer with lever handle and push-open waste set


finish	code no.	Euro
Chrome	74520000	399.80
		
Chrome	32520000	376.90
Brushed Bronze	32520140	565.40
Brushed Black	32520340	565.40
Chrome		
Matt Black	32520670	527.70
Matt White	32520700	527.70
Polished Gold Optic	32520990	565.40



Single lever basin mixer
with lever handle
with bidette hand shower
and shower hose 160 cm

- consists of: single lever basin mixer, bidette hand shower, shower holder, shower hose, waste set
- ComfortZone 110
- projection 135 mm
- maximum flow rate at 3 bar: 5 l/ min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15

Chrome	32522000	382.60	
			



Single lever basin mixer with loop handle with bidette hand shower and shower hose 160 cm

- consists of: single lever basin mixer, bidette hand shower, shower holder, shower hose, waste set
- ComfortZone 110
- projection 135 mm
- maximum flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 1/4
- material waste set: metal
- connection type: G 3/8 connections
- connection dimension: DN15

finish

code no.

Euro


Chrome

74522000

405.60



Bath



Single lever bath mixer floor-standing with lever handle

- consists of: single lever bath mixer floor standing, baton hand shower, shower hose, shower holder
- 2 functions
- projection 235 mm
- connection type: basic set
- spray type mixer: normal spray
- spray type hand shower: Rain, MonoRain
- maximum flow rate at 3 bar: 20 l/min
- flow rate for bath spout at 3 bar: 20 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- non-return valve
- connection dimension: DN15

Chrome

32532000

1,770.20

Brushed Bronze

32532140

2,655.40

Brushed Black

32532340

2,655.40

Chrome

Matt Black

32532670

2,478.30

Matt White

32532700

2,478.30

Polished Gold Optic 32532990

2,655.40



Alternative products:

- Single lever bath mixer floor-standing with loop handle

Chrome

74532000

1,793.00

Required parts:

- Basic set for mixers floor-standing

10452180


459.80

Optional parts:

- Sealing foil for basic set bath mixer floor-standing

96441000

127.30



Single lever bath mixer floor-standing with loop handle

- consists of: single lever bath mixer floor standing, baton hand shower, shower hose, shower holder
- 2 functions
- projection 235 mm
- connection type: basic set
- spray type mixer: normal spray
- spray type hand shower: Rain, MonoRain
- flow rate for bath spout at 3 bar: 20 l/min
- flow rate of hand shower at 3 bar: 14 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- non-return valve
- connection dimension: DN15

Alternative products:

- Single lever bath mixer floor-standing with lever handle

finish	code no.	Euro
Chrome	74532000	1,793.00
		

Chrome	32532000	1,770.20
Brushed Bronze	32532140	2,655.40
Brushed Black	32532340	2,655.40
Chrome		
Matt Black	32532670	2,478.30
Matt White	32532700	2,478.30
Polished Gold Optic	32532990	2,655.40

Required parts:


- Basic set for mixers floor-standing

10452180	459.80
----------	--------

Optional parts:

- Sealing foil for basic set bath mixer floor-standing

96441000	127.30
----------	--------



Basic set for mixers floor-standing


- for mounting on unfinished floor
- suitable for single lever bath mixer, single lever basin mixer and bath spout floor-standing
- connection dimension: DN15

Optional parts:

- Sealing foil for basic set bath mixer floor-standing

10452180	459.80
----------	--------

96441000	127.30
----------	--------



Single lever bath mixer for exposed installation with lever handle

- 2 functions
- projection 180 mm
- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- spray type mixer: normal spray
- flow rate for bath spout at 3 bar:
22 l/min
- flow rate of hand shower at 3 bar:
16 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- protected against backflow, according to
DIN EN1717
- suitable for continuous flow water heaters
- connection dimension: DN15




finish	code no.	Euro
Chrome	32540000	354.20
Brushed Bronze	32540140	531.20
Brushed Black	32540340	531.20
Chrome		
Matt Black	32540670	495.90
Matt White	32540700	495.90
Polished Gold Optic	32540990	531.20

Alternative products:

- Single lever bath mixer for exposed
installation with loop handle

Chrome	74540000	376.90
--------	----------	--------



Single lever bath mixer for exposed installation with loop handle

- 2 functions
- projection 180 mm
- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- spray type mixer: normal spray
- flow rate for bath spout at 3 bar:
22 l/min
- flow rate of hand shower at 3 bar:
16 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- protected against backflow, according to
DIN EN1717
- with silencer
- suitable for continuous flow water heaters
- connection dimension: DN15




Chrome	74540000	376.90
--------	----------	--------

Alternative products:

- Single lever bath mixer for exposed
installation with lever handle

Chrome	32540000	354.20
Brushed Bronze	32540140	531.20
Brushed Black	32540340	531.20
Chrome		
Matt Black	32540670	495.90
Matt White	32540700	495.90
Polished Gold Optic	32540990	531.20



Single lever bath mixer
for concealed installation
with lever handle
for iBox universal

- 2 functions
- connection type: basic set
- flow rate upper outlet: 21 l/min
- flow rate lower outlet: 29 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- with silencer

Alternative products:

- Single lever bath mixer for concealed installation with lever handle and integrated security combination according to EN1717 for iBox universal
- Single lever bath mixer for concealed installation with loop handle for iBox universal

Required parts:

- Basic set iBox universal

Optional parts:


- Extension element


finish	code no.	Euro
Chrome	32545000	239.90
Brushed Bronze	32545140	359.80
Brushed Black	32545340	359.80
Chrome		
Matt Black	32545670	335.90
Matt White	32545700	335.90
Polished Gold Optic	32545990	359.80


Chrome	32546000	342.60
Brushed Bronze	32546140	513.90
Brushed Black	32546340	513.90
Chrome		
Matt Black	32546670	479.60
Matt White	32546700	479.60
Polished Gold Optic	32546990	513.90
Chrome	74545000	262.80

	01800180	137.30
--	----------	--------

Chrome	13593000	46.80
Brushed Bronze	13593140	70.20
Brushed Black	13593340	70.20
Chrome		
Matt Black	13593670	65.50
Matt White	13593700	65.50
Polished Gold Optic	13593990	70.20









		finish	code no.	Euro	
 	Single lever bath mixer for concealed installation with loop handle for iBox universal		Chrome	74545000	262.80
	· 2 functions · connection type: basic set · flow rate upper outlet: 21 l/min · flow rate lower outlet: 29 l/min · min. operating pressure: 1 bar · max. operating pressure: 10 bar · ceramic cartridge · temperature limitation adjustable · diverter with automatic resetting · with silencer				
	Alternative products:				
	· Single lever bath mixer for concealed installation with loop handle and integrated security combination according to EN1717 for iBox universal · Single lever bath mixer for concealed installation with lever handle for iBox universal		Chrome	74546000	365.50
			Chrome	32545000	239.90
			Brushed Bronze	32545140	359.80
			Brushed Black	32545340	359.80
			Chrome		
			Matt Black	32545670	335.90
			Matt White	32545700	335.90
		Polished Gold Optic	32545990	359.80	
Required parts:					
· Basic set iBox universal			01800180	137.30	
Optional parts:					
· Extension element		Chrome	13593000	46.80	




 	Basic set iBox universal			01800180	137.30
	· suitable for all shower, bath tub and thermostat finish sets for concealed installation · connection thread Rp 3/4 · rotationally-symmetric installation · sound-decoupled installation · connection dimension: DN20				
	Alternative products:				
	· Basic set iBox universal with shut-off unit			01850180	178.40
	Optional parts:				
	· Extension iBox universal basic set 2.5 cm · Fastening rail set for iBox universal · Assembly aid for iBox universal			13595000	50.40
				96615000	35.80
				93500000	13.00



 	Bath spout floor-standing		Chrome	32531000	913.70
	· 1 function · connection type: basic set · projection 235 mm · free-standing installation · maximum flow rate at 3 bar: 21 l/min · spray type: normal spray				
	Required parts:				
	· Basic set for mixers floor-standing			10452180	459.80
	Optional parts:				
	· Sealing foil for basic set bath mixer floor-standing			96441000	127.30




Measurements within scale drawings are in mm.

Technical specifications and units of measure are subject to change.

		finish	code no.	Euro
 	Basic set for mixers floor-standing · for mounting on unfinished floor · suitable for single lever bath mixer, single lever basin mixer and bath spout floor-standing · connection dimension: DN15		10452180	459.80
	Optional parts: · Sealing foil for basic set bath mixer floor-standing		96441000	127.30
 	Bath spout · 1 function · connection type: G 3/4 · projection 167.5 mm · wall-mounted · maximum flow rate at 3 bar: 21 l/min · spray type: normal spray		Chrome32542000	228.40
			 	
 	Bath spout · 1 function · projection 185 mm · wall-mounted · maximum flow rate at 3 bar: 21 l/min · connection dimension: DN20 · spray type: wide flood jet		Chrome32543000	342.60
			Brushed Bronze32543140	513.90
 			Brushed Black32543340	513.90
			Chrome32543670	479.60
 			Matt Black32543700	479.60
			Matt White32543700	479.60
 			Polished Gold Optic32543990	513.90
			 	
 	2-hole rim mounted single lever bath mixer with lever handle · 2 functions · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · ceramic cartridge · temperature limitation adjustable · connection dimension: DN15		Chrome32548000	285.60
	Alternative products: · 2-hole rim mounted single lever bath mixer with loop handle		Chrome74548000	308.40
 	Required parts: · Basic set for 2-hole rim mounted bath mixer		13159180	210.00


	finish	code no.	Euro
 	Chrome	74548000	308.40
· 2 functions · connection type: basic set · min. operating pressure: 1 bar · max. operating pressure: 10 bar · ceramic cartridge · temperature limitation adjustable · connection dimension: DN15			
Alternative products: · 2-hole rim mounted single lever bath mixer with lever handle	Chrome	32548000	285.60
Required parts: · Basic set for 2-hole rim mounted bath mixer		13159180	210.00
 		13159180	210.00
· suitable for remote spout · connection thread: G 1/2 · connection dimension: DN15 · ceramic cartridge			
Optional parts: · Flexible connection tube 80 cm · Connection tube set for 2-hole rim mounted thermostatic bath mixer · Rim mounted bath set with hand shower		58192000 96387000 19418000	109.70 55.60 431.20
 	Chrome	32550000	685.20
for Secuflex · consists of: 3-hole rim mounted single lever bath mixer, hand shower, shower holder · 2 functions · projection 197 mm · connection type: basic set · spray type mixer: normal spray · spray type hand shower: Rain, RainAir, Whirl · maximum pull-out length of hand shower: 1.10 m · maximum flow rate at 3 bar: 19 l/min · flow rate for bath spout at 3 bar: 19 l/min · flow rate of hand shower at 3 bar: 15 l/min · min. operating pressure: 1 bar · max. operating pressure: 10 bar · ceramic cartridge · temperature limitation adjustable · connection dimension: DN15			
Consisting of: · Hand shower 120 3jet (# 26530000)			
Alternative products: · 3-hole rim mounted single lever bath mixer with loop handle for Secuflex	Chrome	74550000	708.10
Required parts: · Basic set for 3-hole rim mounted single lever bath mixer		13437180	686.60


	finish	code no.	Euro
 	Chrome	74550000	708.10
3-hole rim mounted single lever bath mixer with loop handle for Secuflex · consists of: 3-hole rim mounted single lever bath mixer, hand shower, shower holder · 2 functions · projection 197 mm · connection type: basic set · spray type mixer: normal spray · spray type hand shower: Rain, RainAir, Whirl · maximum pull-out length of hand shower: 1.10 m · maximum flow rate at 3 bar: 19 l/ min · flow rate for bath spout at 3 bar: 19 l/ min · flow rate of hand shower at 3 bar: 15 l/ min · min. operating pressure: 1 bar · max. operating pressure: 10 bar · ceramic cartridge · temperature limitation adjustable · connection dimension: DN15 Consisting of: · Hand shower 120 3jet (# 26530000) Alternative products: · 3-hole rim mounted single lever bath mixer with lever handle for Secuflex Required parts: · Basic set for 3-hole rim mounted single lever bath mixer			
 	Chrome	13437180	686.60
Basic set for 3-hole rim mounted single lever bath mixer · consists of: basic set, shower hose, Secubox · maximum pull-out length of hand shower: 1.10 m · connection thread: G 1/2 · connection dimension: DN15 Optional parts: · Secuflex insert extension			
98806000 4.10			


	finish	code no.	Euro
 	Chrome	32551000	514.00
	3-hole rim mounted single lever bath mixer with lever handle · consists of: 3-hole rim mounted single lever bath mixer, hand shower, shower holder · 2 functions · projection 197 mm · connection type: basic set · spray type mixer: normal spray · spray type hand shower: Rain, RainAir, Whirl · maximum pull-out length of hand shower: 1.60 m · maximum flow rate at 3 bar: 19 l/min · flow rate of hand shower at 3 bar: 14 l/min · min. operating pressure: 1 bar · max. operating pressure: 10 bar · ceramic valves hot/ cold 180° · temperature limitation adjustable · connection dimension: DN15 Consisting of: · Hand shower 120 3jet (# 26530000) Required parts: · Basic set for 3-hole rim mounted single lever bath mixer		
 	Chrome	74551000	536.70
	3-hole rim mounted single lever bath mixer with loop handle · consists of: 3-hole rim mounted single lever bath mixer, hand shower, shower holder, shower hose · 2 functions · projection 197 mm · connection type: basic set · spray type mixer: normal spray · spray type hand shower: Rain, RainAir, Whirl · maximum pull-out length of hand shower: 1.60 m · flow rate for bath spout at 3 bar: 19 l/min · flow rate of hand shower at 3 bar: 14 l/min · min. operating pressure: 1 bar · max. operating pressure: 10 bar · ceramic cartridge · temperature limitation adjustable · connection dimension: DN15 Consisting of: · Hand shower 120 3jet (# 26530000) Required parts: · Basic set for 3-hole rim mounted single lever bath mixer		
		13439180	350.10
Basic set for 3-hole rim mounted single lever bath mixer · consists of: basic set, shower holder, shower hose · maximum pull-out length of hand shower: 1.60 m · maintenance opening required · connection dimension: G 1/2			

Measurements within scale drawings are in mm.


Technical specifications and units of measure are subject to change.

	finish	code no.	Euro	
 	4-hole rim mounted bath mixer with lever handles	Chrome	32553000	514.00
	· consists of: 4-hole rim mounted bath mixer, hand shower, shower holder · 2 functions · projection 197 mm · connection type: basic set · spray type mixer: normal spray · spray type hand shower: Rain, RainAir, Whirl · maximum pull-out length of hand shower: 1.60 m · flow rate for bath spout at 3 bar: 23 l/min · flow rate of hand shower at 3 bar: 15 l/min · min. operating pressure: 1 bar · max. operating pressure: 10 bar · ceramic valves hot/ cold 90° · connection dimension: DN15	 		
Consisting of:				
· Hand shower 120 3jet (# 26530000)				
Required parts:				
· Basic set for 4-hole rim mounted bath mixer		13244180	289.00	

 	4-hole rim mounted bath mixer with loop handles	Chrome	74553000	536.70
	· consists of: 4-hole rim mounted bath mixer, hand shower, shower holder · 2 functions · projection 197 mm · connection type: basic set · spray type mixer: normal spray · spray type hand shower: Rain, RainAir, Whirl · maximum pull-out length of hand shower: 1.60 m · flow rate for bath spout at 3 bar: 23 l/min · flow rate of hand shower at 3 bar: 15 l/min · min. operating pressure: 1 bar · max. operating pressure: 10 bar · ceramic valves hot/ cold 90° · connection dimension: DN15	 		
Consisting of:				
· Hand shower 120 3jet (# 26530000)				
Required parts:				
· Basic set for 4-hole rim mounted bath mixer		13244180	289.00	

	finish	code no.	Euro
 		13244180	289.00
Basic set for 4-hole rim mounted bath mixer · consists of: basic set, shower holder, shower hose · maximum pull-out length of hand shower: 1.60 m · maintenance opening required · suitable for 4-hole rim mounted bath mixer · connection thread: G 1/2 · connection dimension: DN15 · ceramic valves hot/ cold 90°			

Shower



Single lever shower mixer for exposed installation with lever handle


- 1 function
- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- maximum flow rate at 3 bar: 16 l/ min
- flow rate of hand shower at 3 bar: 16 l/ min
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- non-return valve
- with silencer
- hose connection DN15
- connection dimension: DN15

Chrome	32560000	239.90
Brushed Bronze	32560140	359.80
Brushed Black	32560340	359.80
Chrome		
Matt Black	32560670	335.90
Matt White	32560700	335.90
Polished Gold Optic	32560990	359.80

Alternative products:

- Single lever shower mixer for exposed installation with loop handle

Chrome	74560000	262.80
--------	----------	--------



Single lever shower mixer for exposed installation with loop handle


- 1 function
- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- maximum flow rate at 3 bar: 33 l/ min
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- non-return valve
- with silencer
- hose connection DN15
- connection dimension: DN15

Chrome	74560000	262.80
--------	----------	--------

Alternative products:

- Single lever shower mixer for exposed installation with lever handle

Chrome	32560000	239.90
Brushed Bronze	32560140	359.80
Brushed Black	32560340	359.80
Chrome		
Matt Black	32560670	335.90
Matt White	32560700	335.90
Polished Gold Optic	32560990	359.80



Single lever shower mixer
for concealed installation
with lever handle
for iBox universal

- 1 function
- connection type: basic set
- maximum flow rate at 3 bar: 29,3 l/ min
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- with silencer

Alternative products:

- Single lever shower mixer for concealed installation with loop handle for iBox universal

Required parts:

- Basic set iBox universal

Optional parts:


- Extension element

finish	code no.	Euro
Chrome	32565000	222.80
Brushed Bronze	32565140	334.10
Brushed Black	32565340	334.10
Chrome		
Matt Black	32565670	311.90
Matt White	32565700	311.90
Polished Gold Optic	32565990	334.10

Chrome	74565000	245.50
--------	----------	--------

	01800180	137.30
--	----------	--------

Chrome	13593000	46.80
Brushed Bronze	13593140	70.20
Brushed Black	13593340	70.20
Chrome		
Matt Black	13593670	65.50
Matt White	13593700	65.50
Polished Gold Optic	13593990	70.20



Single lever shower mixer
for concealed installation
with loop handle
for iBox universal

- 1 function
- connection type: basic set
- maximum flow rate at 3 bar: 29,3 l/ min
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- with silencer

Alternative products:

- Single lever shower mixer for concealed installation with lever handle for iBox universal

Required parts:

- Basic set iBox universal

Optional parts:


- Extension element

Chrome	74565000	245.50
--------	----------	--------

Chrome	32565000	222.80
Brushed Bronze	32565140	334.10
Brushed Black	32565340	334.10
Chrome		
Matt Black	32565670	311.90
Matt White	32565700	311.90
Polished Gold Optic	32565990	334.10

	01800180	137.30
--	----------	--------

Chrome	13593000	46.80
--------	----------	-------



Basic set iBox universal

- suitable for all shower, bath tub and thermostat finish sets for concealed installation
- connection thread Rp 3/4
- rotationally-symmetric installation
- sound-decoupled installation
- connection dimension: DN20

Alternative products:

- Basic set iBox universal with shut-off unit

Optional parts:

- Extension iBox universal basic set 2.5 cm
- Fastening rail set for iBox universal
- Assembly aid for iBox universal

finish	code no.	Euro
	01800180	137.30
	01850180	178.40
	13595000	50.40
	96615000	35.80
	93500000	13.00